



ANDROID STATIC ANALYSIS REPORT



 Anixart (8.5.2)


File Name: anixart_8-5-2.apk

Package Name: com.swiftsoft.anixartd

Scan Date: May 29, 2026, 11:46 p.m.

App Security Score: 51/100 (MEDIUM RISK)

Grade:



Trackers Detection: 3/432

FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
3	25	5	3	2

FILE INFORMATION

File Name: anixart_8-5-2.apk

Size: 13.88MB

MD5: 6c2ced56eff939f7f116a5d75b5cf81d

SHA1: 0f21e1ab0d700a638dc98f1b041cc05420445e53

SHA256: dc7a918ef32d05fc809da021564173756041e02045c4ad087ca7657f403fc004

APP INFORMATION

App Name: Anixart

Package Name: com.swiftsoft.anixartd

Main Activity: com.swiftsoft.anixartd.ui.activity.StartActivity

Target SDK: 32

Min SDK: 21

Max SDK:

Android Version Name: 8.5.2

Android Version Code: 26032112

APP COMPONENTS

Activities: 21

Services: 14

Receivers: 7

Providers: 7

Exported Activities: 3

Exported Services: 3

Exported Receivers: 4

Exported Providers: 1

CERTIFICATE INFORMATION

Binary is signed

v1 signature: True

v2 signature: True

v3 signature: False

v4 signature: False

X.509 Subject: OU=Anixart, CN=Anixart

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2020-04-03 23:29:01+00:00

Valid To: 2045-03-28 23:29:01+00:00

Issuer: OU=Anixart, CN=Anixart

Serial Number: 0x6c76ba92

Hash Algorithm: sha256

md5: 9aa5c7af74e8cd70c86f7f9587bde23d

sha1: 5b67777441fb4cd4d70b49a1097f6155bacd1cd1

sha256: 39b48a596669855f30acfcc1baf4d798d21a9b19bbf2af3ea5ea10d3e50c55af

sha512: a923ef09bc063052ef2db516193188e4c5f67ba931be5f44f2392a8d107148161a4fe0a948d9d6b1237ef87620bf9f96b1797bffc074c005ab7b1d8c693e5e58

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 543ab1c9c22496f68a5deb245fc8a19a27271e7d149f051c31c9aac857c26031

Found 1 unique certificates

≡ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.REQUEST_INSTALL_PACKAGES	dangerous	Allows an application to request installing packages.	Malicious applications can use this to try and trick users into installing additional malicious packages.
com.android.launcher.permission.INSTALL_SHORTCUT	unknown	Unknown permission	Unknown permission from android reference
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.

APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.TAGS check
	Compiler	r8

FILE	DETAILS	
classes2.dex	FINDINGS	DETAILS
	Anti Debug Code	Debug.isDebuggerConnected() check
	Anti-VM Code	Build.MANUFACTURER check SIM operator check network operator name check
	Compiler	r8 without marker (suspicious)
classes3.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.MANUFACTURER check network operator name check
	Compiler	r8 without marker (suspicious)

BROWSABLE ACTIVITIES

ACTIVITY	INTENT
com.swiftsoft.anixartd.ui.activity.StartActivity	Schemes: https://, http://, anixart://, Hosts: anixart.tv, mirror.anixart.tv, anixart.app, mirror.anixart.app, anixartapp.com, mirror.anixartapp.com, Mime Types: file/*, Path Prefixes: /release, /collection, /profile,

ACTIVITY	INTENT
com.google.firebase.auth.internal.GenericIdpActivity	Schemes: genericidp://, Hosts: firebase.auth, Paths: /,
com.google.firebase.auth.internal.RecaptchaActivity	Schemes: recaptcha://, Hosts: firebase.auth, Paths: /,

NETWORK SECURITY

HIGH: 0 | WARNING: 1 | INFO: 1 | SECURE: 0

NO	SCOPE	SEVERITY	DESCRIPTION
1	*	warning	Base config is configured to trust system certificates.
2	*	info	Base config is configured to trustbundled certs @raw/isrgrootx1.

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

TITLE	SEVERITY	DESCRIPTION
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.

Q MANIFEST ANALYSIS

HIGH: 2 | WARNING: 12 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 5.0-5.0.2, [minSdk=21]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Clear text traffic is Enabled For App[android:usesCleartextTraffic=true]	high	The app intends to use cleartext network traffic, such as cleartext HTTP, FTP stacks, DownloadManager, and MediaPlayer. The default value for apps that target API level 27 or lower is "true". Apps that target API level 28 or higher default to "false". The key reason for avoiding cleartext traffic is the lack of confidentiality, authenticity, and protections against tampering; a network attacker can eavesdrop on transmitted data and also modify it without being detected.

NO	ISSUE	SEVERITY	DESCRIPTION
3	App has a Network Security Configuration[android:networkSecurityConfig=@xml/network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
4	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
5	Activity (com.swiftsoft.anixartd.ui.activity.MainActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Service (com.swiftsoft.anixartd.notification.NotificationService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_NOTIFICATION_LISTENER_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
7	Broadcast Receiver (com.swiftsoft.anixartd.notification.SilentPushReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
8	Activity (com.google.firebase.auth.internal.GenericIdpActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
9	Activity (com.google.firebase.auth.internal.RecaptchaActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
10	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
11	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
12	Broadcast Receiver (com.google.firebase.messaging.directboot.FirebaseMessagingDirectBootReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
13	Broadcast Receiver (com.yandex.metrica.push.core.notification.MetricaPushNotificationStatusChangeHandler) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
14	Content Provider (com.yandex.metrca.PreloadInfoContentProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
15	Service (com.google.android.play.core.assetpacks.AssetPackExtractionService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

</> CODE ANALYSIS

HIGH: 1 | WARNING: 8 | INFO: 3 | SECURE: 3 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/yandex/android/beacon/SendBeaconDb.java com/yandex/div/state/db/DivStateDaoImpl.java com/yandex/div/state/db/DivStateDbOpenHelper.java com/yandex/metrca/impl/ob/A9.java com/yandex/metrca/impl/ob/AbstractC0524r8.java com/yandex/metrca/impl/ob/B9.java com/yandex/metrca/impl/ob/C0102a9.java com/yandex/metrca/impl/ob/C0127b9.java com/yandex/metrca/impl/ob/C0152c9.java com/yandex/metrca/impl/ob/C0177d9.java com/yandex/metrca/impl/ob/C0202e9.java com/yandex/metrca/impl/ob/C0227f9.java com/yandex/metrca/impl/ob/C0252g9.java com/yandex/metrca/impl/ob/C0277b9.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/yandex/metrica/impl/ob/C0277t9.java com/yandex/metrica/impl/ob/C0292i.java com/yandex/metrica/impl/ob/C0302i9.java com/yandex/metrica/impl/ob/C0326j9.java com/yandex/metrica/impl/ob/C0351k9.java com/yandex/metrica/impl/ob/C0376l9.java com/yandex/metrica/impl/ob/C0401m9.java com/yandex/metrica/impl/ob/C0426n9.java com/yandex/metrica/impl/ob/C0451o9.java com/yandex/metrica/impl/ob/C0476p9.java com/yandex/metrica/impl/ob/C0501q9.java com/yandex/metrica/impl/ob/C0525r9.java com/yandex/metrica/impl/ob/C0549s8.java com/yandex/metrica/impl/ob/C0550s9.java com/yandex/metrica/impl/ob/C0574t8.java com/yandex/metrica/impl/ob/C0600u9.java com/yandex/metrica/impl/ob/C0625v9.java com/yandex/metrica/impl/ob/C0655w9.java com/yandex/metrica/impl/ob/C0680x9.java com/yandex/metrica/impl/ob/C0705y9.java com/yandex/metrica/impl/ob/C0730z9.java com/yandex/metrica/impl/ob/C8.java com/yandex/metrica/impl/ob/Q8.java com/yandex/metrica/impl/ob/R8.java com/yandex/metrica/impl/ob/S8.java com/yandex/metrica/impl/ob/T8.java com/yandex/metrica/impl/ob/U8.java com/yandex/metrica/impl/ob/V8.java com/yandex/metrica/impl/ob/W8.java com/yandex/metrica/impl/ob/X8.java com/yandex/metrica/impl/ob/Y8.java com/yandex/metrica/impl/ob/Z8.java com/yandex/mobile/ads/exo/offline/a.java com/yandex/mobile/ads/impl/fg.java com/yandex/mobile/ads/impl/mb1.java com/yandex/mobile/ads/impl/ng.java com/yandex/mobile/ads/impl/w31.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
2	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/bumptech/glide/load/engine/EngineResource.java com/yandex/metrica/impl/ob/vo.java io/grpc/okhttp/OkHttpClientStream.java moxy/MvpDelegate.java
3	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	com/swiftsoft/anixartd/ui/activity/MainActivity.java com/swiftsoft/anixartd/ui/fragment/main/collection/a.java com/swiftsoft/anixartd/ui/fragment/main/profile/ProfileFragment.java com/swiftsoft/anixartd/ui/fragment/main/profile/d.java com/swiftsoft/anixartd/ui/fragment/main/release/ReleaseCommentsFragment.java com/swiftsoft/anixartd/ui/fragment/main/release/ReleaseCommentsRepliesFragment.java com/swiftsoft/anixartd/ui/fragment/main/release/ReleaseFragment.java com/yandex/div/core/view2/errors/ErrorMessageView.java
				a/a.java com/airbnb/epoxy/DebugTimer.java com/airbnb/epoxy/EpoxyDiffLogger.java com/airbnb/lottie/utils/LogcatLogger.java com/bumptech/glide/GeneratedAppGlideModuleImpl.java com/bumptech/glide/Glide.java com/bumptech/glide/RequestBuilder.java com/bumptech/glide/disklruache/DiskLruCache.java com/bumptech/glide/gifdecoder/GifHeaderParser.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/bumptech/glide/gifdecoder/StandardGifDecoder.java com/bumptech/glide/load/data/AssetPathFetcher.java com/bumptech/glide/load/data/HttpUrlFetcher.java com/bumptech/glide/load/data/LocalUriFetcher.java com/bumptech/glide/load/data/mediastore/ThumbFetcher.java com/bumptech/glide/load/engine/DecodeJob.java com/bumptech/glide/load/engine/DecodePath.java com/bumptech/glide/load/engine/Engine.java com/bumptech/glide/load/engine/GlideException.java com/bumptech/glide/load/engine/SourceGenerator.java com/bumptech/glide/load/engine/bitmap_recycle/LruArrayPool.java com/bumptech/glide/load/engine/bitmap_recycle/LruBitmapPool.java com/bumptech/glide/load/engine/cache/DiskLruCacheWrapper.java com/bumptech/glide/load/engine/cache/MemorySizeCalculator.java com/bumptech/glide/load/engine/executor/GlideExecutor.java com/bumptech/glide/load/model/ByteBufferEncoder.java com/bumptech/glide/load/model/ByteBufferFileLoader.java com/bumptech/glide/load/model/FileLoader.java com/bumptech/glide/load/model/ResourceLoader.java com/bumptech/glide/load/model/StreamEncoder.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/bumptech/glide/load/resource/bitmap/BitmapEncoder.java com/bumptech/glide/load/resource/bitmap/CenterInside.java com/bumptech/glide/load/resource/bitmap/DefaultImageHeaderParser.java com/bumptech/glide/load/resource/bitmap/Downsampler.java com/bumptech/glide/load/resource/bitmap/DrawableToBitmapConverter.java com/bumptech/glide/load/resource/bitmap/TransformationUtils.java com/bumptech/glide/load/resource/bitmap/VideoDecoder.java com/bumptech/glide/load/resource/gif/ByteBufferGifDecoder.java com/bumptech/glide/load/resource/gif/GifDrawableEncoder.java com/bumptech/glide/load/resource/gif/StreamGifDecoder.java com/bumptech/glide/manager/DefaultConnectivityMonitor.java com/bumptech/glide/manager/DefaultConnectivityMonitorFactory.java com/bumptech/glide/manager/RequestManagerFragment.java com/bumptech/glide/manager/RequestManagerRetriever.java com/bumptech/glide/manager/SupportRequestManagerFragment.java com/bumptech/glide/request/SingleRequest.java com/bumptech/glide/request/target/CustomViewTarget.java com/bumptech/glide/request/target/ViewTarget.java com/bumptech/glide/util/pool/FactoryPools.java com/stfalcon/imageviewer/StfalconImageViewer.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/swiftsoft/anixartd/notification/handler/NotificationPayloadHandler.java com/swiftsoft/anixartd/presentation/main/MainPresenter.java com/swiftsoft/anixartd/presentation/main/episodes/EpisodesPresenter.java com/swiftsoft/anixartd/presentation/player/SwiftPlayerPresenter.java com/swiftsoft/anixartd/ui/activity/AuthActivity.java com/swiftsoft/anixartd/ui/activity/MainActivity.java com/swiftsoft/anixartd/ui/activity/swiftplayer/SwiftPlayerActivity.java com/swiftsoft/anixartd/ui/dialog/ChooseAvatarTypeDialogFragment.java com/swiftsoft/anixartd/ui/fragment/main/episodes/EpisodesFragment.java com/swiftsoft/anixartd/ui/fragment/main/episodes/b.java com/swiftsoft/anixartd/ui/fragment/main/preference/PlaybackPreferenceFragment.java com/swiftsoft/anixartd/ui/model/main/preference/LoginChangeHeaderModel.java com/swiftsoft/anixartd/utls/Quality.java com/swiftsoft/anixartd/utls/cropper/BitmapUtils.java com/swiftsoft/anixartd/utls/cropper/CropImageActivity.java com/swiftsoft/anixartd/utls/cropper/CropImageView.java com/swiftsoft/anixartd/utls/cropper/CropOverlayView.java com/vk/api/sdk/VK.java com/vk/api/sdk/internal/VKInitProvider.java com/vk/api/sdk/utls/log/DefaultApiLogger.java com/yandex/div/core/DecodeBase64ImageTask.java com/yandex/div/core/view2/DivVisibilityActi

NO	ISSUE	SEVERITY	STANDARDS	onTracker.java FILES com/yandex/div/core/view2/divs/DivGiflma geBinder.java
				com/yandex/div/core/view2/divs/PagerSele ctedActionsDispatcher.java com/yandex/div/core/view2/divs/tabs/DivT absEventManager.java com/yandex/div/core/view2/divs/widgets/D ivBorderDrawer.java com/yandex/div/core/widget/GridContainer .java com/yandex/metrika/gpllibrary/a.java com/yandex/metrika/impl/ob/B2.java com/yandex/metrika/impl/ob/C0369l2.java com/yandex/metrika/impl/ob/C0420n3.java com/yandex/metrika/impl/ob/C0458og.java com/yandex/metrika/impl/ob/C0607ug.java com/yandex/metrika/impl/ob/C0632vg.java com/yandex/mobile/ads/impl/d90.java com/yandex/mobile/ads/impl/e60.java com/yandex/mobile/ads/impl/h9.java com/yandex/mobile/ads/impl/lw0.java com/yandex/mobile/ads/impl/n60.java com/yandex/mobile/ads/impl/nm1.java com/yandex/mobile/ads/impl/ot0.java com/yandex/mobile/ads/impl/pl1.java com/yandex/mobile/ads/impl/rh1.java com/yandex/mobile/ads/impl/w8.java com/yandex/mobile/ads/impl/wm1.java com/yandex/mobile/ads/impl/x91.java com/yandex/mobile/ads/impl/xj0.java dagger/android/AndroidInjection.java lecho/lib/hellocharts/formatter/ValueForma tterHelper.java moxy/PresenterStore.java org/greenrobot/eventbus/Logger.java pl/aprilapps/easyphotopicker/EasyImage.ja va pl/aprilapps/easyphotopicker/Files\$copyFil esInSeparateThread\$1.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				pub/devrel/easypermissions/AppSettingsDialog\$DialogActivity.java pub/devrel/easypermissions/EasyPermissions.java
5	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	pub/devrel/easypermissions/helper/ActivityPermissionHelper.java com/swiftsoft/anixartd/Utils/StringUtils.java pub/devrel/easypermissions/helper/BaseSupporter.java com/swiftsoft/anixartd/Utils/ShowFailReasonizer.java com/vk/api/sdk/Utils/ExponentialBackoff.java com/yandex/metrica/impl/ob/Bm.java com/yandex/mobile/ads/impl/b11.java com/yandex/mobile/ads/impl/bo.java com/yandex/mobile/ads/impl/qa1.java com/yandex/mobile/ads/impl/x01.java io/grpc/internal/ExponentialBackoffPolicy.java io/grpc/internal/RetriableStream.java io/grpc/okhttp/OkHttpClientTransport.java io/grpc/util/RoundRobinLoadBalancer.java org/jsoup/helper/DataUtil.java
6	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/yandex/mobile/ads/impl/su.java pl/aprilapps/easyphotopicker/Files\$copyFilesInSeparateThread\$1.java
7	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	com/swiftsoft/anixartd/dagger/module/AppModule_ProvideRetrofitFactory.java com/yandex/mobile/ads/impl/a81.java com/yandex/mobile/ads/impl/c81.java com/yandex/mobile/ads/impl/eq0.java
8	This app has capabilities to prevent tapjacking attacks.	secure	OWASP MASVS: MSTG-PLATFORM-9	com/yandex/div/core/util/SafePopupWindow.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
9	Insecure WebView Implementation. WebView ignores SSL Certificate errors and accept any SSL Certificate. This application is vulnerable to MITM attacks	high	CWE: CWE-295: Improper Certificate Validation OWASP Top 10: M3: Insecure Communication OWASP MASVS: MSTG-NETWORK-3	com/yandex/mobile/ads/impl/c2.java
10	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/swiftsoft/anixartd/utls/Police.java com/vk/api/sdk/internal/QueryStringGenerator.java com/yandex/metrica/impl/ob/C0613um.java com/yandex/metrica/impl/ob/C0718ym.java
11	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/yandex/metrica/impl/ob/P.java
12	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	com/skydoves/balloon/Balloon.java com/vk/api/sdk/auth/VKAuthManager.java
13	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/swiftsoft/anixartd/ui/activity/kodik/KodikAdActivity.java
14	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/swiftsoft/anixartd/utls/cropper/CropImageActivity.java com/swiftsoft/anixartd/utls/cropper/CropImageView.java com/yandex/div/core/view2/divs/DivGifImageBinder.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
15	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	com/yandex/metrica/impl/ob/C0518r2.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00192	Get messages in the SMS inbox	sms	com/yandex/metrica/impl/ob/C0593u2.java com/yandex/metrica/impl/ob/He.java

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/airbnb/lottie/network/NetworkFetcher.java com/bumptech/glide/disklruCache/DiskLruCache.java com/bumptech/glide/load/model/FileLoader.java com/fasterxml/jackson/core/JsonFactory.java com/fasterxml/jackson/core/TokenStreamFactory.java com/fasterxml/jackson/databind/ObjectReader.java com/vk/api/sdk/okhttp/FileFullRequestBody.java com/yandex/metrica/impl/ob/P7.java com/yandex/metrica/impl/ob/Vh.java com/yandex/mobile/ads/impl/bu0.java com/yandex/mobile/ads/impl/mb.java com/yandex/mobile/ads/impl/pk.java com/yandex/mobile/ads/impl/zo.java okio/Okio.java pl/aprilapps/easyphotopicker/Files\$copyFilesInSeparateThread\$1.java
00036	Get resource file from res/raw directory	reflection	com/swiftsoft/anixartd/ui/activity/MainActivity.java com/swiftsoft/anixartd/ui/activity/UpdateActivity.java com/yandex/metrica/impl/ob/Hg.java com/yandex/metrica/push/core/notification/a.java com/yandex/mobile/ads/impl/bu0.java com/yandex/mobile/ads/impl/pu.java
00132	Query The ISO country code	telephony collection	com/yandex/mobile/ads/impl/s91.java
00112	Get the date of the calendar event	collection calendar	com/fasterxml/jackson/databind/ser/std/StdKeySerializers.java com/fasterxml/jackson/databind/util/StdDateFormat.java com/swiftsoft/anixartd/Utils/Time.java

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	com/airbnb/lottie/network/NetworkFetcher.java com/fasterxml/jackson/databind/ser/std/FileSerializer.java com/swiftsoft/anixartd/utils/filepicker/Utils/Utility.java com/swiftsoft/anixartd/utils/filepicker/view/FilePickerDialog.java com/yandex/metrica/impl/ob/C0141bn.java com/yandex/metrica/impl/ob/C0226f8.java com/yandex/metrica/impl/ob/C0251g8.java com/yandex/metrica/impl/ob/L0.java com/yandex/metrica/impl/ob/P7.java com/yandex/metrica/impl/ob/Qa.java com/yandex/metrica/impl/ob/T6.java com/yandex/metrica/impl/ob/V0.java com/yandex/metrica/impl/ob/X6.java com/yandex/mobile/ads/impl/zo.java id/zelory/compressor/ImageUtil.java
00016	Get location info of the device and put it to JSON object	location collection	com/yandex/metrica/impl/ob/C0492q0.java com/yandex/metrica/impl/ob/C0617v1.java com/yandex/metrica/impl/ob/Cc.java com/yandex/metrica/impl/ob/Ta.java
00096	Connect to a URL and set request method	command network	com/airbnb/lottie/network/NetworkFetcher.java com/yandex/mobile/ads/impl/sn.java com/yandex/mobile/ads/impl/w00.java org/jsoup/helper/HttpConnection.java
00089	Connect to a URL and receive input stream from the server	command network	com/airbnb/lottie/network/NetworkFetcher.java com/bumptech/glide/load/data/HttpUrlFetcher.java com/yandex/metrica/push/impl/Z0.java com/yandex/mobile/ads/impl/sn.java com/yandex/mobile/ads/impl/w00.java

RULE ID	BEHAVIOUR	LABEL	FILES
00030	Connect to the remote server through the given URL	network	com/airbnb/lottie/network/NetworkFetcher.java com/bumptech/glide/load/data/HttpUrlFetcher.java com/yandex/mobile/ads/impl/sn.java org/jsoup/helper/HttpConnection.java
00109	Connect to a URL and get the response code	network command	com/airbnb/lottie/network/NetworkFetcher.java com/bumptech/glide/load/data/HttpUrlFetcher.java com/yandex/metrica/push/impl/Z0.java com/yandex/mobile/ads/impl/sn.java com/yandex/mobile/ads/impl/w00.java org/jsoup/helper/HttpConnection.java
00094	Connect to a URL and read data from it	command network	com/yandex/metrica/push/impl/Z0.java com/yandex/mobile/ads/impl/sn.java org/jsoup/helper/HttpConnection.java
00108	Read the input stream from given URL	network command	com/yandex/metrica/push/impl/Z0.java com/yandex/mobile/ads/impl/sn.java
00125	Check if the given file path exist	file	com/swiftsoft/anixartd/utils/cropper/CropImageView.java com/swiftsoft/anixartd/utils/filepicker/view/FilePickerDialog.java
00104	Check if the given path is directory	file	com/swiftsoft/anixartd/utils/filepicker/view/FilePickerDialog.java
00162	Create InetAddress object and connecting to it	socket	com/yandex/mobile/ads/impl/eq0.java com/yandex/mobile/ads/impl/rn.java com/yandex/mobile/ads/impl/z8.java
00163	Create new Socket and connecting to it	socket	com/yandex/mobile/ads/impl/eq0.java com/yandex/mobile/ads/impl/rn.java com/yandex/mobile/ads/impl/z8.java

RULE ID	BEHAVIOUR	LABEL	FILES
00153	Send binary data over HTTP	http	com/yandex/mobile/ads/impl/w00.java
00063	Implicit intent(view a web page, make a phone call, etc.)	control	com/swiftsoft/anixartd/ui/activity/MainActivity.java com/swiftsoft/anixartd/ui/activity/UpdateActivity.java com/swiftsoft/anixartd/ui/activity/kodik/KodikAdActivity\$webViewClient\$1.java com/swiftsoft/anixartd/ui/activity/swiftplayer/SwiftPlayerActivity.java com/swiftsoft/anixartd/ui/activity/webplayer/WebPlayerActivity.java com/swiftsoft/anixartd/ui/fragment/main/episodes/EpisodesFragment.java com/swiftsoft/anixartd/ui/fragment/main/episodes/TorlookFragment.java com/swiftsoft/anixartd/ui/fragment/main/preference/f.java com/vk/api/sdk/ui/VKWebViewAuthActivity.java com/yandex/metrica/push/core/notification/a.java com/yandex/mobile/ads/impl/j91.java com/yandex/mobile/ads/impl/pu.java com/yandex/mobile/ads/impl/yr0.java
00091	Retrieve data from broadcast	collection	com/yandex/metrica/push/core/notification/TtlBroadcastReceiver.java
00028	Read file from assets directory	file	com/yandex/mobile/ads/impl/ta.java
00078	Get the network operator name	collection telephony	com/yandex/mobile/ads/impl/pu.java
00024	Write file after Base64 decoding	reflection file	com/yandex/metrica/impl/ob/V0.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	com/yandex/metrica/impl/ob/Hg.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	com/bumptechnology/load/data/mediastore/ThumbFetcher.java com/yandex/metrica/impl/ob/Hg.java
00054	Install other APKs from file	reflection	com/swiftsoft/anixartd/ui/activity/UpdateActivity.java

RULE ID	BEHAVIOUR	LABEL	FILES
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	com/swiftsoft/anixartd/ui/activity/UpdateActivity.java com/swiftsoft/anixartd/ui/fragment/main/episodes/TorlookFragment.java
00191	Get messages in the SMS inbox	sms	com/swiftsoft/anixartd/ui/activity/UpdateActivity.java
00009	Put data in cursor to JSON object	file	com/yandex/metrica/impl/ob/C0292i.java com/yandex/metrica/impl/ob/C0319j2.java
00004	Get filename and put it to JSON object	file collection	com/yandex/metrica/impl/ob/G2.java
00114	Create a secure socket connection to the proxy address	network command	com/yandex/mobile/ads/impl/ku0.java
00042	Query WiFi BSSID and scan results	collection wifi	com/yandex/metrica/impl/ob/C0121b3.java
00130	Get the current WIFI information	wifi collection	com/yandex/metrica/impl/ob/C0121b3.java
00012	Read data and put it into a buffer stream	file	com/yandex/mobile/ads/impl/zo.java

TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://anime-ad-eb8b3.firebaseio.com
Firebase Remote Config enabled	warning	The Firebase Remote Config at https://firebase-remoteconfig.firebaseio.com/v1/projects/983926366374/namespaces/firebase:fetch?key=AlzaSyBFPckWOsp0MEqb_1gwszvM1ILdUixM-uw is enabled. Ensure that the configurations are not sensitive. This is indicated by the response: {'entries': {'available_urls': ['https://api-s.anixsekai.com', 'https://api.anixsekai.com'], 'primary_api_url': 'https://api.anixsekai.com/', 'should_use_mirror_urls': 'false'}, 'state': 'UPDATE', 'templateVersion': '29'}

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	8/25	android.permission.ACCESS_WIFI_STATE, android.permission.ACCESS_NETWORK_STATE, android.permission.INTERNET, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.READ_EXTERNAL_STORAGE, android.permission.REQUEST_INSTALL_PACKAGES, android.permission.WAKE_LOCK, android.permission.VIBRATE
Other Common Permissions	5/44	com.android.launcher.permission.INSTALL_SHORTCUT, com.google.android.gms.permission.AD_ID, com.google.android.c2dm.permission.RECEIVE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE, android.permission.FOREGROUND_SERVICE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
github.com	ok	IP: 140.82.121.4 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
my.mail.ru	ok	IP: 89.221.236.44 Country: Russian Federation Region: Stavropol'skiy kray City: Stavropol' Latitude: 45.042801 Longitude: 41.973400 View: Google Map
m.maps	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
gw2.torlook.info	ok	IP: 172.239.193.217 Country: United States of America Region: Massachusetts City: Cambridge Latitude: 42.363598 Longitude: -71.085205 View: Google Map
anixmirai.com	ok	IP: 186.2.175.11 Country: Ecuador Region: Guayas City: Guayaquil Latitude: -2.166670 Longitude: -79.900002 View: Google Map
kodikres.com	ok	IP: 185.80.234.195 Country: Netherlands Region: Overijssel City: Enschede Latitude: 52.218330 Longitude: 6.895830 View: Google Map
t.me	ok	IP: 149.154.167.99 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Lowestoft Latitude: 52.475201 Longitude: 1.751590 View: Google Map

DOMAIN	STATUS	GEOLOCATION
appmetrica.yandex.com	ok	IP: 93.158.134.167 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map
play.google.com	ok	IP: 209.85.233.102 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
anixartapp.com	ok	IP: 186.2.175.11 Country: Ecuador Region: Guayas City: Guayaquil Latitude: -2.166670 Longitude: -79.900002 View: Google Map
yandex.com	ok	IP: 77.88.44.55 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map
market.android	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
anixhelper.github.io	ok	IP: 185.199.108.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
instagram.com	ok	IP: 157.240.205.174 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map
aomedia.org	ok	IP: 185.199.111.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
mobile.maps	ok	No Geolocation information available.
vk.com	ok	IP: 87.240.137.164 Country: Russian Federation Region: Sankt-Peterburg City: Saint Petersburg Latitude: 59.894440 Longitude: 30.264170 View: Google Map

DOMAIN	STATUS	GEOLOCATION
video.sibnet.ru	ok	IP: 90.189.192.216 Country: Russian Federation Region: Novosibirskaya oblast' City: Novosibirsk Latitude: 55.041500 Longitude: 82.934601 View: Google Map
www.w3.org	ok	IP: 8.47.69.0 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
oauth.vk.com	ok	IP: 95.213.56.1 Country: Russian Federation Region: Sankt-Peterburg City: Saint Petersburg Latitude: 59.894440 Longitude: 30.264170 View: Google Map
startup.mobile.yandex.net	ok	IP: 213.180.204.244 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map

DOMAIN	STATUS	GEOLOCATION
mobile.yandexadexchange.net	ok	IP: 213.180.193.198 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map
api-s.anixsekai.com	ok	IP: 186.2.175.11 Country: Ecuador Region: Guayas City: Guayaquil Latitude: -2.166670 Longitude: -79.900002 View: Google Map
schemas.microsoft.com	ok	IP: 150.171.109.100 Country: United States of America Region: Washington City: Redmond Latitude: 47.682899 Longitude: -122.120903 View: Google Map
javax.xml.xmlconstants	ok	No Geolocation information available.
ns.adobe.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
maps.yandex.ru	ok	IP: 213.180.204.242 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map
developer.apple.com	ok	IP: 17.253.39.134 Country: Sweden Region: Stockholms lan City: Stockholm Latitude: 59.332581 Longitude: 18.064899 View: Google Map
www.myvi.top	ok	IP: 172.234.218.95 Country: United States of America Region: Massachusetts City: Cambridge Latitude: 42.363598 Longitude: -71.085205 View: Google Map
api.anilibria.tv	ok	IP: 104.21.20.164 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
play.google	ok	IP: 216.239.32.29 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
exoplayer.dev	ok	IP: 185.199.111.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
appmetrica.yandex.ru	ok	IP: 93.158.134.167 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map
anime-ad-eb8b3.firebaseio.com	ok	IP: 34.120.206.254 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map

DOMAIN	STATUS	GEOLOCATION
s.anixmirai.com	ok	IP: 37.46.134.21 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map
yandex.ru	ok	IP: 77.88.55.88 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map
tiktok.com	ok	IP: 139.45.206.153 Country: Germany Region: Hessen City: Frankfurt am Main Latitude: 50.115520 Longitude: 8.684170 View: Google Map
api-s2.anixart.tv	ok	IP: 186.2.175.11 Country: Ecuador Region: Guayas City: Guayaquil Latitude: -2.166670 Longitude: -79.900002 View: Google Map

DOMAIN	STATUS	GEOLOCATION
xmlpull.org	ok	IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map

EMAILS

EMAIL	FILE
this@bookmarkstabfragment.requirecon	com/swiftsoft/anixartd/ui/fragment/main/bookmarks/BookmarksTabFragment.java

TRACKERS

TRACKER	CATEGORIES	URL
AppMetrica		https://reports.exodus-privacy.eu.org/trackers/140
Vkontakte SDK	Identification	https://reports.exodus-privacy.eu.org/trackers/382
Yandex Ad	Advertisement	https://reports.exodus-privacy.eu.org/trackers/124

HARDCODED SECRETS

POSSIBLE SECRETS
"firebase_database_url" : "https://anime-ad-eb8b3.firebaseio.com"
"google_api_key" : "AlzaSyBFPckWOsp0MEqb_1gwszvM1ILdUixM-uw"
"google_crash_reporting_api_key" : "AlzaSyBFPckWOsp0MEqb_1gwszvM1ILdUixM-uw"
"password" : "Пароль"
"yandex_mobileads_age_restricted_user" : "com.yandex.mobile.ads.AGE_RESTRICTED_USER"
01528cc0-dd34-494d-9218-24af1317e1ee
T01YLkV4eW5vcy5BQUMuRGVjb2Rlcg==
11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650
0e5e9c33-f8c3-4568-86c5-2e4f57523f72
T01YLkV4eW5vcy5hdmMuZGVjLnNlY3VyZQ==
6864797660130609714981900799081393217269435300143305409394463459185543183397656052122559640661454554977296311391480858037121987999716643812574028291115057151
b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef
7d962ba4-a392-449a-a02d-6c5be5613928

POSSIBLE SECRETS
T01YLnFjb20udmlkZW8uZGVjb2Rlci52cDg=
T01YLmdvb2dsZS5hYWMuZGVjb2Rlcg==
f7acd996f009b54d5743732bf7cb7558
39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319
478cb909-6ad1-4e12-84cc-b3629a789f93
T01YLmxnZS5hbGFjLmRIY29kZXI=
T01YLmdvb2dsZS5yYXcuZGVjb2Rlcg==
T01YLmdvb2dsZS52b3JiaXMuZGVjb2Rlcg==
YzluYW5kcm9pZC5tcDMuZGVjb2Rlcg==
edef8ba9-79d6-4ace-a3c8-27dcd51d21ed
T01YLMftbG9naWMuYXZjLmRIY29kZXluYXdlc29tZS5zZWN1cmU=
9a04f079-9840-4286-ab92-e65be0885f95
T01YLMjyb2FkY29tLnZpZGVvX2RIY29kZXludHVubmVs
T01YLk52aWRpYS5oMjY0LmRIY29kZS5zZWN1cmU=
4fa9df63470f90fbf06e39047e28a53f

POSSIBLE SECRETS
5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b
322a737a-a0ca-44e0-bc85-649b1c7c1db6
20799a27-fa80-4b36-b2db-0f8141f24180
6864797660130609714981900799081393217269435300143305409394463459185543183397655394245057746333217197532963996371363321113864768612440380340372808892707005449
f6c3700f69aeb2f115563bfb01aee99b5faed63c
aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7
T01YLkV4eW5vcy5BVkMuRGVjb2Rlci5zZWN1cmU=
T01YLnJlYWx0ZWsudmlkZW8uZGVjb2Rlci50dW5uZWxlZA==
c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66
4e610cd2-753f-4bfc-9b05-772ce8905c5e
67bb016b-be40-4c08-a190-96a3f3b503d3
3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f
T01YLMjyb2FkY29tLnZpZGVvX2RIY29kZludHVubmVsLnNIY3VyZQ==
4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5
051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00

POSSIBLE SECRETS
T01YLnF0aS5hdWRpby5kZWNvZGVyLmZsYWM=
T01YLkV4eW5vcy5BVkMuRGVjb2Rlcg==
T01YLnF0aW8uZGVjb2Rlc5hYWM=
6c5f504e-8928-47b5-bfb5-73af8d8bf4b4
6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296
T01YLnF0aW8uZGVjb2Rlc5hYWM=
T01YLINFQy5NUDMuRGVjb2Rlcg==
T01YLnF0aW8uZGVjb2Rlc5hYWM=
2b12361a-ed35-4ff4-abc3-392ad21b48c8
T01YLnF0aW8uZGVjb2Rlc5hYWM=
115792089210356248762697446949407573529996955224135760342422259061068512044369
T01YLnF0aW8uZGVjb2Rlc5hYWM=
e4250327-8d3c-4d35-b9e8-3c1720a64b91
56a768d08f43091901c44b54fe970049
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a

POSSIBLE SECRETS
258EAF5-E914-47DA-95CA-C5AB0DC85B11
115792089210356248762697446949407573530086143415290314195533631308867097853951
39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643

SCAN LOGS

Timestamp	Event	Error
2026-05-29 23:46:03	Generating Hashes	OK
2026-05-29 23:46:03	Extracting APK	OK
2026-05-29 23:46:03	Unzipping	OK
2026-05-29 23:46:03	Parsing APK with androguard	OK
2026-05-29 23:46:03	Extracting APK features using aapt/aapt2	OK
2026-05-29 23:46:03	Getting Hardcoded Certificates/Keystores	OK

2026-05-29 23:46:06	Parsing AndroidManifest.xml	OK
2026-05-29 23:46:06	Extracting Manifest Data	OK
2026-05-29 23:46:06	Manifest Analysis Started	OK
2026-05-29 23:46:06	Reading Network Security config from network_security_config.xml	OK
2026-05-29 23:46:06	Parsing Network Security config	OK
2026-05-29 23:46:06	Performing Static Analysis on: Anixart (com.swiftsoft.anixartd)	OK
2026-05-29 23:46:11	Checking for Malware Permissions	OK
2026-05-29 23:46:11	Fetching icon path	OK
2026-05-29 23:46:11	Library Binary Analysis Started	OK
2026-05-29 23:46:11	Reading Code Signing Certificate	OK
2026-05-29 23:46:12	Running APKiD 3.0.0	OK

2026-05-29 23:46:31	Detecting Trackers	OK
2026-05-29 23:46:35	Decompiling APK to Java with JADX	OK
2026-05-29 23:47:00	Converting DEX to Smali	OK
2026-05-29 23:47:00	Code Analysis Started on - java_source	OK
2026-05-29 23:47:06	Android SBOM Analysis Completed	OK
2026-05-29 23:47:20	Android SAST Completed	OK
2026-05-29 23:47:20	Android API Analysis Started	OK
2026-05-29 23:47:29	Android API Analysis Completed	OK
2026-05-29 23:47:30	Android Permission Mapping Started	OK
2026-05-29 23:47:40	Android Permission Mapping Completed	OK
2026-05-29 23:47:40	Android Behaviour Analysis Started	OK

2026-05-29 23:47:51	Android Behaviour Analysis Completed	OK
2026-05-29 23:47:51	Extracting Emails and URLs from Source Code	OK
2026-05-29 23:47:57	Email and URL Extraction Completed	OK
2026-05-29 23:47:57	Extracting String data from APK	OK
2026-05-29 23:47:57	Extracting String data from Code	OK
2026-05-29 23:47:57	Extracting String values and entropies from Code	OK
2026-05-29 23:48:01	Performing Malware check on extracted domains	OK
2026-05-29 23:48:08	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).