gnomi

Social simulation for product teams

Perspective before you ship.

Gnomi fills your staging app with **fictional personas based on your audience settings**, with their own languages, devices and access needs. They try to get a job done, hit friction and **talk about it with each other**. You get ranked friction hypotheses with simulation records, and a view of how generated opinions spread.

HYPOTHESIS FROM A SIMULATED RUN

Hiring manager field needs an exact username and offers no suggestions

Within-run: generated complaint + validation error

> *„Keine Liste, kein Vorschlag – ich tippe einfach einen Namen ein und schaue, ob es klappt."*
> "No list, no suggestion. I just type a name and see if it works." Alex, simulated recruiter in Germany · step 8 · screenshot

Suggested change: add autocomplete or a user picker to the field.


3½ min
for a 4-person friction run, from start to finished report

10¢
recorded model cost of that run, on your own provider key

7 of 7
other simulated users reached by one complaint in a social run

Feedback in minutes, not weeks


Time from "we have a build" to first findings, log scale



Other methods: typical ranges including recruiting, not measurements. Gnomi: measured runs of 4–8 simulated users.

See how simulated opinions form

"Assigning a hiring manager who has no account yet threw away my whole job draft. Has anyone else lost a job post this way?"



A live run with 8 simulated users; a second had the same reach, 4 repeats and 2 changed opinions. This is not a prediction of human word of mouth.

What each method can tell you

	Moderated study	Unmoderated test	Internal review	Gnomi
Offers explanations of friction Gnomi comments are generated	●	◑	◑	●
Explores opinion spread simulated posts and opinions in Gnomi	○	○	○	●
Feedback before launch, with no recruiting	○	○	●	●
Fresh eyes, not the people who built it simulated first-timers	●	●	○	●
Configurable segments, languages and access needs	◑	◑	○	●
Real human behaviour use Gnomi to pick what to test with people	●	●	◑	○

● Yes ◑ Partly ○ No · Ratings reflect how each method usually works, not a benchmark.

1 Describe your audience
Set segments and shares. Code samples traits by seed; a model proposes four profiles. One is selected and expanded. Review and edit.

2 Point it at staging
Record a login once. Gnomi visits only the hosts you allow.

3 Watch the swarm
A live graph of who used what, who talked to whom and who changed whose mind.

4 Share the report
Hypotheses ranked by simulated segment, with logs and generated quotes. Test key items with real people.

Runs on your machine with your own model keys; model inputs go only to the provider you configure. Today: web apps on staging. Next: prototypes, design frames, copy and run comparison. Simulated findings are hypotheses, not evidence about real users. Profiles encode audience assumptions; logs record agent actions; quotes are generated. Validate with real people. Figures measured on Gnomi's test app, 16 Oct 2026.

Know what to test next.