

Started on Friday, 1 May 2026, 3:57 PM

State Finished

Completed on Friday, 1 May 2026, 4:05 PM

Time taken 8 mins 11 secs

Grade 15.00 out of 15.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

- ☐ a.
 - Move file pointer five characters behind from the current position.
- ☒ b.
 - Move file pointer five characters ahead from the current position. ✓
- ☐ c.
 - Move file pointer five characters behind ahead from the end of a file.
- ☐ d.
 - Move file pointer five characters ahead from the beginning

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question 2 | Correct Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

- ☐ a. To write data to a file
- ☐ b. To read data from a file
- ☒ c. To automatically close the file after its suite finishes ✓
- ☐ d. To delete a file

The correct answer is: To automatically close the file after its suite finishes

Question 3 | Correct Mark 1.00 out of 1.00

Which method is used to get the current file position?

- ☒ a. tell() ✓
- ☐ b. current()
- ☐ c. locate()
- ☐ d. position()

The correct answer is: tell()

Question 4 | Correct Mark 1.00 out of 1.00

f.seek(5,1) means

- ☐ a. move the file pointer to beginning of the file
- ☐ b. moves the file pointer to the end of a file
- ☐ c. move the file pointer five characters behind from the current position
- ☒ d. move the file pointer five characters ahead from the current position ✓

The correct answer is:
move the file pointer five characters ahead from the current position

Question 5 | Correct Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

- ☐ a. Using the readlines() method
- ☐ b. Using the read() method
- ☐ c. Using the readline() method
- ☒ d. Using a for loop ✓

The correct answer is: Using a for loop

Question 6 | Correct Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use ____

- ☐ a. outfile = open("c:\scores.txt", "w")
- ☒ b. outfile = open("c:\\scores.txt", "w") ✓
- ☐ c. outfile = open(file = "c:\scores.txt", "w")
- ☐ d. outfile = open(file = "c:\\scores.txt", "w")

The correct answer is:

outfile = open("c:\\scores.txt", "w")

Question 7 | Correct Mark 1.00 out of 1.00

Which method is used to write data to a file?

- ☐ a. append()
- ☒ b. write() ✓
- ☐ c. insert()
- ☐ d. read()

The correct answer is: write()

Question 8 | Correct Mark 1.00 out of 1.00

What does the flush() method do in file handling?

- ☐ a. Deletes the file content
- ☐ b. Closes the file
- ☒ c. Flushes the internal buffer to the file ✓
- ☐ d. Moves the file cursor to the beginning

The correct answer is: Flushes the internal buffer to the file

Question 9 | Correct Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

- ☐ a. readlines()
- ☐ b. readline()
- ☒ c. read(size) ✓
- ☐ d. readchar()

The correct answer is: read(size)

Question 10 | Correct Mark 1.00 out of 1.00

How do you check if a file is closed in Python?

- ☒ a. file.closed ✓
- ☐ b. file.closed()
- ☐ c. file.isclosed()
- ☐ d. file.is_closed()

The correct answer is: file.closed

Question 11 | Correct Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

- ☐ a. readlines()
- ☐ b. readline(size)
- ☒ c. readline() ✓
- ☐ d. read()

The correct answer is: readline()

Question 12 | Correct Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

- ☒ a. The buffer size for the file operations ✓
- ☐ b. The encoding of the file
- ☐ c. The file's read/write position
- ☐ d. The access mode of the file

The correct answer is: The buffer size for the file operations

Question 13 | Correct Mark 1.00 out of 1.00

Which method is used to read file line by line

- ☒ a. readline() ✓
- ☐ b. readlines(1)
- ☐ c. read(1)
- ☐ d. line()

The correct answer is: readline()

Question 14 | Correct Mark 1.00 out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:  
    data = f.read()  
print(data)
```

- ☐ a. Prints each line of the file
- ☐ b. Prints the first 10 characters of the file
- ☐ c. Prints an error message
- ☒ d. Prints the entire content of the file ✓

The correct answer is: Prints the entire content of the file

Question 15 | Correct Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

- ☒ a. An error is raised ✓
- ☐ b. A new file is created
- ☐ c. The operation is ignored
- ☐ d. An empty file object is returned

The correct answer is: An error is raised