

Started on Wednesday, 22 April 2026, 7:39 PM

State Finished

Completed on Wednesday, 22 April 2026, 7:47 PM

Time taken 8 mins 37 secs

Grade 15.00 out of 15.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Write the Output of the following Code?

```
t = (15,83,83,52,60,45,52,85,100)
```

```
print(min(t)+max(t)+t.count(52))
```

- ☐ a. 100
- ☐ b. 2
- ☐ c. Error
- ☒ d. 117 ✓

Question 2 | Correct Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]
```

```
x=list1.pop(2)
```

```
print(set([x]))
```

- ☐ a. {1,3,2}
- ☐ b. {1,3,4}
- ☒ c. {4} ✓
- ☐ d. {2}

Question 3 | Correct Mark 1.00 out of 1.00

Which of the following is a Python tuple?

- ☒ a. (1,4,5,6,7) ✓
- ☐ b. {1,3,8,9,41}
- ☐ c. ("Wonder")
- ☐ d. [1,2,3,4]

Question 4 | Correct Mark 1.00 out of 1.00

What will be the output of the below Python code?

```
t1=(55,12,78,64,25)
t1.pop(12)
print(tuple1)
```

- ☒ a. Error ✓
- ☐ b. 12
- ☐ c. (55,78,64,25)
- ☐ d. (12)

Question 5 | Correct Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

- ☐ a. SyntaxError: Different types cannot be used with sets
- ☒ b. {40, 10, '10', 50, 20, 60, 30} ✓
- ☐ c. {40, 10, 50, 20, 60, 30}
- ☐ d. {40, '10', 50, 20, 60, 30}

Question 6 | Correct Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

- ☒ a. {3} ✓
- ☐ b. {2,5,1}
- ☐ c. {}
- ☐ d. {2,5,3,1}

Question 7 | Correct Mark 1.00 out of 1.00

Select all the correct options to remove "ECE" from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

- ☐ a. sampleSet.delete("ECE")
- ☐ b. del.sampleSet("ECE")
- ☐ c. remove.sampleSet("ECE")
- ☒ d. sampleSet.discard("ECE") ✓

Question 8 | Correct Mark 1.00 out of 1.00

Choose the correct option.

- ☒ a. In Python, a tuple can contain both integers and strings as its elements. ✓
- ☐ b. In Python, a tuple can contain only strings as its elements.
- ☐ c. In Python, a tuple can contain only integers as its elements.
- ☐ d. In Python, a tuple can contain either string or integer but not both at a time.

Question 9 | Correct Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

- ☒ a. True ✓
- ☐ b. False

Question 10 | Correct Mark 1.00 out of 1.00

Which of the following Python code will create a set?

- (i) `set1=set((0,9,0))`
- (ii) `set1=set([0,2,9])`
- (iii) `set1={}`

- ☐ a. All of the above
- ☐ b. iii
- ☒ c. i,ii ✓
- ☐ d. ii

Question 11 | Correct Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

- ☐ a. {9}
- ☒ b. {0,9} ✓
- ☐ c. It will throw an error as there are two 0 while creating the set.
- ☐ d. {0,0,9}

Question 12 | Correct Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where `tupl=(5,2,7,0,3)`?

- ☐ a. `tupl[1]=2`
- ☐ b. `tupl.sort()`
- ☐ c. `tupl.append(2)`
- ☒ d. `tupl1=tupl+tupl` ✓

Question 13 | Correct Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

- ☒ a. {'rec', 1, ('cse', 'ece')} ✓
- ☐ b. {'rec', True, ('cse', 'ece')}
- ☐ c. {'rec', 1, ('cse', 'ece'), True}
- ☐ d. Error

Question 14 | Correct Mark 1.00 out of 1.00

What is the output of the given below program?

```
my_t1 = (1, 2, 3, 4)
my_t1.append( (5, 6, 7) )
print(len(my_t1))
```

- ☐ a. 1
- ☐ b. 2
- ☐ c. 5
- ☒ d. Error ✓

Question 15 | Correct Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

- ☐ a. False
False
- ☐ b. False
True
- ☒ c. True ✓
True
- ☐ d. True
False