Department of CSE SSN College of Engineering

Vishakan Subramanian - 18 5001 196 - Semester VI

20 April 2021

UCS 1611 - Internet Programming Lab

Exercise 7: Website for International Conference using React

Learning Objective:

Design a Website for an International Conference using React. (Similar to Ex 1)

- 1. The conference homepage should consists of the following tabs: Home, Committee, Call For Papers, Important Dates, Workshops, Registration and Contact.
- 2. On clicking each tab, it should open in the same page (SPA). (Use react router)
- 3. The website should contain logos, header, footer.
- 4. The Header and footer should be same for all links.
- 5. For pre-conference workshop registration use form elements.

Code - Home Component:

```
import React, { Component } from 'react';
3 class Home extends Component {
      render() {
          return (
              <div>
                  <hr />
                  <h2 align="center" className="title text-shadow-pop-bottom</pre>
     ">HOME</h2>
                  <br />
                  <article align="center" style={{ fontFamily: 'arial',</pre>
     position: 'relative', overflow: 'auto', margin: 'auto', width: '35%',
     border: '3px solid black' }}>
                      <h2 style={{ color: '#ffbd39' }}>ABOUT</h2>
                      }}>The <strong><abbr title="Internation Conference for Chess">ICC</
     abbr> 2021</strong> is organized proudly by the
                          <br/>
<br/>
Tata Steel Foundation</b>. Leading Grandmasters
      and key chess figures will be present in this grand
                          event.
14
                          It provides an opportunity for chess enthusiasts,
     professional chess players, researchers and related
                          specialists to discuss on how <b><i>Artificial
     Intelligence </i></b> has influenced the game and propose
                          novel ideas for further development and research.
17
                      18
                  </article>
                  <br /><br />
20
                  <div align="center" className="logo">
                      <figure>
22
                          <img src="tata_logo.png" height="125," width={125}</pre>
23
      alt="Tata Logo" style={{ border: '3px solid black' }} />
                          <figcaption>Tata Steel Chess Tournament</
24
     figcaption>
                      </figure>
25
                  </div>
26
                  <br /><br /><br />
27
              </div>
          );
      }
30
31 }
33 export default Home;
```

Code - Committee Component:

```
import React, { Component } from 'react';
3 class Committee extends Component {
    render() {
       return (
          <div>
             <hr />
             <h2 align="center" className="title text-shadow-pop-bottom</pre>
    ">COMMITTEE</h2>
             <article>
                CHIEF CHAIR
                   Garry Kasparov, Grandmaster
                   14
                   >PATRON
                   Magnus Carlsen, Grandmaster
17
                      Hikaru Nakamura, Grandmaster
                      Viswanathan Anand, Grandmaster
19
                   CONFERENCE CHAIR
21
                   Fabiano Caruana, Grandmaster
23
                      Wesley So, Grandmaster
                      Anish Giri, Grandmaster
                   PROGRAM COMMITTEE
27
                   ul className="members">
                      Levy Rozman, International Master
                      Alexandra Botez, Woman FIDE Master
30
                   MEDIA COMMITTEE
32
                   Sagar Shah, International Master
34
                      Samay Raina, YouTuber
                      Antonio Radic (Agadmator), YouTuber
36
                   37
                   STRATEGIC PARTNERS
38
                   Danny Rensch, Chief Chess Officer, Chess.
40
   com 
                      Robert Hess, Analyst, Chess.com
41
                   43
             </article>
             <br /><br /><br />
```

Code - Call for Papers Component:

```
import React, { Component } from 'react';
3 class Papers extends Component {
     render() {
        return (
           <div>
               <hr />
               <h2 align="center" className="title text-shadow-pop-bottom</pre>
    ">ICC 2021 PAPERS</h2>
               <article align="left" style={{ fontFamily: 'arial', width:</pre>
     '75%', fontSize: 20, color: '#f8f1f1', padding: 5 }}>
                  The <strong><abbr title="Internation Conference for"
     Chess">ICC</abbr> 2021</strong> calls for papers to to be
                  submitted in all aspects of chess, with emphasis on
    Engine Analysis, Endgame Theory & Damp; Tactics.
                  Relevant topics for the conference include, but not
     limited to, the following areas:
                  ENGINE ANALYSIS
                      Deep Neural Networks
                         Expert Systems
17
                         Chess Cognition
                         Real-time high performance analysis
19
                         Report generation
                         Move order exploration
                         Exploring opening theory
                     ENDGAME THEORY
                     className="subtopics">
25
                         Rook & amp; Pawn Endgames 
26
                         Queen & amp; Pawn Endgames 
                         Bishop Endgames
28
                         Knights vs Bishops Endgames
                     30
                     TACTICS
32
                      Puzzle Training
33
                         Puzzle Design
34
                         Artificial Puzzle Generation
                         Tactical analysis of positions
36
                      </article>
               <br /><br /><br />
40
           </div>
41
        );
```

```
43 }
44 }
45
46 export default Papers;
```

Code - Important Dates Component:

```
import React, { Component } from 'react';
3 class Dates extends Component {
    render() {
       return (
          <div>
             <hr />
             <h2 align="center" className="title text-shadow-pop-bottom</pre>
    ">IMPORTANT DATES</h2>
             <br />
             10
                 <thead style={{ color: '#ffbd39', fontSize: 25 }}>
                    Event
                       Date
14
                    15
                 </thead>
                 17
                    Commencement of Paper Submission
19
                       December 05, 2020
                    21
                    22
                       <strike>Closing of Paper Submission</
23
    strike>
                       <strike>January 05, 2021</strike>
24
                    26
                       Acceptance Notification
                       January 10, 2021
28
                    30
                       Payment Deadline
31
                       January 15, 2021
                    33
                    Pre-Conference Workshops
                       January 25, 2021
                    37
                    <strong>Closing of Paper Submission</
39
    strong>
                       <strong>January 20, 2020</strong>
40
                    42
                       Conference
```

```
January 28<sup>th</sup> - February 2<sup>
   nd < /sup >, 2021 
                     45
                  46
               47
              <br /><br /><br />
48
           </div>
49
       );
    }
52 }
53
54 export default Dates;
```

Code - Workshops Component:

```
import React, { Component } from 'react';
3 class Workshops extends Component {
     render() {
         return (
             <div>
                 <hr />
                 <h2 align="center" className="title text-shadow-pop-bottom</pre>
     ">ICC 2021 WORKSHOPS</h2>
9
                 <br />
                 <div align="left" style={{ fontFamily: 'arial', width:</pre>
     '50%' }}>
                     }}>The <strong><abbr title="Internation Conference for Chess">ICC</
     abbr> 2021</strong> is organizing two extensive,
                         in-depth workshops that will be held for two hours
      on all the days of the conference, from <strong>10 AM -
                         12 PM</strong>. Interested people can register for
      attending the workshops from our registration page.
                     14
                     fontSize: 15, color: '#f8f1f1', fontWeight: 'bold' }}>(Please note that
                         registrations are served on a first-come, first-
     serve basis) 
                 </div>
                 <div className="content">
18
                     >
19
                         <img src="radjabov.png" alt="Radjabov's Picture"</pre>
20
     width="300px" height="200px" />
                         A workshop on detailed analysis of <br/> flank
21
     opening </b> theories including King's Indian Defense, Reti
                         Opening, English Opening, Caro-Kann, etc. will be
     held by <strong>GM Teimour Radjabov</strong>.
                     23
                     <br /><br /><br />
24
                 </div>
26
                 <div className="content">
                     >
27
                         <img src="alphazero.jpeg" alt="AlphaZero Logo"</pre>
     width="300px" height="200px" />
                         <br/>b>DeepMind</b> in partnership with <br/>b>Chess.com</
29
     b> is hosting a workshop on the role of AI in Chess with a
                         case-study of their own chess engine, <mark>
30
     AlphaZero</mark>. Attendees will be able to understand how
                         conventional chess ideologies are translated into
31
     notions that can be perceived by the computer. No prior
```

```
technical knowledge is required to join this
    workshop.
                      33
                      <br /><br /><br />
34
                  </div>
35
                  <br /><br /><br />
36
             </div>
37
         );
      }
40 }
41
42 export default Workshops;
```

Code - Registration Component:

```
1 import React, { Component } from 'react';
3 class Registration extends Component {
      render() {
         return (
              <div>
                  <hr />
                  <h2 align="center" className="title text-shadow-pop-bottom</pre>
     ">REGISTRATION</h2>
                  <br />
                  ', fontSize: 18, color: '#f8f1f1', width: '60%' }}>
                      The registration fee for main conference with workshop
      will cover conference & amp; workshop, full access to all
                      sessions/invited talks including the pre-conference
     workshop.
     <br />
13
      Currently the only possible mode of payment is NEFT/RTGS for Dutch
14
     participants and wire transfer for foreign
     participants.
     <br />
16
                      <br/>b>Kindly fill out the form below to commence the
     registration process and receive payment information in
       your e-mail.</b>
18
                  <hr />
20
                  <div id="form">
                      <form>
                          <b><u>NAME & amp; E-MAIL</u></</pre>
     b>
                         <label htmlFor="name">Name</label>
24
                          <input type="text" id="text" name="name"</pre>
25
     placeholder="Anatoly Karpov" />
                          <br /><br />
26
                          <label htmlFor="email">Email</label>
27
                          <input type="text" id="text" name="email"</pre>
     placeholder="karpov_anatoly@email.com" />
                         <br />
29
                          <b><u>GENDER</u></b>
30
                          <input type="radio" id="male" name="gender"</pre>
     defaultValue="male" />
                         <label htmlFor="male">Male</label><br />
32
                          <input type="radio" id="female" name="gender"</pre>
33
     defaultValue="female" />
                          <label htmlFor="female">Female</label><br />
34
                          <input type="radio" id="other" name="gender"</pre>
35
     defaultValue="other" />
```

```
<label htmlFor="other">Other</label><br />
36
                           <b><u>EVENTS INTERESTED</u></
37
     b>
                           <input type="checkbox" id="event1" name="event1"</pre>
38
     defaultValue="Flank Opening Theories" />
                           <label htmlFor="event1">Flank Opening Theories
39
     label><br />
                           <input type="checkbox" id="event2" name="event2"</pre>
40
     defaultValue="DeepMind Workshop" />
                           <label htmlFor="event2">DeepMind Workshop</label><</pre>
41
     br />
                           <input type="checkbox" id="event3" name="event3"</pre>
42
     defaultValue="Pre-Conference Workshop" />
                           <label htmlFor="event3">Pre-Conference Workshop/
43
     label><br /><br />
                           <input type="submit" defaultValue="Submit" id="</pre>
     button" />
45
                           <input type="reset" defaultValue="Clear" id="</pre>
     button" />
                       </form>
                   </div>
47
                   <br /><br /><br />
              </div>
49
          );
      }
51
52 }
53
54 export default Registration;
```

Code - Contact Component:

```
import React, { Component } from 'react';
3 class Contact extends Component {
    render() {
        return (
           <div>
               <hr />
               <h2 align="center" className="title text-shadow-pop-bottom</pre>
    ">CONTACT</h2>
               <br />
               <section align="center">
                  <span className="name">Pentala
    Harikrishna - <a href="mailto:harikrishna_p@chess.com">
    harikrishna_p@chess.com</a>
                  <span className="name">Aryan
12
    Tari</span> - <a href="mailto:tari_aryan@chess24.com">
    tari_aryan@chess24.com</a>
                  <span className="name">Ray
13
    Robson
    org</a>
                  <span className="name">Simon
14
    Williams</span> - <a href="mailto:gingergm@chessable.com">
    gingergm@chessable.com</a>
              </section>
               <br /><br /><br />
           </div>
        );
     }
19
20 }
22 export default Contact;
```

Code - Header Component:

```
1 import React, { Component } from 'react';
3 import {
      BrowserRouter as Router,
      Link
6 } from "react-router-dom";
8 class Header extends Component {
      render() {
           return (
               <div>
                   <header>
                        <h1 title="ICC 2021 Welcomes You!">The International
     Conference for Chess 2021</h1>
                        <h2>3rd International Conference on the Role of AI in
     Chess</h2>
                        \frac{h3}{28} January 2021 - 2\frac{sup}{nd}
15
     February 2021</h3>
                        <h3>Tata Chess Amphitheatre, Wijk Aan Zee, Netherlands
16
     </h3>
                   </header>
17
                   <br />
18
                   <nav align="center">
19
                        ul>
20
                            \langle li \rangle \langle a \rangle \langle Link to = "/" \rangle HOME \langle /Link \rangle \langle /a \rangle \langle /li \rangle
21
                            <a><Link to="/committee"> COMMITTEE </Link></a
     >
                            <a><Link to="/papers"> CALL FOR PAPERS </Link>
23
     </a>
                            <a><Link to="/dates"> IMPORTANT DATES </Link><</pre>
     /a>
                            <a><Link to="/workshops"> WORKSHOPS </Link></a
25
     >
                            <a><Link to="/registration"> REGISTRATION </
26
     Link></a>
                            <a><Link to="/contact"> CONTACT </Link></a></
27
     1i>
                        </nav>
29
30
               </div>
           )
32
      }
34 };
36 export default Header;
```

Code - Footer Component:

Code - App JS:

```
import logo from './logo.svg';
2 import './App.css';
3 import './styles.css'
4 import Home from './components/Home'
5 import Committee from './components/Committee'
6 import Papers from './components/Papers'
7 import Dates from './components/Dates'
8 import Workshops from './components/Workshops'
9 import Registration from './components/Registration';
import Contact from './components/Contact';
import Header from './components/Header';
import Footer from './components/Footer';
14 import {
    BrowserRouter as Router,
    Switch,
    Route,
    Link
19 } from "react-router-dom";
21 function App() {
  return (
     <div>
       <Router>
24
         <Header />
         <Switch>
            <Route exact path="/">
              <Home />
            </Route>
            <Route path="/committee">
30
              <Committee />
31
            </Route>
            <Route path="/papers">
33
              <Papers />
            </Route>
35
            <Route path="/dates">
              <Dates />
37
            </Route>
            <Route path="/workshops">
39
              <Workshops />
            </Route>
41
            <Route path="/registration">
              <Registration />
43
            </Route>
            <Route path="/contact">
45
              <Contact />
            </Route>
47
```

Code - Stylesheet:

```
1 @import url('https://fonts.googleapis.com/css2?family=Dosis&display=swap')
2 @import url('https://fonts.googleapis.com/css2?family=Righteous&display=
     swap ');
4 body {
      background: #9d50bb;
      background: linear-gradient(to right, #6e48aa, #9d50bb);
7 }
9 header {
      background-image: url("header-bg.png");
      background-repeat: no-repeat;
      overflow: hidden;
      height: auto;
13
14
      width: 100%;
      font-family: "Dosis", sans-serif;
      color: #111d5e;
      text-align: center;
      border-radius: 0 0 85% 85% / 30%;
18
19 }
20
21 /*Navigation Bar starts*/
23 nav {
      border: 2px solid white;
25 }
26
27 nav ul {
      font-family: arial;
      font-size: 20px;
      overflow: hidden;
      background-color: #333;
31
      margin: 0;
      padding: 0;
33
34 }
36 nav ul li {
      list-style-type: none;
37
      border-right: 2px solid white;
      display: inline-block;
      margin-left: -6px;
41 }
43 li a {
      display: block;
      color: white;
```

```
text-align: center;
      padding: 7px 7px;
      text-decoration: none;
49 }
51 li a:hover:not(.active) {
      /*Defines the default color if the anchor is not active*/
      background-color: #111;
54 }
56 .active {
      /*Defines the currently active anchor tag color*/
      background-color: #4caf50;
59 }
61 /*Title Text*/
63 .title {
      color: #111d5e;
      font-family: Righteous;
      font-size: 40px;
      text-shadow: 5px 5px 5px #f148fb;
68 }
70 .text-shadow-pop-bottom {
      animation: text-shadow-pop-bottom 1s linear infinite alternate both;
71
<sub>72</sub> }
73
74 Okeyframes text-shadow-pop-bottom {
      0% {
75
          -webkit-transform: translateY(0);
          transform: translateY(0);
77
      }
      100% {
79
          -webkit-transform: translateY(-8px);
          transform: translateY(-8px);
81
      }
83 }
85 /*Navigation Bar ends*/
87 .footer {
      color: black;
      background: azure;
89
      border-top: 3px solid black;
90
      border-bottom: 3px solid black;
91
92
      position: fixed;
      bottom: Opx;
      padding: 5px 5px 5px 5px;
94
      text-align: center;
      width: 100%;
96
```

```
margin-left: -8px;
       z-index: 1;
98
99 }
100
101 table {
       font-family: "Segoe UI", Tahoma, sans-serif;
103
       font-size: 20px;
       color: firebrick;
       padding: 5px;
105
       text-align: center;
106
       margin-left: auto;
       margin-right: auto;
109
       width: 65%;
110 }
112 tbody tr:hover {
       font-weight: bold;
113
       color: black;
115 }
117 tbody tr:nth-child(even) {
       background-color: beige;
119 }
121 tbody tr:nth-child(odd) {
       background-color: thistle;
123 }
124
125 /*Form CSS*/
126
127 #form {
       border-radius: 5px;
128
       box-sizing: border-box;
       border: 2px solid white;
130
       background: #525252;
       background: linear-gradient(to right, #3d72b4, #525252);
132
       padding: 20px;
       font-size: 18px;
134
135 }
136
137 #form label {
       font-weight: 600;
       color: mistyrose;
139
140 }
141
142 #form .title {
       color: #ffbd39;
       font-size: 20px;
145 }
146
147 #text {
```

```
width: 50%;
148
       background-color: seashell;
149
       color: black;
150
       padding: 10px 10px;
151
       margin: 10px;
152
       border: none;
154
       border-radius: 4px;
       box-sizing: border-box;
       display: inline-block;
156
       cursor: pointer;
157
158 }
159
160 #button {
       width: 25%;
       background-color: darkslategrey;
162
       color: ivory;
163
164
       cursor: pointer;
       border-radius: 4px;
       margin: 10px;
166
       border: 1px solid white;
167
       padding: 10px 10px;
168
       font-size: 18px;
170 }
172 #button:hover {
       font-weight: bold;
173
       background-color: seagreen;
174
175 }
177 /*Form CSS ends*/
179 /*Committee CSS*/
181 /*list-style-type uses unicode icons*/
183 .committee {
       list-style-type: "\2654 ";
       color: #ffbd39;
185
       font-weight: bold;
       font-size: 22px;
187
       line-height: 30px;
188
189 }
191 .committee .members {
       list-style-type: "\2659 ";
192
       color: #f8f1f1;
193
       font-size: 20px;
       line-height: 25px;
196 }
197
198 .topics {
```

```
list-style-type: "\1F3AF
       color: #ffbd39;
200
       font-weight: bold;
201
       font-size: 20px;
202
       line-height: 30px;
204 }
206 .subtopics {
       list-style-type: "\1F4D5 ";
       color: #f8f1f1;
       font-size: 15px;
209
210
       line-height: 25px;
211 }
213 /*CSS for Contact Page*/
214
215 .contact {
      color: #f8f1f1;
       font-size: 22px;
217
       font-family: "Helvetica", sans-serif;
219 }
220
221 .name {
   color: #ffbd39;
      font-weight: bold;
       font-size: 25px;
224
225 }
226
227 .contact a {
      text-decoration: none;
229 }
230
231 .contact a:link {
232 color: #f8f1f1;
233 }
235 .contact a:hover {
       color: hotpink;
236
237 }
239 /*CSS for Contact Page ends*/
240
241 /*CSS for Images*/
242
243 Okeyframes animate_logo {
       0% {
244
245
           border-color: red;
       }
246
       25% {
247
           border-color: yellow;
248
249
```

```
50% {
250
           border-color: blue;
251
252
       75% {
253
           border-color: green;
       }
255
       100% {
256
           border-color: white;
257
258
259 }
260
261 .logo img {
       animation-name: animate_logo;
       animation-duration: 4s;
263
       animation-iteration-count: infinite;
264
       animation-direction: alternate;
266 }
267
268 .logo img:hover {
       transform: scale(1.5);
270 }
272 .content {
       font-family: "Lucida Sans", "Geneva", sans-serif;
       width: 50%;
274
       float: left;
275
       overflow: auto;
276
277
       scroll-behavior: auto;
278 }
279
280 .content p {
      font-size: 18px;
281
       color: #f8f1f1;
       padding: 0 20px 0 0;
283
284 }
285
286 .content p img {
       float: right;
287
       border: 2px solid black;
289
       box-sizing: border-box;
290 }
```

Output - Home Page:

The International Conference for Chess 2021

3rd International Conference on the Role of Al in Chess
28th January 2021—2nd February 2021

Tata Chess Amphitheatre, Wijk Aan Zee, Netherlands

HOME COMMITTEE CALL FOR PAPERS IMPORTANT DATES WORKSHOPS REGISTRATION CONTACT

HOME

ABOUT

The ICC 2021 is organized proudly by the Tata Steel Foundation.
Leading Grandmasters and related specialists to discuss on how Artificial Intelligence has influenced the game and propose proved ideas for further development and research.

TATA STEEL


TATA STEEL

Tata Steel Ches Townment

24

Output - Committee Page:

Figure 2: Browser Output: Committee Page.



Output - Call For Papers Page:

Figure 3: Browser Output: Call For Papers Page.



Output - Important Dates Page:





Output - Workshops Page:

Figure 5: Browser Output: Workshops Page.



Output - Registration Page:





Output - Contact Page:

Figure 7: Browser Output: Contact Page.



Learning Outcome:

- From the experiment, I learnt to create a simple **React** app.
- I learnt to create and render a class component.
- I learnt to create a SPA with multiple links in React.
- I learnt about the working of React Router.
- I was able to reuse my previous HTML elements and convert them to JSX format for rendering in React.
- I learnt how components are rendered in React.
- I learnt about JSX syntax.
- I learnt how to load different components based on user-selection using React Routing.
- I was able to modularize and reuse several components like the header, navigation bar and footer using React.
- I learnt how to download different NodeJS packages.
- I implemented detailed CSS for the website.
- I learnt how react efficiently simplifies code using the principle of reuse.