```
Time
                       Source
                                               Destination
                                                                     Protocol Length Info
    538 2.979710
                       192.168.0.1
                                              192.168.0.109
                                                                              84
                                                                                      Standard query response 0xd831 A ietf.org A
4.31.198.44
Frame 538: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface \Device\NPF {7C1490AF-0A46-47F1-8369-80668F8D2FD0},
Ethernet II, Src: Tp-LinkT_08:81:1c (68:ff:7b:08:81:1c), Dst: IntelCor_51:9c:e9 (d0:ab:d5:51:9c:e9)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.109
User Datagram Protocol, Src Port: 53, Dst Port: 62425
    Source Port: 53
    Destination Port: 62425
    Length: 50
    Checksum: 0xf84b [unverified]
    [Checksum Status: Unverified]
    [Stream index: 13]
    [Timestamps]
Domain Name System (response)
    Transaction ID: 0xd831
    Flags: 0x8180 Standard query response, No error
    Ouestions: 1
    Answer RRs: 1
    Authority RRs: 0
    Additional RRs: 0
    Oueries
        ietf.org: type A, class IN
            Name: ietf.org
            [Name Length: 8]
            [Label Count: 2]
            Type: A (Host Address) (1)
            Class: IN (0x0001)
    Answers
        ietf.org: type A, class IN, addr 4.31.198.44
    [Retransmitted response. Original response in: 535]
    [Retransmission: True]
        Time
                       Source
                                              Destination
                                                                     Protocol Length Info
    550 3.047165
                       192.168.0.1
                                              192.168.0.109
                                                                                      Standard query response 0x2ebc A
analytics.ietf.org CNAME ietf.org A 4.31.198.44
Frame 550: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface
\ensuremath{\texttt{NPF}_{7C1490AF-0A46-47F1-8369-80668F8D2FD0}}, \ \ensuremath{\texttt{id}}\ \ensuremath{\texttt{0}}
Ethernet II, Src: Tp-LinkT_08:81:1c (68:ff:7b:08:81:1c), Dst: IntelCor_51:9c:e9 (d0:ab:d5:51:9c:e9)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.109
User Datagram Protocol, Src Port: 53, Dst Port: 64566
    Source Port: 53
    Destination Port: 64566
    Length: 74
    Checksum: 0x55dd [unverified]
    [Checksum Status: Unverified]
    [Stream index: 12]
    [Timestamps]
Domain Name System (response)
    Transaction ID: 0x2ebc
    Flags: 0x8180 Standard query response, No error
    Questions: 1
    Answer RRs: 2
    Authority RRs: 0
    Additional RRs: 0
    Oueries
        analytics.ietf.org: type A, class IN
            Name: analytics.ietf.org
            [Name Length: 18]
            [Label Count: 3]
            Type: A (Host Address) (1)
            Class: IN (0x0001)
    Answers
        analytics.ietf.org: type CNAME, class IN, cname ietf.org
        ietf.org: type A, class IN, addr 4.31.198.44
    [Retransmitted response. Original response in: 531]
    [Retransmission: True]
        Time
                       Source
                                              Destination
                                                                     Protocol Length Info
    675 3.239947
                       192.168.0.1
                                              192.168.0.109
                                                                                      Standard query response 0xb22a AAAA ietf.org AAAA
                                                                     DNS
                                                                              96
2001:1900:3001:11::2c
Frame 675: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface \Device\NPF_{7C1490AF-0A46-47F1-8369-80668F8D2FD0},
Ethernet II, Src: Tp-LinkT_08:81:1c (68:ff:7b:08:81:1c), Dst: IntelCor_51:9c:e9 (d0:ab:d5:51:9c:e9)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.109
User Datagram Protocol, Src Port: 53, Dst Port: 63200
    Source Port: 53
    Destination Port: 63200
    Length: 62
    Checksum: 0x7bfe [unverified]
    [Checksum Status: Unverified]
    [Stream index: 14]
    [Timestamps]
Domain Name System (response)
    Transaction ID: 0xb22a
    Flags: 0x8180 Standard query response, No error
    Questions: 1
```

```
Answer RRs: 1
Authority RRs: 0
Additional RRs: 0
Queries
  ietf.org: type AAAA, class IN
    Name: ietf.org
    [Name Length: 8]
    [Label Count: 2]
    Type: AAAA (IPv6 Address) (28)
    Class: IN (0x0001)
Answers
  ietf.org: type AAAA, class IN, addr 2001:1900:3001:11::2c
[Request In: 536]
[Time: 0.289607000 seconds]
```