## **Causality and Ethics**

EH6105 - Quantitative Methods

Steven V. Miller

Department of Economic History and International Relations



#### Goal(s) for Today

- 1. Introduce students to the fundamental problem of causal inference
- 2. Discuss different research design types and their trade-offs.
- 3. Talk about issues of research ethics, especially in social science settings.
- 4. Highlight issues of automation, workflow, and replication.

#### The Problem, in Quotes

- "That correlation is not causation is perhaps the first thing that must be said." Barnard, 1982 (p. 387)
- "If statistics cannot relate cause and effect, they add to the rhetoric." Smith, 1980
   (p. 1000 [stylized by me])

#### **Associational Inference**

A set of tools to understand how a response variable corresponds with some attribute. Tools include:

- Probability distributions (conditional, joint)
- Correlation
- Regression

"Associational inference consists of [estimates, tests, posterior distributions, etc.] about the associational parameters relating Y and A [from units in U]. In this sense, associational inference is simply descriptive statistics." - Holland, 1986 (p. 946)

## Causal Inference and Rubin's "Potential Outcomes"



#### The Problem in a Nutshell

An individual (i) who is offered a treatment ( $Z_i = 1$ ) has two potential outcomes:

- An outcome to be revealed if treated ( $T_i = 1$ ):  $Y_i(T_i = 1 | Z_i = 1)$
- ullet An outcome to be revealed if  $\mathit{un}$ treated ( $T_i=0$ ):  $Y_i(T_i=0|Z_i=1)$

This is a missing data problem of a kind.

- We can only observe one.
- No perfect counterfactuals.
- Unicorns don't exist.

#### The Solution

For 
$$T_i=0$$
 and  $T_i=1$ , given both offered treatment ( $Z_i=1$ ):

Individual Treatment Effect for 
$$i=Y_i(T_i=1|Z_i=1)-Y_i(T_i=0|Z_i=1)$$

Think in terms of population averages.

- Per Rubin, there is an important population parameter to estimate.
- Hence why he referred to it as "effect of the treatment on the treated." (i.e. TOT)
- Also: the "average treatment effect" (i.e. ATE)

## The Importance of Random Assignment

Per random assignment: participants assigned to treatment/control must be same on average in the population ("equal in expectation"). - i.e.  $E[Y_i(T_i=0|Z_i=1)]$  must be equal to  $E[Y_i(T_i=0|Z_i=0)]$  By substitution:

$$TOT = E[Y_i(T_i = 1|Z_i = 1)] - E[Y_i(T_i = 0|Z_i = 0)]$$

When unbiased, a difference in sample means is sufficient:

$$T\hat{O}T = \frac{\sum_{i=1}^{n_1} Y_i}{n_1} - \frac{\sum_{i=1}^{n_0} Y_i}{n_0}$$

8/33

#### Important Assumptions in This Framework

- Exogeneity (worth reiterating)
- Unit homogeneity (i.e. expected Ys are same for same values of X)
- Conditional independence (i.e. values of X are assigned independently of values of Y)
- Stable unit treatment value assumption (SUTVA)
  - This one is a bear: think of it as an unmodeled "spillover."
  - Ideally: an observation responds only to its own treatment status.

#### **Examples of SUTVA Violations**

- 1. Contagion (vaccination effects depend on whether others have been vaccinated)
- 2. Displacement (cap-and-trade moves around emissions; doesn't curtail them)
- 3. Communication ("hey control group dude, you gotta try this new medication. It rules!")
- 4. Social comparison ("I like my housing situation less now that I see this group received new public housing")
- 5. Signaling (governments that advertise policy interventions are no longer "treating" in that sense)
- 6. Persistence/memory (respondents respond to need to be consistent)

## Observational vs. Experimental Research

Observational research: involves a comparison of units subjected to different treatments.

• More common, more flexible. But difficult to isolate causal effects.

Experimental research: units under study are randomly assigned to treatments.

• satisfies key questions about observational research design

#### **Experiments**

Experiments are more effective at addressing causality.

- Want to explain social phenomena like medical researchers testing therapeutic care.
- Satisfies insights from Rubin's potential outcomes framework.
- Researcher control over conditions isolates confounding systematic factors.
- Random assignment isolates systematic differences from random differences.

## **Types of Experiments**

There are numerous ways of assessing causal effects. One typology:

- 1. "Between subjects": units randomly assigned to distinct treatment/control groups.
- 2. "Within subjects": units observed before and after receiving a treatment.

#### **External vs. Internal Validity**

Internal validity: stimulus faithfully administered, as implemented in the design. Concerns:

- Noncompliance
- Attrition

External validity: results generalizable from the "lab" to the "real world." Concerns:

- Convenience sampling (esp. college students)
- Hawthorne effect

Experiments ideally maximize internal validity, if (possibly) at the expense of external validity.

## Types of Experiments

Experiments are super-flexible. Some types you'll encounter:

- 1. Lab experiments
  - Maximize internal validity, prioritized over external validity
  - Typically prone to convenience sampling.
- 2. Survey experiments
  - Balance internal/external validity concerns
  - Typically higher n with more representativeness
  - Concerns: spillover, less agency over treatment
- 3. Field experiment
  - Same pros/cons as survey experiments, but with typically less control over treatment administration.
  - Cons (spillover, treatments) even more pronounced
- 4. Natural experiment
  - i.e. an exogenous shock to a panel design
- 5. Quasi-experiment
  - Treatments/controls with no randomization, or control over the treatment.

## **Ethics and Replication**

I can't make you do these things in good faith...

- Social science is rife with cases of academic misconduct.
- Publication incentives breed dishonesty; you are compelled to rise above it.

...but I can teach you some tools to help you be honest.

• i.e. this is academic workflow and replication.

#### Some Ethical Takeaways

Your theoretical model is causal. Your empirical model may not be.

• Remember: everything is a "model."

But don't shirk from using causal language!

Absent a causal drive, the aim of the research is directionless/vague.

There's an unnecessary tension between the RCT people and those doing observational analyses.

- Be forthright, but stand your ground.
- Again: your theoretical model is causal. Your empirical model may not be.



#### John Poe @DavidPoe223 - Feb 14

So here's a rant about causal inference. In general I don't think RCTs and observational studies are that interchangeable. Observational studies typically are what you use when randomization isn't available but you think the thing you're studying still matters enough to try.  ${\it UI}$ 

Q 3 tl 13 ♥ 78 E

#### John Poe @DavidPoe223 · Feb 14

That could mean you don't have the resources to randomize but someone else could, you don't have the ability to randomize, or you view it as unethical to randomize because the "treatment" that you're studying is harmful. 2/

) 2 tl 🛡 6 [

#### John Poe @DavidPoe223 · Feb 14

Randomization is a fantastic tool that makes inference a lot easier. If we can randomize and it's ethical then we probably should. Randomization doesn't mean everything is perfect. It's not magic and the absence of randomization doesn't mean everything is pointless. 3/

Q 1 tl 🛇 7 🖾

#### John Poe @DavidPoe223 · Feb 14

SUTVA violations will lead to bad inferences even with randomization. That doesn't mean randomization is pointless. It means we have to be careful and be aware of how interference will alter treatment effects in the RCT and at scale.

aware of how interference will alter treatment effects in the RCT and at scale. 4

#### John Poe @DavidPoe223 · Feb 14

In the absence of randomization causal inference gets harder, it gets a lot harder. But some people seem to act like endogeneity is some invisible unknowable unkliable monster and all science is pointless without the holy randomization to protect us. 5/



4:23 PM - 14 Feb 2020

19/33



...

A problem with social science paper brain applied directly to the real world is that the real world is in fact a tangled endogenous mess and pulling the "one true lever" doesn't fix everything.

1:54 PM · Sep 30, 2022

17 Retweets

2 Quote Tweets

**111** Likes

## The C-Word: Scientific Euphemisms Do Not Improve Causal Inference From Observational Data

Causal inference is a core task of science. However, authors and editors often refrain from explicitly acknowledging the causal goal of research projects; they refer to causal effect estimates as associational estimates.

This commentary argues that using the term "causal" is necessary to improve the quality of observational research.

Specifically, being explicit about the causal objective of a study reduces ambiguity in the scientific question, errors in the data analysis, and excesses in the interpretation of the results. (Am J Public Health. 2018;108: 616–619. doi:10.2105/AJPH. 2018.304337

Miguel A. Hernán, MD, DrPH

See also Galea and Vaughan, p. 602; Begg and March, p. 620; Ahern, p. 621; Chiolero, p. 622; Glymour and Hamad, p. 623; Iones and Schooling, p. 624; and Hernán, p. 625.

Vou know the story:

Dear author: Your observational study cannot prove causation. Please replace all references to causal effects by references to associations.

Many journal editors request authors to avoid causal language, and many observational researchers, trained in a scientific environment that frowns upon causality claims, spontaneously refrain from mentioning the C-word ("causal") in their work. As a result, "causal effect" and terms with similar meaning ("impact," "benefit," etc.) are routinely avoided in scientific publications that describe nonrandomized

Confusion then ensues at the most basic levels of the scientific process and, inevitably, errors are made.

We need to stop treating "causal" as a dirry word that respectable investigators do not say in public or put in print. It is true that observational studies cannot definitely prove causation, but this statement misses the point, as discussed in this commentary.

OF COURSE
"ASSOCIATION IS NOT CAUSATION"

glass of red wine per day versus no alcohol drinking. For simplicity, disregard measurement error and random variability—that is, suppose the 0.8 comes from a very large population so that the 95% confidence interval around it

The risk ratio of 0.8 is a measure of the association between wine intake and heart disease. Strictly speaking, it means that drinkens of one glass of wine have, on average, a 20% lower risk of heart disease than individuals who do not drink. The risk ratio of 0.8 does not imply that drinking a glass of wine every day lowers the risk of heart dis-

#### Some Ethical Takeaways

The proliferation of machine learning/Al/"algorithms" creates more ethical issues.

- 1. "Treat", don't manipulate.
- 2. There's no bias-free model; you are the bias.
- 3. Evil is evil, whether intentional or unintentional.

Don't let stupidity transform into evil.

Good academic workflow can help.

#### THE WALL STREET JOURNAL.

## Blue Feed, Red Feed

See Liberal Facebook and Conservative Facebook, Side by Side

By **Jon Keegan** Published May 18, 2016 at 8:00 a.m. ET | Last Undated Aug. 19, 201

This page has been archived and will no longer be updated.

FILTER ARCHIVED FEEDS BY TOPIC

PRESIDENT TRUMP HEALTH CARE GUNS ABORTION ISIS BUDGET EXECUTIVE ORDER IMMIGRATION



## nature







NEWS · 24 OCTOBER 2019 · UPDATE 26 OCTOBER 2019

## Millions of black people affected by racial bias in health-care algorithms

Study reveals rampant racism in decision-making software used by US hospitals – and highlights ways to correct it.

Heidi Ledford

# Numbers don't always tell the truth

Mark J. Girouard, an employment attorney at Nilan Johnson Lewis, says one of his clients was vetting a company selling a resume screening tool, but didn't want to make the decision until they knew what the algorithm was prioritizing in a person's CV.

After an audit of the algorithm, the resume screening company found that the algorithm found two factors to be most indicative of job performance: their name was Jared, and whether they played high school lacrosse. Girouard's client did not use the tool.


## Q. If machine learning is so smart, how come Al models are such racist, sexist homophobes? A. Humans really suck

Our prejudices rub off on our computer pals, sadly

By Katyanna Quach 5 Sep 2019 at 07:02



SHARE ▼



## **Academic Workflow and Replication**

Replication crises/academic misconduct are proliferating in social science. Examples:

- Economics: Reinhart and Rogoff's (2010) Excel error
  - ed. their analysis was way more dishonest than the Excel error, but that got the most attention.
- Psychology: too many to list
  - Recurring themes: small-n, p-hacked experiments, or even fabricated data
- Sociology/criminology: Stewart retractions
- Political science: Lacour and Green (2014) scandal

I'm not going to assign motives (naiveté or something worse) to all these scandals and those involved.

• But, assuming honesty, you can avoid a similar pitfall with good workflow.

#### Some Tips on Good Workflow/Replication

"Kondo" your projects into sub-directories.

- Keep things tidy/de-cluttered in your project.
- I have my recommendations, but tweak for what works for you.

"Launder" your data; never overwrite them.


- Never overwrite original columns. Recode into new columns/objects.
- *Definitely* never overwrite raw data.

Related: invest in cloud storage (e.g. Box, Dropbox).

- Create separate folders for raw data (data) and your individual projects (projects).
- Tongue in cheek: think of "my laptop broke/fried/got stolen" as the 21st century equivalent of "the dog ate my homework."

Learn to automate what you can.

#### **An Example of Sub-Directories**



## **Surprise! You're a Computer Programmer Now**

#### How to improve your relationship with your future self\*

Cómo mejorar su relación con su futuro yo

#### **IAKE BOWERS**

Universidad de Illinois

#### MAARTEN VOORS

Wageningen University

#### ABSTRACT

This essay provides practical advice about how to do transparent and reproducible data analysis and writing. We note that doing research in this way today will not only improve the cumulation of knowledge within a discipline, but it will also improve the life of the researcher tomorrow. We organize the argument around a series of homilies that lead to concrete actions. (1) Data analysis is computer programming. (2) No data analysis is an island for long. (3) The territory of data analysis requires maps. (4) Version control prevents clobbering, reconciles history, and helps organize work. (5) Testing minimizes error. (6) Work "can" be reproducible. (7) Research ought to be credible communication.


 $\textbf{Key words}: research\ transparency, reproducible\ research, workflow, methodology$ 

## An Example of Automating/Reproducing a Workflow

## Automating a Workflow with {steveproj}, {stevetemplates}, and {targets}

Posted on September 13, 2022 by steve in R

I've been racking my brain for some time around the problem of tailoring a project's workflow in a way that optimizes automation, reproducibility, and—depending on the project's scale—speed. A previous stab at this looked to R Markdown as an operating system for a project. This will help link the manuscript side of a project with the analysis side of a project, but has the drawback of asking too much from R Markdown and the researcher. R Markdown really isn't an operating system and the researcher would have to invest some time in learning about the caching and chunk quirks of R Markdown. I think I improved on this greatly with my development of {steveproj}. {steveproj} (and {stevetemplates}) have a lot of parlor tricks for preparing manuscripts, anonymized manuscripts, and title pages for peer review. However, that approach I developed last year has drawbacks in leaning hard



on old school Make. It's also a bit inflexible, it implicitly builds in a workflow that separates the analysis from the communication of the analysis, leaving not a lot of room to work interactively with the written report (as the project is still developing). Such a separation of the analysis from the report of the analysis is ideal, but never quite real.

After finally getting (somewhat) settled in Sweden, I dedicated some time to learning more about {targets}, a function-oriented Make-like tool for doing statistics in R. I think! finally figured out how to do this well in a way that's automated, reproducible, quick, and flexible. The mechanics here are fairly simple—and my familiarity with {targets} is basic—but the approach I outline below should scale nicely. If you're interested, I set up a basic Github repo that you can fork and run on your end to see how this works. I'll describe it in some detail, though.

#### Conclusion

It was good to talk with you over the semester on these issues. Takeaways for today:

- Causality is exact (and yet multiple). Understand what's at stake.
- Each (obs. or exp.) research design has its own set of trade-offs.
- The whole world's an endogenous mess, but we're all trying.
- I can't make you be honest, but I can give you tips/tools to help.
- Accidental evil is still evil. Don't be evil.

#### **Table of Contents**

#### Introduction

#### Association and Causation

The Potential Outcomes Framework

The Important Assumptions of Causal Identification

Observational vs. Experimental Research

#### A Conversation About Ethics

Issues of Ethics

Replication

#### Conclusion