



# ONLINE EXAM PORTAL

**S.V.N.SAI VARUN-19BCE7092**

**CH.KARTHIKEYA VARMA-19BCD7138**

**T.SURYA TEJA-19BCE7113**

**BAJI BABU-20BCN7099**

**1)Keep the important snapshot of your project with proper caption.**

Online Examination System: Home Page

The screenshot shows a web browser window with the address bar displaying 'localhost/softwareproject/'. The page title is 'ONLINE EXAM'. A dark blue header bar contains the title and a 'Login' button. The main content area features a background image of a library with a person's hands typing on a laptop. Overlaid on this is a white 'Login' form with two input fields: 'Username' and 'Enter your Password', followed by a blue 'Login' button. At the bottom, a dark blue footer bar contains two links: 'Admin Login' and 'Teacher Login'.

ONLINE EXAM

Login

Username

Enter your Password

Login

Admin Login

Teacher Login

## Admin Dashboard:

ONLINE EXAM

Hello, Admin | Logout

DashboardHomeStudentsAdd StudentAdd TeacherAdd ExamRemove ExamScoreboard

SearchReset

Name	Total question	Marks	Time limit	Status	Action
C_programming_09_06_2020	20	20	20	disabled	<div>EnablePreview</div>
Reasoning_09_06_2020	20	20	40	disabled	<div>EnablePreview</div>
English_09-06-20	15	225	15	disabled	<div>EnablePreview</div>

## Student Dashboard:

ONLINE EXAM

abhinav

Hello, abhinav | Logout

HomeMy History

S.N.	Name	Total question	Correct Answer	Wrong Answer	Total Marks	Time limit	Action
------	------	----------------	----------------	--------------	-------------	------------	--------

:: General Instructions ::

- You are allowed to start the test whenever you want to. The timer would start only when you start the test. However remember that **admin has full rights** to disable the test at any time. So it is recommended to start the test at the prescribed time.
- You can see the history of test taken and scores in the 'History' section.
- To start the test, click on 'Start'.
- Once the test is started the timer would run irrespective of your logged in or logged out status. So it is recommended not to logout before test completion.
- To mark an answer you need to select it and press the 'Lock' button. Upon locking, the selected answer would be displayed and the question will be marked **"green"**.
- To delete an answer press **trash** Button.
- Use the navigation buttons to navigate through different questions.
- The marks for correct and incorrect answer are listed above in the table. 0 marks would be awarded for the questions that are "not marked" (having **"red"** status).
- If you get some error, you can contact us via **feedback** form

### Exam Creation:

ONLINE EXAM

Hi!o, Admin | Logout

Dashboard

Home

Students

Add Student

Add Teacher

Add Exam

Remove Exam

Scoreboard

Enter Exam Details

Enter Exam title

Enter total number of questions

Enter marks on right answer

Enter minus marks on wrong answer without sign

Enter time limit for test in minute

Select Answer Type

Submit

Student Adding:

ONLINE EXAM

Hi, Admin | Logout

Dashboard

Home

Students

Add Student

Add Teacher

Add Exam

Remove Exam

Scoreboard

Enter Student Details

Enter your name

Enter your Roll Number

Select Gender

Select Branch

Select Year

Select Section

Choose a username

Enter your email

Enter your mobile number

Enter your password

## Teacher Adding:

ONLINE EXAM

Hello, Admin | Logout

DashboardHomeStudentsAdd StudentAdd TeacherAdd ExamRemove ExamScoreboard

### Enter Teacher Details

Select Gender

Choose File

No file chosen

Note : For better result, use default size images (3.5cm\*4.5cm)

Register Now

## Score Card:


ONLINE EXAM

Hello, abhinav | Logout

DashboardHomeStudentsAdd StudentAdd TeacherAdd ExamRemove ExamScoreboard

S.N.	Topic	Total question	Marks	Time limit	Result
1	C_programming_09_04_2020	20	20	20 min	<div>View</div> <div></div>
2	Reasoning_09_04_2020	20	20	40 min	<div>View</div> <div></div>
3	English_09-04-20	15	225	15 min	<div>View</div> <div></div>

## Exam Preview:

ONLINE EXAM						
Dashboard Home Students Add Student Feedback Add Exam Remove Exam Scoreboard						
Close Edit Question Paper Post						
 <b>Vellore Institute of Technology, Andhra Pradesh</b>						
Paper title : C_programming_09_06_2020						
S.N.	Question	Option A	Option B	Option C	Option D	Correct Answer
1	!= is the example of _____ operator.	Relational	Logical	Conditional	Assignment	Relational
2	For the following statement find the values generated for p and q? int p = 0, q = 1; p = q++; p = ++q; p = q--; p = -q; Value of p & q are	1 2	2 2	2 1	1 1	1 1
3	What is the other name for C Language ? Question Mark Colon Operator?	Comparison	If else operator	Ternary Operator	Binary Operator	Ternary Operator
4	Which of the following is not a assignment operator?	+=	/=	==	=	==
5	Choose a right statement. int a = 5/2; int b = 5.0/2; int c = 5 / 2.0; int d = 5.0/2.0;	a = 2, b = 2, c = 2, d = 2	a = 2, b = 2.0, c = 2, d = 2.0	a = 2, b = 2.5, c = 2.5, d = 2.5	a = 2.5, b = 2.5, c = 2.5, d = 2.5	a = 2, b = 2, c = 2, d = 2
6	What is the output of the C statement? int main() { int a=0; a = 5<2 ? 4 : 3; printf("%d",a); return 0; }	4	3	5	2	3

## Some important codes:

### Account.php:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<link rel="icon" href="image/logo.png" type="image/icon" sizes="16x16">

<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" /> <meta
name="viewport" content="width=device-width, initial-scale=1">

<title>Online Exam </title>

<link rel="stylesheet" href="css/bootstrap.min.css"/>

<link rel="stylesheet" href="css/bootstrap-theme.min.css"/>

<link rel="stylesheet" href="css/main.css">

<link rel="stylesheet" href="css/font.css">

<script src="js/jquery.js" type="text/javascript"></script>

<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">

<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>

<script src="js/bootstrap.min.js" type="text/javascript"></script>

<link href='http://fonts.googleapis.com/css?family=Roboto:400,700,300' rel='stylesheet' type='text/css'>

<script type="text/javascript"> function printPage(){
```

```

        var tableData = '<table border="1"
class="table">'+document.getElementsByTagName('table')[0].innerHTML+'</table>';
var data = '<button onclick="window.print()">Print this page</button>'+tableData;
myWindow=window.open("",'',width=430,height=600');    myWindow.innerWidth =
screen.width;    myWindow.innerHeight = screen.height;    myWindow.screenX =
0;    myWindow.screenY = 0;    myWindow.document.write(data);
myWindow.focus();
    };
</script> <?php if (@$_GET['w']) {    echo
'<script>alert("'" . @$_GET['w'] . "'");</script>';
}
?>

```

```

</head> <?php include_once
'dbConnection.php';
?>

```

```

<body>
<div class="header" style="height: 100px;">
<div class="row">
<div class="col-lg-6">
<span class="logo">ONLINE EXAM </span></div>
<div class="col-md-4 col-md-offset-2">
<?php include_once
'dbConnection.php';
session_start();

if (!(isset($_SESSION['username']))) {
header("location:index.php");
} else {
    $name    = $_SESSION['name'];
    $username = $_SESSION['username'];

    include_once 'dbConnection.php';

```

[illegible]





```

$query = mysqli_query($con, "SELECT * FROM user WHERE username='$username'") or die('Error'); while
($row = mysqli_fetch_array($query)) {

    $branch = $row['branch'];

    $year = $row['year'];

    $section = $row['section'];

    //$result = mysqli_query($con, "SELECT * FROM quiz WHERE status = 'enabled' && branch = '$branch' &&
    year = '$year' && section = '$section' ORDER BY date DESC") or die('Error');

    $result = mysqli_query($con, "SELECT * from quiz JOIN enable_options ON quiz.eid = enable_options.eid
    WHERE quiz.status = 'enabled' && enable_options.branch = '$branch' && enable_options.year = '$year' &&
    enable_options.section = '$section' ORDER BY date DESC") or die('Error');

    echo '<div class="panel table-responsive"><table class="table table-striped title1"
    style="vertical-align:middle">

    <tr><td style="vertical-align:middle"><b>S.N.</b></td><td style="vertical-
    align:middle"><b>Name</b></td><td style="vertical-align:middle"><b>Total question</b></td><td
    style="vertical-align:middle"><b>Correct Answer</b></td><td style="vertical-align:middle"><b>Wrong
    Answer</b></td><td style="vertical-align:middle"><b>Total Marks</b></td><td
    style="vertical-align:middle"><b>Time limit</b></td><td style="vertical-
    align:middle"><b>Action</b></td></tr>';

    $c = 1; while ($row =
    mysqli_fetch_array($result)) {

        $title = $row['title'];

        $total = $row['total'];

        $correct = $row['correct'];

        $wrong = $row['wrong'];

        $time = $row['time'];

        $eid = $row['eid'];

        $q12 = mysqli_query($con, "SELECT score FROM history WHERE eid='$eid' AND username='$username'")
        or die('Error98');

        $rowcount = mysqli_num_rows($q12);

        if ($rowcount == 0) {

            echo '<tr><td style="vertical-align:middle">' . $c++ . '</td><td style="vertical-align:middle">' . $title .
            '</td><td style="vertical-align:middle">' . $total . '</td><td style="vertical-align:middle">+ ' . $correct .
            '</td><td style="vertical-align:middle">' . $wrong . '</td><td style="vertical-align:middle">' . $correct * $total
            . '</td><td style="vertical-align:middle">' . $time . '&nbsp;min</td>

            <td style="vertical-align:middle"><b><a href="account.php?q=quiz&step=2&eid=' . $eid . '&n=1&t=' . $total .
            '&start=start" class="btn" style="color:#FFFFFF;background:darkgreen;font-
            size:12px;padding:7px;padding-left:10px;padding-right:10px"><span class="glyphicon glyphicon-new-window"
            aria-hidden="true"></span>&nbsp;<span><b>Start</b></span></a></b></td></tr>';

        } else {

```

```

    $q = mysqli_query($con, "SELECT * FROM history WHERE username='$_SESSION[username]' AND
eid='$eid' ") or die('Error197');    while ($row = mysqli_fetch_array($q)) {

        $timec = $row['timestamp'];

        $status = $row['status'];

    }

    $q = mysqli_query($con, "SELECT * FROM quiz WHERE eid='$eid' ") or die('Error197');
while ($row = mysqli_fetch_array($q)) {

    $timec = $row['time'];

    $qstatus = $row['status'];

}

    $remaining = (($timec * 60) - ((time() - $timec)));    if ($remaining
> 0 && $qstatus == "enabled" && $status == "ongoing") {

        echo '<tr style="color:darkgreen"><td style="vertical-align:middle">' . $c++ . '</td><td
style="vertical-align:middle">' . $title . '&nbsp;<span title="This quiz is already solve by you" class="glyphicon
glyphicon-ok" aria-hidden="true"></span></td><td style="vertical-align:middle">' . $total . '</td><td
style="vertical-align:middle">+ ' . $correct . '</td><td style="vertical-align:middle">- ' . $wrong . '</td><td
style="vertical-align:middle">' . $correct * $total . '</td><td style="vertical-align:middle">' . $time .
'&nbsp;<min></td>

        <td style="vertical-align:middle"><b><a href="account.php?q=quiz&step=2&eid=' . $eid . '&n=1&t=' . $total .
'&start=start" class="btn" style="margin:0px;background:darkorange;color:white">&nbsp;<span
class="title1"><b>Continue</b></span></a></b></td></tr>';

    } else {

        echo '<tr style="color:darkgreen"><td style="vertical-align:middle">' . $c++ . '</td><td
style="vertical-align:middle">' . $title . '&nbsp;<span title="This quiz is already solve by you" class="glyphicon
glyphicon-ok" aria-hidden="true"></span></td><td style="vertical-align:middle">' . $total . '</td><td
style="vertical-align:middle">+ ' . $correct . '</td><td style="vertical-align:middle">- ' . $wrong . '</td><td
style="vertical-align:middle">' . $correct * $total . '</td><td style="vertical-align:middle">' . $time .
'&nbsp;<min></td>

        <td style="vertical-align:middle"><b><a href="account.php?q=result&eid=' . $eid . '" class="btn"
style="margin:0px;background:darkred;color:white">&nbsp;<span class="title1"><b>View
Result</b></span></a></b></td></tr>';

    }

}

}}

$c = 0;

    echo '</table></div><div class="panel" style="padding-top:1px;padding-left:15%;padding-
right:15%;wordwrap:break-word"><h3 align="center" style="font-family:calibri">:: General Instructions
::</h3><br /><ul type="circle"><font style="font-size:14px;font-family:calibri">';

    $file = fopen("instructions.txt", "r");

while (!feof($file)) {    echo '<li>';

```

```

$string = fgets($file);

$num = strlen($string) - 1;

$c = str_split($string);    for
($i = 0; $i < $num; $i++) {

    $last = $c[$i];        if ($c[$i]
== ' ' && $last == ' ') {        echo
'&nbsp;';

    } else {
echo $c[$i];

    }

    }

    echo "</li><br />";

}

fclose($file);    echo
'</font></ul></div>';

}

?>

<?php

if (@$_GET['q'] == 'quiz' && @$_GET['step'] == 2 && isset($_SESSION['6e447159425d2d']) &&
$_SESSION['6e447159425d2d'] == "6e447159425d2d" && isset($_GET['endquiz'])== 'end') {
unset($_SESSION['6e447159425d2d']);

    $q = mysqli_query($con, "UPDATE history SET status='finished' WHERE username='$_SESSION[username]'
AND eid='$_GET[eid]' ") or die('Error197');

    $q = mysqli_query($con, "SELECT * FROM history WHERE eid='$_GET[eid]' AND
username='$_SESSION[username]'" ) or die('Error156');        while ($row =
mysqli_fetch_array($q)) {

        $s = $row['score'];

        $scorestatus = $row['score_updated'];

    }

    if($scorestatus=="false"){

        $q = mysqli_query($con, "UPDATE history SET score_updated='true' WHERE
username='$_SESSION[username]' AND eid='$_GET[eid]' ") or die('Error197');

        $q = mysqli_query($con, "SELECT * FROM rank WHERE username='$username'" ) or die('Error161');

```

```

        $rowcount = mysqli_num_rows($q);

if ($rowcount == 0) {

        $q2 = mysqli_query($con, "INSERT INTO rank VALUES(NULL,'$username','$s',NOW())") or
die('Error165');

        } else {

                while ($row = mysqli_fetch_array($q)) {

                        $sun = $row['score'];

                }

                $sun = $s + $sun;

                $q = mysqli_query($con, "UPDATE `rank` SET `score`=$sun ,time=NOW() WHERE username=
'$username'" ) or die('Error174');

        }

        }

        header('location:account.php?q=result&eid=' . $_GET[eid]);

}

if (@$_GET['q'] == 'quiz' && @$_GET['step'] == 2 && isset($_GET['start']) && $_GET['start'] == "start" &&
(!isset($_SESSION['6e447159425d2d']))) {

        $q = mysqli_query($con, "SELECT * FROM history WHERE username='$username' AND eid='$_GET[eid]' ") or
die('Error197');

        if (mysqli_num_rows($q) > 0) {

                $q = mysqli_query($con, "SELECT * FROM history WHERE username='$_SESSION[username]' AND
eid='$_GET[eid]' ") or die('Error197');

                while ($row = mysqli_fetch_array($q)) {

                        $timel = $row['timestamp'];

                        $status = $row['status'];

                }

                $q = mysqli_query($con, "SELECT * FROM quiz WHERE eid='$_GET[eid]' ") or die('Error197');

while ($row = mysqli_fetch_array($q)) {

                $ttimel = $row['time'];

                $qstatus = $row['status'];

                }

                $remaining = (($ttimel * 60) - ((time() - $timel)));

                if ($status ==
"ongoing" && $remaining > 0 && $qstatus == "enabled") {

```

```

$_SESSION['6e447159425d2d'] = "6e447159425d2d";

header('location:account.php?q=quiz&step=2&eid=' . $_GET[eid] . '&n=' . $_GET[n] . '&t=' . $_GET[t]);

    } else {

        $q = mysqli_query($con, "UPDATE history SET status='finished' WHERE
username='$_SESSION[username]' AND eid='$_GET[eid]' ") or die('Error197');

        $q = mysqli_query($con, "SELECT * FROM history WHERE eid='$_GET[eid]' AND
username='$_SESSION[username]'" ) or die('Error156');          while ($row =
mysqli_fetch_array($q)) {

            $s = $row['score'];

            $scorestatus = $row['score_updated'];

        }

        if($scorestatus=="false"){

            $q = mysqli_query($con, "UPDATE history SET score_updated='true' WHERE
username='$_SESSION[username]' AND eid='$_GET[eid]' ") or die('Error197');

            $q = mysqli_query($con, "SELECT * FROM rank WHERE username='$username'" ) or die('Error161');

            $rowcount = mysqli_num_rows($q);

            if ($rowcount == 0) {

                $q2 = mysqli_query($con, "INSERT INTO rank VALUES(NULL,'$username','$s',NOW())" ) or
die('Error165');

            } else {

                while ($row = mysqli_fetch_array($q)) {

                    $sun = $row['score'];

                }

                $sun = $s + $sun;

                $q = mysqli_query($con, "UPDATE `rank` SET `score`=$sun ,time=NOW() WHERE username=
'$username'" ) or die('Error174');

            }

        }

        header('location:account.php?q=result&eid=' . $_GET[eid]);

    }

} else {

    $time = time();

    $q = mysqli_query($con, "INSERT INTO history

```

```
VALUES(NULL,'$username','$_GET[eid]','0','0','0','0',NOW()),'$time','ongoing','false')) or die('Error137');

$_SESSION['6e447159425d2d'] = "6e447159425d2d";

header('location:account.php?q=quiz&step=2&eid=' . $_GET["eid"] . '&n=' . $_GET["n"] . '&t=' .
$_GET["t"]);

}

}
```

```
if (@$_GET['q'] == 'quiz' && @$_GET['step'] == 2 && isset($_SESSION['6e447159425d2d']) &&
$_SESSION['6e447159425d2d'] == "6e447159425d2d") {

    $q = mysqli_query($con, "SELECT * FROM history WHERE username='$username' AND eid=$_GET[eid]' ") or
die('Error197');

    if (mysqli_num_rows($q) > 0) {

        $q = mysqli_query($con, "SELECT * FROM history WHERE username=$_SESSION[username]' AND
eid=$_GET[eid]' ") or die('Error197');        while ($row = mysqli_fetch_array($q)) {

            $time = $row['timestamp'];

            $status = $row['status'];

        }

        $q = mysqli_query($con, "SELECT * FROM quiz WHERE eid=$_GET[eid]' ") or die('Error197');
while ($row = mysqli_fetch_array($q)) {

            $time = $row['time'];

            $qstatus = $row['status'];

        }

        $remaining = (($time * 60) - ((time() - $time)));        if ($status ==
"ongoing" && $remaining > 0 && $qstatus == "enabled") {

            $q = mysqli_query($con, "SELECT * FROM history WHERE username=$_SESSION[username]' AND
eid=$_GET[eid]' ") or die('Error197');        while ($row = mysqli_fetch_array($q)) {

                $time = $row['timestamp'];

            }

            $q = mysqli_query($con, "SELECT * FROM quiz WHERE eid=$_GET[eid]' ") or die('Error197');
while ($row = mysqli_fetch_array($q)) {

                $time = $row['time'];

            }

        }

    }

}
```

```

    $remaining = (($ttime * 60) - ((time() - $time)));
echo '<script> var seconds = ' . $remaining . ' ';
function end(){
    data = prompt("Are you sure to end this Exam? Remember, once finished, you wont be able to continue anymore and final results will be displayed. If you want to continue then enter \"yes\" in the textbox below and press enter"); if(data=="yes"){
        window.location ="account.php?q=quiz&step=2&eid=' . $_GET["eid"] . '&n=' . $_GET["n"] . '&t=' . isset($_GET["total"]) . '&endquiz=end";
    }
}
function enable(){
    document.getElementById("sbutton").removeAttribute("disabled");
}
function frmreset(){
    document.getElementById("sbutton").setAttribute("disabled","true");
    document.getElementById("qform").reset();
}
    function secondPassed() {    var minutes =
Math.round((seconds - 30)/60);    var
remainingSeconds = seconds % 60;    if
(remainingSeconds < 10) {        remainingSeconds
= "0" + remainingSeconds;
    }
    document.getElementById(\'countdown\').innerHTML = minutes + ":" + remainingSeconds;
    if (seconds <= 0) {        clearInterval(countdownTimer);
document.getElementById(\'countdown\').innerHTML = "Buzz Buzz...";
window.location ="account.php?q=quiz&step=2&eid=' . $_GET["eid"] .
'&n=' . $_GET["n"] . '&t=' . isset($_GET["total"]) . '&endquiz=end";
    } else {
        seconds--;
    }
}
var countdownTimer = setInterval(\'secondPassed()\', 1000);
</script>';

```

```

        echo '<font size="3" style="margin-left:100px;font-family:\'typo\' font-size:20px;
fontweight:bold;color:darkred">Time Left : </font><span class="timer btn btn-default"
style="marginleft:20px;"><font style="font-family:\'typo\';font-size:20px;font-weight:bold;color:darkblue"
id="countdown"></font></span><span class="timer btn btn-primary" style="margin-left:50px"
onclick="end()"><span class=" glyphicon glyphicon-off"></span>&nbsp;&nbsp;&nbsp;<font style="font-size:12px;font-
weight:bold">Finish Exam</font></span>';

```

```

    $eid = @$_GET['eid'];

```

```

    $sn = @$_GET['n'];

```

```

    $total = @$_GET['t'];

```

```

    $q = mysqli_query($con, "SELECT * FROM questions WHERE eid='$eid' AND sn='$sn' ");

```

```

    // $q = mysqli_query($con, "SELECT * FROM questions WHERE eid='$eid'");    echo '<div
class="panel" style="margin-right:5%;margin-left:5%;margin-top:10px;border-radius:10px">';    while
($row = mysqli_fetch_array($q)) {

```

```

        $qns = stripslashes($row['qns']);

```

```

        $qid = $row['qid'];

```

```

    $qnsi = $row['qnsi'];

```

```

        echo '<b><pre style="background-color:white"><div style="font-size:20px;font-
weight:bold;fontfamily:calibri;margin:10px;width:200px;word-break:break-all;white-space: pre-wrap;">' . $sn .
' : ' . htmlentities(wordwrap($qns,30,"\n")) . ' '; if(!empty($qnsi)){
echo '';} echo '</div></pre></b>';

```

```

    }

```

```

    /*    $q1 = mysqli_query($con, "SELECT anstype FROM quiz WHERE eid='$eid'");

```

```

    while ($row = mysqli_fetch_array($q1)) {

```

```

        $type = $row['anstype'];

```

```

        if($type == 'D'){ echo

```

```

            '<br />';

```

```

            echo '<textarea rows="3" cols="5" name="ans" class="form-control" placeholder="Write your answer
here..."></textarea>';

```

```

        }//else if($type == 'M'){

```

```

        }

```

```

    */

```

```

        echo '<form id="qform" action="update.php?q=quiz&step=2&eid=' . $eid . '&n=' . $sn . '&t=' . $total .
'&qid=' . $qid . '" method="POST" class="form-horizontal">

```

```

<br />';

```



```

    $q = mysqli_query($con, "SELECT * FROM user_answer WHERE qid='$qid' AND
username='$_SESSION[username]' AND eid='$_GET[eid]') or die('Error222');
if (mysqli_num_rows($q) > 0) {

    $row = mysqli_fetch_array($q);

    $ans = $row['ans'];

    $q = mysqli_query($con, "SELECT * FROM options WHERE qid='$qid' AND optionid='$ans'") or
die('Error222');

    $row = mysqli_fetch_array($q);

    $ans = $row['option'];

} else {

    $ans = "";

}

if (strlen($ans) > 0) {

echo "<font style=\"color:green;font-size:12px;font-weight:bold\">Selected answer: </font><font
style=\"color:#565252;font-size:12px;\">\" . htmlentities($ans) . \"</font>&nbsp;&nbsp;<a
href=update.php?q=quiz&step=2&eid=$eid&n=$sn&t=$total&qid=$qid&delanswer=delanswer><span
class=\"glyphicon glyphicon-trash\" aria-hidden='true' title='Delete selected answer'
style=\"font-size:12px;color:blue\"></span></a><br /><br />";

    //echo "<font style=\"color:green;font-size:12px;font-weight:bold\">Selected answer: </font><font
style=\"color:#565252;font-size:12px;\">\" . $ans . \"</font>&nbsp;&nbsp;<a
href=update.php?q=quiz&step=2&eid=$eid&n=$sn&t=$total&qid=$qid&delanswer=delanswer><span
class=\"glyphicon glyphicon-remove\" style=\"font-size:12px;color:darkred\"></span></a><br /><br />";

}

echo '<div class="funkyradio">';

    $q1 = mysqli_query($con, "SELECT anstype FROM quiz WHERE eid='$eid'");

while ($row = mysqli_fetch_array($q1)) {

$type = $row['anstype'];

if($type == 'D'){ echo

'<br />';

        echo '<textarea rows="7" cols="5" id="ans" name="ans" class="form-control"
placeholder="Write your answer here..." onclick="enable()"></textarea>';

    }

}

//else if($type == 'M'){ else{

    $q = mysqli_query($con, "SELECT * FROM options WHERE qid='$qid' ");

while ($row = mysqli_fetch_array($q)) {

    $option = stripslashes($row['option']);

    $optionid = $row['optionid'];

```

[illegible]

```

$q = mysqli_query($con, "SELECT * FROM questions WHERE eid='$_GET[eid]') or die('Error222');

$i = 1;

while ($row = mysqli_fetch_array($q)) {

    $ques[$row['qid']] = $i;

    $i++;

}

$q = mysqli_query($con, "SELECT * FROM user_answer WHERE eid='$_GET[eid]' AND
username='$_SESSION[username]') or die('Error222a");

$i = 1;

while ($row = mysqli_fetch_array($q)) {
if (isset($ques[$row['qid']])) {

    $quesans[$ques[$row['qid']]] = true;

}

}

for ($i = 1; $i <= $total; $i++) {

    echo '<a href="account.php?q=quiz&step=2&eid=' . $eid . '&n=' . $i . '&t=' . $total . '"
style="margin:5px;padding:5px;background-color:';

    if ($quesans[$i]) {
echo "darkgreen";

    } else {
echo "darkred";

    }

    echo ';color:white;font-size:16px;font-family:calibri;border-radius:4px">&nbsp;' . $i . '&nbsp;</a>';

}

} else {

    unset($_SESSION['6e447159425d2d']);

    $q = mysqli_query($con, "UPDATE history SET status='finished' WHERE
username='$_SESSION[username]' AND eid='$_GET[eid]' ") or die('Error197');    $q = mysqli_query($con,
"SELECT * FROM history WHERE eid='$_GET[eid]' AND username='$_SESSION[username]') or die('Error156');
while ($row = mysqli_fetch_array($q)) {

    $s = $row['score'];

    $scorestatus = $row['score_updated'];

}

if($scorestatus=="false"){

    $q = mysqli_query($con, "UPDATE history SET score_updated='true' WHERE
username='$_SESSION[username]' AND eid='$_GET[eid]' ") or die('Error197');

```

```

        $q = mysqli_query($con, "SELECT * FROM rank WHERE username='$username'") or die('Error161');

        $rowcount = mysqli_num_rows($q);

        if ($rowcount == 0) {

            $q2 = mysqli_query($con, "INSERT INTO rank VALUES(NULL,'$username','$s',NOW())") or
            die('Error165');

            } else {

                while ($row = mysqli_fetch_array($q)) {

                    $sun = $row['score'];

                }

                $sun = $s + $sun;

                $q = mysqli_query($con, "UPDATE `rank` SET `score`=$sun ,time=NOW() WHERE username=
                '$username'") or die('Error174');

            }

        }

        header('location:account.php?q=result&eid=' . $_GET[eid]);

    }

} else {

    unset($_SESSION['6e447159425d2d']);

    $q = mysqli_query($con, "UPDATE history SET status='finished' WHERE username='$_SESSION[username]'
    AND eid='$_GET[eid]' ") or die('Error197');

    $q = mysqli_query($con, "SELECT * FROM history WHERE eid='$_GET[eid]' AND
    username='$_SESSION[username]'") or die('Error156');        while ($row =
    mysqli_fetch_array($q)) {

        $s = $row['score'];

        $scorestatus = $row['score_updated'];

    }

    if($scorestatus=="false"){

        $q = mysqli_query($con, "UPDATE history SET score_updated='true' WHERE
        username='$_SESSION[username]' AND eid='$_GET[eid]' ") or die('Error197');

        $q = mysqli_query($con, "SELECT * FROM rank WHERE username='$username'") or die('Error161');

        $rowcount = mysqli_num_rows($q);

        if ($rowcount == 0) {

            $q2 = mysqli_query($con, "INSERT INTO rank VALUES(NULL,'$username','$s',NOW())") or
            die('Error165');

            } else {

```

```

        while ($row = mysqli_fetch_array($q)) {
            $sun = $row['score'];
        }

        $sun = $s + $sun;

        $q = mysqli_query($con, "UPDATE `rank` SET `score`=$sun ,time=NOW() WHERE username=
'$username'") or die('Error174');
    }
}

header('location:account.php?q=result&eid=' . $_GET['eid']);
}
}

if (@$_GET['q'] == 'result' && @$_GET['eid']) {
    $eid = @$_GET['eid'];

    $q = mysqli_query($con, "SELECT * FROM quiz WHERE eid='$eid' ") or die('Error157');
    while ($row = mysqli_fetch_array($q)) {
        $total = $row['total'];

        $wr = $row['wrong'];

        $cr = $row['correct'];
    }

    $q = mysqli_query($con, "SELECT * FROM history WHERE eid='$eid' AND username='$username' ") or
    die('Error157');

    while ($row = mysqli_fetch_array($q)) {
        $s    = $row['score'];

        $w    = $row['wrong'];

        $r    = $row['correct'];

        $status = $row['status'];
    }

    if ($status == "finished") {
        $q1 = mysqli_query($con, "SELECT anstype FROM quiz WHERE eid='$eid'"); while
        ($row = mysqli_fetch_array($q1)) {

```

```

$type = $row['anstype']; if($type
== 'M'){

    echo '<div name="result" class="panel"><b><a href="javascript:void(0);" title="Print Result"
onclick="printPage();"><span class="glyphicon glyphicon-print" aria-hidden="true"></span></a></b><br /><br
/>

<table class="table table-striped title1" style="font-size:20px;font-weight:1000;"><tr><td
colspan="2"><center><h1 class="title" style="color:#660033">Result</h1><center></td></tr>;

    echo '<tr style="color:darkblue"><td style="vertical-align:middle">Total Questions</td><td
style="vertical-align:middle">' . $total . '</td></tr>

    <tr style="color:darkgreen"><td style="vertical-align:middle">Correct Answer<span class="glyphicon glyphicon-ok-arrow" aria-hidden="true"></span></td><td style="vertical-align:middle">' .
$r . '</td></tr>

    <tr style="color:red"><td style="vertical-align:middle">Wrong Answer<span class="glyphicon glyphicon-remove-arrow" aria-hidden="true"></span></td><td style="vertical-align:middle">' . $w .
'</td></tr>

    <tr style="color:orange"><td style="vertical-align:middle">Unattempted<span class="glyphicon glyphicon-ban-arrow" aria-hidden="true"></span></td><td style="vertical-align:middle">' . ($total - $r - $w) .
'</td></tr>

    <tr style="color:darkblue"><td style="vertical-align:middle">Score<span class="glyphicon glyphicon-star" aria-hidden="true"></span></td><td style="vertical-align:middle">' . (($r*$cr)-($w*$wr)) .
'</td></tr>;

    echo '<tr></tr><tr><td colspan="2"></td></tr><tr><td colspan="2"><div class="panel"><br /><h3
align="center" style="font-family:calibri">:: Detailed Analysis ::</h3><br /></td></tr><tr><td colspan="2"><ol
style="font-size:20px;font-weight:bold;font-family:calibri;margin-top:20px">;

    $q = mysqli_query($con, "SELECT * FROM questions WHERE eid='$_GET[eid]'" ) or die('Error197');
while ($row = mysqli_fetch_array($q)) {

    $question = $row['qns'];

    $qid    = $row['qid'];

    $qnsi   = $row['qnsi'];

    $q2 = mysqli_query($con, "SELECT * FROM user_answer WHERE eid='$_GET[eid]' AND qid='$qid' AND
username='$_SESSION[username]'" ) or die('Error197');

    if (mysqli_num_rows($q2) > 0) {

        $row1    = mysqli_fetch_array($q2);

        $ansid    = $row1['ans'];

        $correctansid = $row1['correctans'];

        $q3 = mysqli_query($con, "SELECT * FROM options WHERE optionid='$ansid'" ) or die('Error197');

        $q4 = mysqli_query($con, "SELECT * FROM options WHERE optionid='$correctansid'" ) or
die('Error197');

```

```

        $row2    = mysqli_fetch_array($q3);
$row3    = mysqli_fetch_array($q4);
        $ans     = $row2['option'];
        $correctans = $row3['option'];
    } else {
        $q3 = mysqli_query($con, "SELECT * FROM answer WHERE qid='$qid'" ) or die('Error197');
        $row1    = mysqli_fetch_array($q3);
        $correctansid = $row1['ansid'];
        $q4 = mysqli_query($con, "SELECT * FROM options WHERE optionid='$correctansid'" ) or
die('Error197');
        $row2    = mysqli_fetch_array($q4);
        $correctans = $row2['option'];
        $ans     = "Unanswered";
    }

    if ($correctans == $ans && $ans != "Unanswered") {
        echo          '<li><div          style="font-size:16px;font-weight:bold;font-
family:calibri;margin-top:20px;background-color:lightgreen;padding:10px;word-wrap:break-
word;border:2px solid darkgreen;border-radius:10px;">' . htmlentities($question) . "';
if(!empty($qnsi)){
echo '';} echo '<span class="glyphicon glyphicon-ok"
style="color:darkgreen"></span></div><br />';

        echo '<font style="font-size:14px;color:darkgreen"><b>Your Answer: </b></font><font
style="font-size:14px;">' . htmlentities($ans) . '</font><br />';

        echo '<font style="font-size:14px;color:darkgreen"><b>Correct Answer: </b></font><font
style="font-size:14px;">' . htmlentities($correctans) . '</font><br />';
    }

    else if ($ans == "Unanswered") {
        echo '<li><div style="font-size:16px;font-weight:bold;font-family:calibri;margin-
top:20px;background-color:#f7f576;padding:10px;word-wrap:break-word;border:2px solid
#b75a0e;borderradius:10px;">' . htmlentities($question) . "';if(!empty($qnsi)){
echo '';} echo '</div><br />';

        echo '<font style="font-size:14px;color:darkgreen"><b>Correct Answer: </b></font><font
style="font-size:14px;">' . htmlentities($correctans) . '</font><br />';
    }
}
else {
        echo '<li><div style="font-size:16px;font-weight:bold;font-family:calibri;margin-

```

```

top:20px;background-color:#f99595;padding:10px;word-wrap:break-word;border:2px solid
darkred;border-radius:10px;">' . htmlentities($question) . "if(!empty($qnsi)){

echo '';} echo' <span class="glyphicon glyphicon-remove"
style="color:red"></span></div><br />';

        echo '<font style="font-size:14px;color:darkgreen"><b>Your Answer: </b></font><font
style="font-size:14px;">' . htmlentities($ans) . '</font><br />';

        echo '<font style="font-size:14px;color:red"><b>Correct Answer: </b></font><font
style="font-size:14px;">' . htmlentities($correctans) . '</font><br />';

    }

    echo "<br /></li>";

}

echo '</ol></td></tr>';

echo ' <tr><td colspan="2"><center><h4 class="title" style="color:Red"><span class="blinking">Note
: Please remember your result for future reference.</span></h4><center></td></tr></table> <br />

<style>.blinking{animation:blinkingText 1.2s infinite;}@keyframes
blinkingText{0%{color:blue;}49%{ color:red;}60%{color:transparent;}99%{color:transparent;}100%{color:green
;}}</style>';

echo "</div>";

} else {

    /*echo '<div class="panel">

<center><h1 class="title" style="color:purple">Congratulations!</h1><center><br />

<center><h2 class="title" style="color:darkgreen">You successfully completed your test!!</h1><center><br />

<center><h2 class="title" style="color:blue">Good Luck!!!</h1><center><br />';

echo "</div>";*/

        echo '<div name="result" class="panel"><b><a href="javascript:void(0);" title="Print Result"
onclick="printPage();"><span class="glyphicon glyphicon-print" aria-hidden="true"></span></a></b><br /><br />

<table class="table table-striped title1" style="font-size:20px;font-weight:1000;"><tr><td
colspan="2"><center><h1 class="title" style="color:#660033">Your Answers</h1><center></td></tr>

        <tr><td colspan="2"><ol style="font-size:20px;font-weight:bold;font-family:calibri;margin-top:20px">';

        $q = mysqli_query($con, "SELECT * FROM questions WHERE eid='$_GET[eid]'" ) or die('Error197'); while
($row = mysqli_fetch_array($q)) {

            $question = $row['qns'];

            $qid = $row['qid'];

            $qnsi = $row['qnsi'];

```





```

    }
}

if (@$_GET['q'] == 2) {

    $q = mysqli_query($con, "SELECT * FROM history WHERE username='$username' AND status='finished'
ORDER BY date DESC ") or die('Error197');    echo '<div class="panel table-responsive title">

<table class="table table-striped title1" >

<tr><td style="vertical-align:middle"><b>S.N.</b></td><td style="vertical-
align:middle"><b>Exam</b></td><td style="vertical-align:middle"><b>Total Questions</b></td><td
style="vertical-align:middle"><b>Date & Time</b></td><td
style="vertical-align:middle"><b>Action<b></td></tr>';

    $c = 0;    while ($row =
mysqli_fetch_array($q)) {

        $eid = $row['eid'];

        $date    = $row['date'];

        $date    = date("d-m-Y h:i:s", strtotime($date));

        $s  = $row['score'];

        $w  = $row['wrong'];

        $r  = $row['correct'];

        $q23 = mysqli_query($con, "SELECT * FROM quiz WHERE  eid='$eid' ") or die('Error208');

while ($row = mysqli_fetch_array($q23)) {

    $title = $row['title'];

    $total = $row['total'];

    }

    $c++;

    echo '<tr><td style="vertical-align:middle">' . $c . '</td><td style="vertical-align:middle">' . $title .
'</td><td style="vertical-align:middle">' . $total . '</td><td style="vertical-align:middle">' . $date . '</td><td
style="vertical-align:middle"><a href="account.php?q=result&eid=' . $eid . '" class="btn"
style="margin:0px;background:darkred;color:white">&nbsp;<span class="title1"><b>View
Result</b></a></td></tr>';

    }

    echo '</table></div>';

}

if (@$_GET['q'] == 3) {

if(isset($_GET['show'])) {

    $show = $_GET['show'];

    $showfrom = (($show-1)*10) + 1;

    $showtill = $showfrom + 9;

```

```

}

else{

    $show = 1;

    $showfrom = 1;

    $showtill = 10;

}

$q = mysqli_query($con, "SELECT * FROM rank") or die('Error223');

echo '<div class="panel table-responsive title">

<table class="table table-striped title1" >

<tr><td style="vertical-align:middle"><b>Rank</b></td><td style="vertical-align:middle"><b>Name</b></td><td style="vertical-align:middle"><b>Branch</b></td><td style="vertical-align:middle"><b>Username</b></td><td style="vertical-align:middle"><b>Score</b></td></tr>';    $c = $showfrom-1;

    $total = mysqli_num_rows($q);

    if($total >= $showfrom){

        $q = mysqli_query($con, "SELECT * FROM rank ORDER BY score DESC, time ASC LIMIT ".$showfrom-1.",10") or die('Error223');        while ($row

= mysqli_fetch_array($q)) {

            $e = $row['username'];

            $s = $row['score'];

            $q12 = mysqli_query($con, "SELECT * FROM user WHERE username='$e' ") or die('Error231');

            while ($row = mysqli_fetch_array($q12)) {

                $name    = $row['name'];

                $branch  = $row['branch'];

                $username = $row['username'];

            }

            $c++;

            echo '<tr><td style="color:#99cc32"><b>' . $c . '</b></td><td style="vertical-align:middle">' . $name .

'</td><td style="vertical-align:middle">' . $branch . '</td><td style="vertical-align:middle">' . $username .

'</td><td style="vertical-align:middle">' . $s . '</td><td style="vertical-align:middle">';

        }

    }

else{

}

echo '</table></div>';    echo '<div class="panel table-responsive title"><table class="table

table-striped title1" ><tr>';

```

```

$total = round($total/10) + 1;
if(isset($_GET['show'])){
    $show = $_GET['show'];
}
else{
    $show = 1;
}
if($show == 1 && $total==1){
}
else if($show == 1 && $total!=1){
    $i = 1;
while($i<=$total){
    echo '<td style="vertical-align:middle;text-align:center"><a style="font-size:14px;font-
family:typo;fontweight:bold" href="account.php?q=3&show='.$i.'">&nbsp;'.$i.'&nbsp;</a></td>';
    $i++;
}
    echo '<td style="vertical-align:middle;text-align:center"><a style="font-size:14px;font-
family:typo;fontweight:bold" href="account.php?q=3&show='.$show.'">&nbsp;>&nbsp;</a></td>';
}
    else if($show != 1 && $show==$total){
        echo '<td style="vertical-align:middle;text-align:center"><a style="font-size:14px;font-
family:typo;fontweight:bold" href="account.php?q=3&show='.$show.'">&nbsp;<<&nbsp;</a></td>';

        $i = 1;
while($i<=$total){
            echo '<td style="vertical-align:middle;text-align:center"><a style="font-size:14px;font-
family:typo;fontweight:bold" href="account.php?q=3&show='.$i.'">&nbsp;'.$i.'&nbsp;</a></td>';
            $i++;
        }
    }
    else{
        echo '<td style="vertical-align:middle;text-align:center"><a style="font-size:14px;font-
family:typo;fontweight:bold" href="account.php?q=3&show='.$show.'">&nbsp;<<&nbsp;</a></td>';

        $i = 1;
while($i<=$total){

```

```

        echo '<td style="vertical-align:middle;text-align:center"><a style="font-size:14px;font-
family:typo;fontweight:bold" href="account.php?q=3&show='.$i.'">&nbsp;  </a></td>';

        $i++;

    }

    echo '<td style="vertical-align:middle;text-align:center"><a style="font-size:14px;font-
family:typo;fontweight:bold" href="account.php?q=3&show='.$( $show+1 ).'">&nbsp;  </a></td>';

}

echo '</tr></table></div>';

}

?>

</div></div></div></div>

<div class="row footer">

<div class="col-md-3 box"></div>

</body>

</html>

```

## DASH.PHP:

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<link rel="icon" href="image/logo.png" type="image/icon" sizes="16x16">

<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />

<meta name="viewport" content="width=device-width, initial-scale=1">

<title> Admin || Online Exam</title>

<link rel="stylesheet" href="css/bootstrap.min.css"/>

<link rel="stylesheet" href="css/bootstrap-theme.min.css"/>

<link rel="stylesheet" href="css/main.css">

<link rel="stylesheet" href="css/font.css">

<script src="js/jquery.js" type="text/javascript"></script>

<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">

<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>

<script src="js/bootstrap.min.js" type="text/javascript"></script>

```

```

<link href='http://fonts.googleapis.com/css?family=Roboto:400,700,300' rel='stylesheet' type='text/css'>
<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
integrity="sha384-q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>

<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.6/umd/popper.min.js"
integrity="sha384-wHAiFfRmFy6iSRxvfOCiFBUQy1xHdJ/yoi7FRNXMRBu5WHdZYu1hA6ZOblgut"
crossorigin="anonymous"></script>

<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.2.1/js/bootstrap.min.js"
integrity="sha384-B0UglyR+jN6CkvvICOB2joaf5I4l3gm9GU6Hc1og6Ls7i6U/mkkaduKaBhlAXv9k"
crossorigin="anonymous"></script>

```

```

<script src="http://code.jquery.com/jquery-1.11.1.min.js">

```

```

$(function () {

    $(document).on( /*'scroll',*/ function(){
console.log('scroll top : ' + $(window).scrollTop());
if($(window).scrollTop()>=$( ".logo").height())
    {
        $(".navbar").addClass("navbar-fixed-top");
    }

    if($(window).scrollTop()<$( ".logo").height())
    {
        $(".navbar").removeClass("navbar-fixed-top");
    }
    });

});

$(document).ready(function(){
    $(".a.delete").click(function(e){    if(!confirm('Are
you sure to remove this test?')){
        e.preventDefault();
return false;
    }
    return true;
});

```

```
});
```

```
$(document).ready(function(){  
  $("input.add").click(function(e){  
    if(!confirm('Are you sure to add this test?')){  
      e.preventDefault();  
    }  
    return false;  
  }  
  return true;  
});  
});
```

```
$(document).ready(function(){  
  $("a.enable").click(function(e){    if(!confirm('Are  
you sure to enable this test?')){  
    e.preventDefault();  
  }  
  return false;  
  }  
  return true;  
});  
});
```

```
$(document).ready(function(){  
  $("a.disable").click(function(e){    if(!confirm('Are  
you sure to disable this test?')){  
    e.preventDefault();  
    return false;  
  }  
  return true;  
});  
});
```

```
/*$('#preview').on('show.bs.modal', function (event) {  
  var myVal = $(event.relatedTarget).data('val');
```

```
$(this).find(".modal-body").text(myVal);  
});*/
```

```
$('#classModal').modal('show')
```

```
$(document).ready(function(){  
    $('#submit').click(function(){ var  
    image_name = $('#profile').val();  
    if(image_name == '')  
    {  
        alert("Please Select Image"); return  
        flase;  
    }  
    else  
    {  
        var extension = $('#profile').val().split('.').pop().toLowerCase(); if(jQuery.inArray(extension,  
        ['gif','png','jpg','jpeg']) == -1)  
        {  
            alert('Invalid Image File');  
            $('#profile').val(''); return  
            false;  
        }  
    }  
});  
})
```

```
</script>
```

```
</head>
```

```
<body style="background:#eee;">
```

```
<div class="header">
```

```
<div class="row">
```



[illegible]

```

        <li <?php if
(@$_GET['q'] == 0)
echo 'class="active"';
?>><a href="dash.php?q=0">Home<span class="sr-only">(current)</span></a></li>

        <li <?php if
(@$_GET['q'] == 1)
echo 'class="active"';
?>><a href="dash.php?q=1">Students</a></li>

        <li <?php if
(@$_GET['q'] == 2)
echo 'class="active"';
?>><a href="dash.php?q=2">Add Student</a></li>

        <li <?php if
(@$_GET['q'] == 3)
echo 'class="active"';
?>><a href="dash.php?q=3">Add Teacher</a></li>

        <li <?php if
(@$_GET['q'] == 4)
echo 'class="active"';
?>><a href="dash.php?q=4">Add Exam</a></li>

        <li <?php if
(@$_GET['q'] == 5)
echo 'class="active"';
?>><a href="dash.php?q=5">Remove Exam</a></li>

        <li <?php if
(@$_GET['q'] == 6)
echo
'class="active"';
?>><a href="dash.php?q=6">Scoreboard</a></li>

        <li <?php if
(@$_GET['q'] == 7)
echo 'class="active"';
?> hidden><a href="dash.php?q=7" hidden></a></li>

</ul>

```

</div>

</div>

```
</nav> <script> function validateForm(e) {  var y
= document.forms["form"]["name"].value;

if (y == null || y == "") {

    document.getElementById("errmsg").innerHTML="Name must be filled out.";

    return false;

}

var r = document.forms["form"]["rollno"].value;

if (r == null || r == "") {

    document.getElementById("errmsg").innerHTML="Roll number must be filled out.";

    return false;

}

var br = document.forms["form"]["branch"].value;

if (br == "") {

    document.getElementById("errmsg").innerHTML="Please select your branch";

    return false;

}

if (m.length < 10) {  document.getElementById("errmsg").innerHTML="Passwords
must be 12 digits long";

    return false;

}

var g = document.forms["form"]["gender"].value;

if (g=="") {

    document.getElementById("errmsg").innerHTML="Please select your gender";

    return false;

}

var x = document.forms["form"]["username"].value;

if (x.length == 0) {

    document.getElementById("errmsg").innerHTML="Please enter a valid username";

    return false;

}

if (x.length < 4) {

    document.getElementById("errmsg").innerHTML="Username must be at least 4 characters long";
```

```

    return false;
}

var m = document.forms["form"]["phno"].value; if (m.length != 10) {
document.getElementById("errmsg").innerHTML="Phone number must be 10 digits long";
    return false;
}

var a = document.forms["form"]["password"].value;
if(a == null || a == ""){
document.getElementById("errmsg").innerHTML="Password must be filled out";
    return false;
}

if(a.length<4 || a.length>15){ document.getElementById("errmsg").innerHTML="Passwords
must be 4 to 15 characters long.";
    return false;
}

var b = document.forms["form"]["cpassword"].value;
if (a!=b){
    e.preventDefault();
document.getElementById("errmsg").innerHTML="Passwords must match.";
    return false;
}
}

$(document).ready(function(){
$('#insert').click(function(){
var image_name = $('#qnsi').val(); if(image_name
== "")
{
alert("Please Select Image"); return
false;
}
else
{
var extension = $('#qnsi').val().split('.').pop().toLowerCase(); if(jQuery.inArray(extension,
['gif','png','jpg','jpeg']) == -1)

```

```
{
alert('Invalid Image File');
$('#qnsi').val(''); return
false;
}
}
});
}}
</script>
```

```
<div class="container">
<div class="row">
<div class="col-md-12">
<?php
if (@$_GET['q'] == 0) {
include 'dash/index.php';
}
if (@$_GET['q'] == 2) {
    echo '
<div class="row">
<span class="title1" style="margin-left:35%;font-size:30px;"><b>Enter Student Details</b></span><br /><br />
<div class="col-md-3"></div><div class="col-md-6">
<form class="form-horizontal title1" name="form" action="sign.php?q=account.php" method="POST"
onSubmit="return validateForm()" enctype="multipart/form-data">
<fieldset>
<div class="form-group">
    <label class="col-md-12 control-label" for="name"></label>
    <div class="col-md-12">
        <div id="errorMsg" style="font-size:14px;font-family:calibri;font-weight:normal;color:red">';
if (@$_GET['q7']) {    echo '<p style="color:red;font-size:15px;">' . @$_GET['q7'];
}
echo '</div>

</div>
```

```

</div>

<div class="form-group">

    <label class="col-md-12 control-label" for="name"></label>

    <div class="col-md-12">

        <input id="name" name="name" placeholder="Enter your name" class="form-control input-md" type="text"
        value=""; if (isset($_GET['name']))
        {
        echo $_GET['name'];
        } echo " required pattern="[A-Za-z]+" title="allows only alphabets">

    </div>

</div>

<div class="form-group">

    <label class="col-md-12 control-label" for="rollno"></label>

    <div class="col-md-12">

        <input id="rollno" name="rollno" placeholder="Enter your Roll Number" class="form-control input-md"
        type="text" maxlength="10" value=""; if (isset($_GET['rollno']))
        {
        echo $_GET['rollno'];
        }echo" required pattern="[A-Za-z0-9]{10}" title="allows only alphabets and digits">

    </div>

</div>

<div class="form-group">

    <label class="col-md-12 control-label" for="gender"></label>

    <div class="col-md-12">

        <select id="gender" name="gender" placeholder="Select your gender" class="form-control input-md"
        required>

            <option value="" ' ; if
            (!isset($_GET['gender'])) echo
            "selected"; echo">Select
            Gender</option>

            <option value="M" ' ; if
            (isset($_GET['gender']))
            {

```

```

if ($_GET['gender'] == "M")
echo "selected";
}
echo'>Male</option>
<option value="F" <; if
(isset($_GET['gender']))
{
if ($_GET['gender'] == "F")
echo "selected";
}
echo'>Female</option> </select>
</div>
</div>
<div class="form-group">
<label class="col-md-12 control-label" for="branch"></label>
<div class="col-md-12">
<select id="branch" name="branch" placeholder="Select your branch" class="form-control input-md"
required>
<option value="" <; if
(!isset($_GET['branch']))
echo "selected";
echo'>Select
Branch</option> <option
value="MPCS" <; if
(isset($_GET['branch']))
{
if ($_GET['branch'] == "MPCS")
echo "selected";
}
echo'>M.P.Cs</option>
<option value="MSTCS" <;
if (isset($_GET['branch']))
{

```

```

if ($_GET['branch'] == "MSTCS")
echo "selected";

}

echo'>M.St.Cs</option> <option
value="MSCCOMP" <';

if (isset($_GET['branch']))

{

if ($_GET['branch'] == "MSCCOMP")
echo "selected";

}

echo'>M.Sc(Computers)</option>
<option value="MSCPHY" ';    if
(isset($_GET['branch']))

{

if ($_GET['branch'] == "MSCPHY")
echo "selected";

}

echo'>M.Sc(Physics)</option>
<option value="MSCCHEM" ';
if (isset($_GET['branch']))

{

if ($_GET['branch'] == "MSCCHEM")
echo "selected";

}

echo'>M.Sc(Chemistry)</option>
<option value="MCOM" ';
if (isset($_GET['branch']))

{

if ($_GET['branch'] == "MCOM")
echo "selected";

}

echo'>M.Com</option>
<option value="MPC" '; if
(isset($_GET['branch']))

```



```

{
if ($_GET['branch'] == "MPC")
echo "selected";
}
echo'>M.P.C</option>
<option value="BZC" '; if
(isset($_GET['branch']))
{
if ($_GET['branch'] == "BZC")
echo "selected";
}
echo'>B.Z.C</option>
<option value="MBC" '; if
(isset($_GET['branch']))
{
if ($_GET['branch'] == "MBC")
echo "selected";
}
echo'>M.B.C</option>
<option value="BCOMG" ';
if (isset($_GET['branch']))
{
if ($_GET['branch'] == "BCOMG") echo "selected";
}
echo'>B.Com(Gen)</option>
<option value="BCOMR" '; if
(isset($_GET['branch']))
{
if ($_GET['branch'] == "BCOMR")
echo "selected";
}
echo'>B.Com(Res)</option>
</select>
</input>

```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="col-md-12 control-label" for="year"></label>
```

```
<div class="col-md-12">
```

```
<select id="year" name="year" placeholder="Select year" class="form-control input-md" required>
```

```
<option value="" > if
```

```
(!isset($_GET['year']))
```

```
echo "selected";
```

```
echo'>Select Year</option>
```

```
<option value="1" > if
```

```
(isset($_GET['year']))
```

```
{
```

```
if ($_GET['year'] == "1")
```

```
echo "selected";
```

```
}
```

```
echo'>I year</option>
```

```
<option value="2" < if
```

```
(isset($_GET['year']))
```

```
{
```

```
if ($_GET['year'] == "2")
```

```
echo "selected";
```

```
}
```

```
echo'>II year</option>
```

```
<option value="3" < if
```

```
(isset($_GET['year']))
```

```
{
```

```
if ($_GET['year'] == "3")
```

```
echo "selected";
```

```
}
```

```
echo'>III year</option> </select>
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```

<label class="col-md-12 control-label" for="section"></label>
<div class="col-md-12">
    <select id="section" name="section" placeholder="Select section" class="form-control input-md" required>
        <option value="" ' ; if
(!isset($_GET['section']))    echo
"selected";    echo'>Select
Section</option>
        <option value="A" ' ; if
(isset($_GET['section']))
        {
if ($_GET['section'] == "A")
echo "selected";
        }
echo'>A Section</option>
        <option value="B" <' ; if
(isset($_GET['section']))
        {
if ($_GET['section'] == "B")
echo "selected";
        }
echo'>B Section</option> </select>
    </div>
</div>
<div class="form-group">
    <label class="col-md-12 control-label title1" for="username"></label>
    <div class="col-md-12">
        <input id="username" name="username" placeholder="Choose a username" class="form-control input-md"
type="username" value=""; if (isset($_GET['username']))
        {
echo $_GET['username'];
        };
echo'" style=""; if (isset($_GET['q7']))    echo "border-color:red"; echo'"
required pattern="[A-Za-z0-9]+" title="allows only alphabets and digits">

```

```

</div>
</div>
<div class="form-group">
  <label class="col-md-12 control-label" for="email"></label>
  <div class="col-md-12">
    <input id="email" name="email" placeholder="Enter your email" class="form-control input-md" type="email"
    value=""; if (isset($_GET['email']))
    {
      echo $_GET['email'];
    };
    echo"    style="";    if
    (isset($_GET['q8']))    echo
    "border-color:red";
    echo"    required pattern="[A-Za-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,3}$" title="must contain `@` and `.` symbols">
  </div>
</div>
<div class="form-group">
  <label class="col-md-12 control-label" for="phno"></label>
  <div class="col-md-12">
    <input id="phno" name="phno" placeholder="Enter your mobile number" class="form-control input-md"
    type="tel" maxlength="10" value=""; if (isset($_GET['phno']))
    {
      echo $_GET['phno'];
    }
    echo"    required pattern="\d{10}" title="allows only digits">

  </div>
</div>
<div class="form-group">
  <label class="col-md-12 control-label" for="password"></label>
  <div class="col-md-12">
    <input id="password" name="password" placeholder="Enter your password" maxlength="10"
    class="form-control input-md" type="password" ';
    // pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{10,}" echo'onchange="form.cpassword.pattern =
    this.value;" required title="maximum length 10">

```

</div>

</div>

<div class="form-group">

<label class="col-md-12control-label" for="cpassword"></label>

<div class="col-md-12">

<input id="cpassword" name="cpassword" placeholder="Confirm Password" class="form-control input-md" type="password" pattern="" required title="must match with the password">

</div>

</div>

<div class="form-group">

<label class="col-md-12control-label" for="profile"></label>

<div class="col-md-12">

<input id="profile" name="profile" placeholder="Upload Your Profile" class="form-control input-md" type="file" title="must be .jpg/ .jpeg/ .png" />

<span style="text-align:right">Note : For better result, use default size images (3.5cm\*4.5cm)</span>

</div>

</div>

<div class="form-group">

<label class="col-md-12 control-label" for=""></label>

<div class="col-md-12" style="text-align: center">

<input type="submit" name="submit" id="submit" value=" Register Now " class="btn btn-primary" style="text-align:center" />

</div>

</div>

</fieldset>

</form></div>;

}

if (@\$\_GET['q'] == 1) {

echo '<div style="text-align:right"><a title="Open Alumni" href="#" data-toggle="modal" datatarget="#alumni"><b><span class="glyphicon glyphicon-folder-open" ariahidden="true"></span></b></a></div>';

```

$result = mysqli_query($con, "SELECT * FROM user ORDER BY name ASC") or die('Error');

echo '<div class="panel table-responsive"><table class="table table-striped title1">

<tr><td style="vertical-align:middle"><b>S.N.</b></td><td style="vertical-align:middle"><b>Name</b></td><td style="vertical-align:middle"><b>Gender</b></td><td style="vertical-align:middle"><b>Rollno</b></td><td style="vertical-align:middle"><b>Branch</b></td><td style="vertical-align:middle"><b>Year</b></td><td style="vertical-align:middle"><b>Section</b></td><td style="vertical-align:middle"><b>Username</b></td><td style="vertical-align:middle"><b>Password</b></td><td style="vertical-align:middle"><b>Phno</b></td><td style="vertical-align:middle"><b>Profile</b></td><td style="vertical-align:middle"></td></tr>';

    $c = 1;    while ($row =
mysqli_fetch_array($result)) {

        $name    = $row['name'];

        $phno    = $row['phno'];

        $gender   = $row['gender'];

        $rollno   = $row['rollno'];

        $branch   = $row['branch'];

        $year     = $row['year'];

        $section  = $row['section'];

        $username1 = $row['username'];

        $password = $row['password'];

        $profile = $row['profile'];

        echo '<tr><td style="vertical-align:middle">' . $c++ . '</td><td style="vertical-align:middle">' . $name .
'</td><td style="vertical-align:middle">' . $gender . '</td><td style="vertical-align:middle">' . $rollno .
'</td><td style="vertical-align:middle">' . $branch . '</td><td style="vertical-align:middle">' . $year . '</td><td style="vertical-align:middle">' . $section . '</td><td style="vertical-align:middle">' . $username1 . '</td><td style="vertical-align:middle">' . $password . '</td><td style="vertical-align:middle">' . $phno . '</td><td style="vertical-align:middle">';

if($profile!= NULL){ echo''; }else{echo'';} echo'</td>

    <td style="vertical-align:middle"><a title="Delete User" href="update.php?dusername=' . $username1 . '"
onclick="return confirm('\Are you sure to remove this user ?\')"><b><span class="glyphicon glyphicon-trash"
aria-hidden="true"></span></b></a></td></tr>';

    }

    $c = 0;    echo
'</table></div>

<!-- Modal For Alumni-->

```

```

<div class="modal fade title1" id="alumni">

  <div class="modal-dialog modal-lg">

    <div class="modal-content">

      <div class="modal-header">

        <button type="button" class="close" data-dismiss="modal"><span
ariahidden="true">&times;</span><span class="sr-only">Close</span></button>

        <h4 class="modal-title" style="font-family:'typo' "><span style="color:orange">Alumni</span></h4>

      </div>

      <div class="modal-body">

        <style>.paneli{border-color:#eee;margin: 4px; padding: 2px;font: 15px "Century Gothic", "Times Roman",
sans-serif;}</style>;

        $result = mysqli_query($con, "SELECT * FROM alumni") or die('Error');   echo '<div
class="paneli table-responsive"><table class="table table-striped title1">

<tr><td style="vertical-align:middle"><b>S.N.</b></td><td style="vertical-
align:middle"><b>Name</b></td><td style="vertical-align:middle"><b>Gender</b></td><td
style="vertical-align:middle"><b>Rollno</b></td><td style="vertical-align:middle"><b>Branch</b></td><td
style="vertical-align:middle"><b>Year</b></td><td style="vertical-align:middle"><b>Section</b></td><td
style="vertical-align:middle"><b>Username</b></td><td style="vertical-
align:middle"><b>Password</b></td><td style="vertical-align:middle"><b>Phno</b></td><td style="vertical-
align:middle"><b>Profile</b></td><td style="vertical-align:middle"></td></tr>;

        $c = 1;

while ($row = mysqli_fetch_array($result)) {

$name    = $row['name'];

    $phno    = $row['phno'];

    $gender   = $row['gender'];

$rollno   = $row['rollno'];

    $branch   = $row['branch'];

    $year     = $row['year'];

    $section   = $row['section'];

    $username1 = $row['username'];

$password = $row['password'];

    $profile = $row['profile'];

    echo '<tr><td style="vertical-align:middle">' . $c++ . '</td><td style="vertical-align:middle">' . $name .
'</td><td style="vertical-align:middle">' . $gender . '</td><td style="vertical-align:middle">' . $rollno .
'</td><td style="vertical-align:middle">' . $branch . '</td><td style="vertical-align:middle">' . $year . '</td><td
style="vertical-align:middle">' . $section . '</td><td style="vertical-align:middle">' . $username1 . '</td><td
style="vertical-align:middle">' . $password . '</td><td style="vertical-align:middle">' . $phno . '</td><td>';

```

```

if($profile!= NULL){ echo''; }else{echo'';} echo'</td>

<td style="vertical-align:middle"><a title="Delete Permanently" href="update.php?alumni=' . $username1 . '"
onclick="return confirm('\Are you sure to remove this user permanently ?\')"><b><span class="glyphicon
glyphicon-trash" aria-hidden="true"></span></b></a></td></tr>';

}

$c = 0; echo

'</table></div>

</div>

</div><!-- /.modal-content -->

</div><!-- /.modal-dialog -->

</div><!-- /.modal -->

';

}

if (@$_GET['q'] == 3) {

echo '

<div class="row">

<span class="title1" style="margin-left:35%;font-size:30px;"><b>Enter Teacher Details</b></span><br /><br
/>

<div class="col-md-3"></div><div class="col-md-6">

<form class="form-horizontal title1" name="form" action="teacher.php?q=account.php" method="POST"
onSubmit="return validateForm()" enctype="multipart/form-data">

<fieldset>

<div class="form-group">

<label class="col-md-12 control-label" for="name"></label>

<div class="col-md-12">

<div id="errmsg" style="font-size:14px;font-family:calibri;font-weight:normal;color:red">;

if (@$_GET['q7']) {    echo '<p style="color:red;font-size:15px;">' . @$_GET['q7'];

}

echo '</div>

</div>

</div>

```



```

<div class="form-group">

    <label class="col-md-12 control-label" for="name"></label>

    <div class="col-md-12">

        <input id="name" name="name" placeholder="Enter your name" class="form-control input-md" type="text"
value=""; if (isset($_GET['name']))
{
echo $_GET['name'];
} echo " required pattern="[A-Za-z]+" title="allows only alphabets">

    </div>
</div>

<div class="form-group">

    <label class="col-md-12 control-label" for="empid"></label>

    <div class="col-md-12">

        <input id="empid" name="empid" placeholder="Enter your Employee ID" class="form-control input-md"
type="text" maxlength="10" value=""; if (isset($_GET['empid']))
{
echo $_GET['empid'];
}echo" required pattern="[A-Za-z0-9]{10}" title="allows only alphabets and digits">

    </div>
</div>

<div class="form-group">

    <label class="col-md-12 control-label" for="gender"></label>

    <div class="col-md-12">

        <select id="gender" name="gender" placeholder="Select your gender" class="form-control input-md"
required>

            <option value="" ' ; if
(isset($_GET['gender'])) echo
"selected"; echo'>Select
Gender</option>

            <option value="M" ' ; if
(isset($_GET['gender']))
{
if ($_GET['gender'] == "M")
echo "selected";

```

```

    }
    echo'>Male</option>
<option value="F" <';    if
(isset($_GET['gender']))
    {
    if ($_GET['gender'] == "F")
echo "selected";
    }
    echo'>Female</option> </select>

</div>

</div>

<div class="form-group">

    <label class="col-md-12 control-label title1" for="username"></label>

    <div class="col-md-12">

        <input id="username" name="username" placeholder="Choose a username" class="form-control input-md"
type="username" value="";

        if (isset($_GET['username']))
        {
        echo $_GET['username'];

        };

        echo"" style=""; if (isset($_GET['q7']))    echo "border-color:red"; echo""
required pattern="[A-Za-z0-9]+" title="allows only alphabets and digits">


    </div>

</div>

<div class="form-group">

    <label class="col-md-12 control-label" for="email"></label>

    <div class="col-md-12">

        <input id="email" name="email" placeholder="Enter your email" class="form-control input-md"
type="email" value=""; if (isset($_GET['email']))
        {
        echo $_GET['email'];

        };

```

```

    echo" style="";        if
(isset($_GET['q8']))      echo
"border-color:red";

    echo" required pattern="[A-Za-z0-9._%+~]+@[a-z0-9.-]+\.[a-z]{2,3}$" title="must contain `@` and `.`
symbols">

    </div>
</div>

<div class="form-group">
    <label class="col-md-12 control-label" for="phno"></label>

    <div class="col-md-12">

        <input id="phno" name="phno" placeholder="Enter your mobile number" class="form-control input-md"
type="tel" maxlength="10" value="";

        if (isset($_GET['phno']))
        {
            echo $_GET['phno'];
        }

        echo" required pattern="\d{10}" title="allows only digits">

    </div>
</div>

<div class="form-group">
    <label class="col-md-12 control-label" for="password"></label>

    <div class="col-md-12">

        <input id="password" name="password" placeholder="Enter your password" maxlength="10"
class="formcontrol input-md" type="password" ';

        // pattern="(?.*\d)(?.*[a-z])(?.*[A-Z]).{10,}"      echo'onchange="form.cpassword.pattern
= this.value;" required title="maximum length 10">

    </div>
</div>

<div class="form-group">
    <label class="col-md-12control-label" for="cpasswrd"></label>

    <div class="col-md-12">

```

```
<input id="cpassword" name="cpassword" placeholder="Confirm Password" class="form-control input-md" type="password" pattern="" required title="must match with the password">
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="col-md-12 control-label" for="profile"></label>
```

```
<div class="col-md-12">
```

```
<input id="profile" name="profile" placeholder="Upload Your Profile" class="form-control input-md" type="file" title="must be .jpg/ .jpeg/ .png" />
```

```
<span style="text-align:right">Note : For better result, use default size images (3.5cm*4.5cm)</span>
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="col-md-12 control-label" for=""></label>
```

```
<div class="col-md-12" style="text-align: center">
```

```
<input type="submit" name="submit" id="submit" value=" Register Now " class="btn btn-primary" style="text-align:center" />
```

```
</div>
```

```
</div>
```

```
</fieldset>
```

```
</form></div>;
```

```
}
```

```
if (@$_GET['q'] == 4 && !(@$_GET['step'])) { echo
```

```
'<div class="row">
```

```
<span class="title1" style="margin-left:35%;font-size:30px;"><b>Enter Exam Details</b></span><br /><br />
```

```
<div class="col-md-3"></div><div class="col-md-6"> <form class="form-horizontal title1" name="form" action="update.php?q=addquiz" method="POST">
```

```
<fieldset>
```

```
<div class="form-group">
```

```
<label class="col-md-12 control-label" for="name"></label>
```

```
<div class="col-md-12">
```

```
<input id="name" name="name" placeholder="Enter Exam title" class="form-control input-md" type="text" required />
```

</div>

</div>

<div class="form-group">

<label class="col-md-12 control-label" for="total"></label>

<div class="col-md-12">

<input id="total" name="total" placeholder="Enter total number of questions" class="form-control input-md" type="number" required />

</div>

</div>

<div class="form-group">

<label class="col-md-12 control-label" for="right"></label>

<div class="col-md-12">

<input id="right" name="right" placeholder="Enter marks on right answer" class="form-control input-md" min="0" type="number" required />

</div>

</div>

<div class="form-group">

<label class="col-md-12 control-label" for="wrong"></label>

<div class="col-md-12">

<input id="wrong" name="wrong" placeholder="Enter minus marks on wrong answer without sign" class="form-control input-md" min="0" type="number" required />

</div>

</div>

<div class="form-group">

<label class="col-md-12 control-label" for="time"></label>

<div class="col-md-12">

<input id="time" name="time" placeholder="Enter time limit for test in minute" class="form-control inputmd" min="1" type="number" required />

</div>

</div>

```

<div class="form-group">
    <label class="col-md-12 control-label" for="anstype"></label>
    <div class="col-md-12">
        <select id="anstype" name="anstype" class="form-control input-md" required>
            <option value="">Select Answer Type</option>
            <option value="M">Multiple choice</option>
            <option value="D">Descriptive</option> </select>
        </div>
    </div>

```

```

</div>

```

```

<div class="form-group">
    <label class="col-md-12 control-label" for=""></label>
    <div class="col-md-12">
        <input type="submit" style="margin-left:45%" class="btn btn-primary" value="Submit" class="btn
        btnprimary add" onclick="return confirm('\Are you sure to add this test ?\')"/> </div>
    </div>

```

```

</fieldset>

```

```

</form></div>';

```

```

}

```

```

if (@$_GET['q'] == 4 && (@$_GET['step']) == 2) { if(@$_GET['a']

```

```

== 'D'){

```

```

    echo '

```

```

<div class="row">

```

```

<span class="title1" style="margin-left:40%;font-size:30px;"><b>Enter Question Details</b></span><br /><br
/>

```

```

<div class="col-md-3"></div><div class="col-md-6"><form class="form-horizontal title1" name="form"
action="update.php?q=addqnss&n=' . @$_GET['n'] . '&eid=' . @$_GET['eid'] . '&ch=0 " method="POST"
enctype="multipart/form-data">

```

```

<fieldset>

```

```

';

```

```

    for ($i = 1; $i <= @$_GET['n']; $i++) {        echo '<b>Question number&nbsp;';

```

```

    $i . '&nbsp;';</><br /><!-- Text input-->

```

```

<div class="form-group">

```

```

<label class="col-md-12 control-label" for="qns' . $i . ' "></label>

<div class="col-md-12">

    <textarea rows="3" cols="5" name="qns' . $i . '" class="form-control" placeholder="Write question number ' .
    $i . ' here..." required></textarea>

</div>

</div>

<div class="form-group">

    <label class="col-md-12 control-label" for="qnsi'. $i.'"></label>

    <div class="col-md-12">

        <input id="qnsi'. $i.'" name="qnsi'. $i.'" placeholder="Upload Your Picture" class="form-control input-md"
        type="file" title="must be .jpg/ .jpeg/ .png" />

        <span style="text-align:right">Note : use .jpg/ .jpeg/ .png/ .gif extensions only</span>

    </div>

</div>

';

}

    echo '<div class="form-group">

    <label class="col-md-12 control-label" for=""></label>

    <div class="col-md-12">

        <input name="insert" id="insert" type="submit" style="margin-left:45%" class="btn btn-primary"
        value="Submit" class="btn btn-primary add" onclick="return confirm(\'Confirm to add this test ?\')"/>

    </div>

</div>

</fieldset>

</form></div>';

}else    if(@$_GET['a'] == 'M'){

    echo '

    <div class="row">

        <span class="title1" style="margin-left:40%;font-size:30px;"><b>Enter Question Details</b></span><br /><br />

        <div class="col-md-3"></div><div class="col-md-6"><form class="form-horizontal title1" name="form"
        action="update.php?q=addqns&n=' . @$_GET['n'] . '&eid=' . @$_GET['eid'] . '&ch=4 " method="POST"
        enctype="multipart/form-data">

```

```
<fieldset>
```

```
';
```

```
    for ($i = 1; $i <= @$_GET['n']; $i++) {        echo '<b>Question number&nbsp;  ';  
$i . '&nbsp;  ';</><br /><!-- Text input-->
```

```
<div class="form-group">
```

```
    <label class="col-md-12 control-label" for="qns' . $i . ' "></label>
```

```
    <div class="col-md-12">
```

```
        <textarea rows="3" cols="5" name="qns' . $i . '" class="form-control" placeholder="Write question number ' .  
$i . ' here..." required></textarea>
```

```
    </div>
```

```
</div>
```

```
<div class="form-group">
```

```
    <label class="col-md-12 control-label" for="qnsi' . $i . '"></label>
```

```
    <div class="col-md-12">
```

```
        <input id="qnsi' . $i . '" name="qnsi' . $i . '" placeholder="Upload Your Picture" class="form-control input-md"  
type="file" title="must be .jpg/ .jpeg/ .png" />
```

```
<span style="text-align:right">Note : use .jpg/ .jpeg/ .png/ .gif extensions only</span>
```

```
    </div>
```

```
</div>
```

```
<div class="form-group">
```

```
    <label class="col-md-12 control-label" for="" . $i . '1"></label>
```

```
    <div class="col-md-12">
```

```
        <input id="" . $i . '1" name="" . $i . '1" placeholder="Enter option a" class="form-control input-md"  
type="text" required />
```

```
    </div>
```

```
</div>
```

```
<div class="form-group">
```

```
    <label class="col-md-12 control-label" for="" . $i . '2"></label>
```

```
    <div class="col-md-12">
```

```
        <input id="" . $i . '2" name="" . $i . '2" placeholder="Enter option b" class="form-control input-md"  
type="text" required />
```



</div>

</div>

<div class="form-group">

<label class="col-md-12 control-label" for="" . \$i . '3"></label>

<div class="col-md-12">

<input id="" . \$i . '3" name="" . \$i . '3" placeholder="Enter option c" class="form-control input-md" type="text" required />

</div>

</div>

<div class="form-group">

<label class="col-md-12 control-label" for="" . \$i . '4"></label>

<div class="col-md-12">

<input id="" . \$i . '4" name="" . \$i . '4" placeholder="Enter option d" class="form-control input-md" type="text" required />

</div>

</div>

<br />

<b>Correct answer</b>:<br />

<select id="ans" . \$i . "" name="ans" . \$i . "" placeholder="Choose correct answer " class="form-control inputmd" required>

<option value="">Select answer for question ' . \$i . '</option>

<option value="a">option a</option>

<option value="b">option b</option>

<option value="c">option c</option>

<option value="d">option d</option> </select><br /><br />;

}

echo '<div class="form-group">

<label class="col-md-12 control-label" for=""></label>

<div class="col-md-12">

```

        <input name="insert" id="insert" type="submit" style="margin-left:45%" class="btn btn-primary"
        value="Submit" class="btn btn-primary add" onclick="return confirm('\Confirm to add this test ?\')"/>
    </div>
</div>

```

```

</fieldset>
</form></div>';
}
}

```

```

if (@$_GET['q'] == 5) {

```

```

    $result = mysqli_query($con, "SELECT * FROM quiz ORDER BY date DESC") or die('Error');
    echo '<div class="panel table-responsive"><table class="table table-striped title1">

    <tr><td style="vertical-align:middle"><b>S.N.</b></td><td style="vertical-
    align:middle"><b>Topic</b></td><td style="vertical-align:middle"><b>Total question</b></td><td
    style="vertical-align:middle"><b>Marks</b></td><td style="vertical-align:middle"><b>Time limit</b></td><td
    style="vertical-align:middle"><b>Action</b></td></tr>';

    $c = 1;    while ($row =
    mysqli_fetch_array($result)) {

        $title  = $row['title'];

        $total  = $row['total'];

        $correct = $row['correct'];

        $time   = $row['time'];

    $eid   = $row['eid'];

        echo '<tr><td style="vertical-align:middle">' . $c++ . '</td><td style="vertical-align:middle">' . $title .
        '</td><td style="vertical-align:middle">' . $total . '</td><td style="vertical-align:middle">' . $correct * $total .
        '</td><td style="vertical-align:middle">' . $time . '&nbsp;min</td>

        <td style="vertical-align:middle"><b><a onclick="return confirm('\Are you sure to remove this test ?\')"
        class="delete btn" href="update.php?q=rmquiz&eid=' . $eid . '"
        style="margin:0px;background:red;color:white">&nbsp;</span><span
        class="title1"><b>Remove</b></span></a></b></td></tr>';

    }

    $c = 0;    echo
    '</table></div>';

}

if (@$_GET['q'] == 6) {

```

```
$result = mysqli_query($con, "SELECT * FROM quiz ORDER BY date DESC") or die('Error');

echo '<div class="panel table-responsive"><table class="table table-striped title1">

<tr><td style="vertical-align:middle"><b>S.N.</b></td><td style="vertical-
align:middle"><b>Topic</b></td><td style="vertical-align:middle"><b>Total question</b></td><td
style="vertical-align:middle"><b>Marks</b></td><td style="vertical-align:middle"><b>Time limit</b></td><td
style="vertical-align:middle"><b>Result</b></td></tr>;

    $c = 1;   while ($row =
mysqli_fetch_array($result)) {

        $title  = $row['title'];

        $total  = $row['total'];

        $correct = $row['correct'];

        $time   = $row['time'];

        $eid    = $row['eid'];

        echo '<tr><td style="vertical-align:middle">' . $c++ . '</td><td style="vertical-align:middle">' . $title .
'</td><td style="vertical-align:middle">' . $total . '</td><td style="vertical-align:middle">' . $correct * $total .
'</td><td style="vertical-align:middle">' . $time . '&nbsp;<min>

        <td style="vertical-align:middle"><a title="View Result" target="iframe_view"
href="update.php?q=view&eid=' . $eid . '" class="btn" type="button"
style="color:#FFFFFF;background:#43baea;font-size:12px;padding:7px;padding-
left:10px;paddingright:10px"><b><span aria-hidden="true">View</span></b></a>;

/*<td><a title="Print Result" href="#" onClick="print()"><b><span class="glyphicon glyphicon-print"
ariahidden="true"></span></b></a></td>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&*/

        echo          '&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~<a
title="Download Result" href="update.php?q=result&eid=' . $eid . '"><b><span class="glyphicon
glyphicondownload-alt" aria-hidden="true"></span></b></a></td>

</tr>;

    }

    $c = 0; echo '</table></div>';      echo '<div class="panel table-responsive title"><table
class="table table-striped title1"><tr>; echo '<iframe name="iframe_view" width="1024px"
height="200px"><p>...</p></iframe>;   echo '</tr></table></div>;

}

if (@$_GET['q'] == 7) {

    $result = mysqli query($con, "SELECT * FROM quiz ORDER BY date DESC") or die('Error');
```

```

$option = ""; while($row =
mysqli_fetch_array($result))
{
$eid = $row['eid'];
$option .= '<option value = "'.$row['title'].'">'.$row['title'].'</option>';
}
}

if (@$_GET['q'] == 7 && !(@$_GET['step']) && @$_GET['eid']) {
$eid = @$_GET['eid'];

$q = mysqli_query($con, "SELECT * FROM quiz WHERE eid='$eid' ") or die('Error');
while ($row = mysqli_fetch_array($q)) {

$title = $row['title'];
$correct = $row['correct'];
$wrong = $row['wrong'];
$total = $row['total'];
$time = $row['time'];
$anstype = $row['anstype'];

echo '<div class="row">

<span class="title1" style="margin-left:35%;font-size:30px;"><b>Edit Exam Details</b></span><br /><br />

<div class="col-md-3"></div><div class="col-md-6"> <form class="form-horizontal title1" name="form"
action="update.php?q=updatequiz&eid='.$eid.'" method="POST">

<fieldset>

<div class="form-group">

<label class="col-md-12 control-label" for="name"></label>

<div class="col-md-12">

<input id="name" name="name" value="'.$title.'" placeholder="Enter Exam title" class="form-control
inputmd" type="text" required />

</div>

</div>

<div class="form-group">

<label class="col-md-12 control-label" for="total"></label>

<div class="col-md-12">

```

```
<input id="total" name="total" value="".$total." placeholder="Enter total number of questions"
class="formcontrol input-md" type="number" required />
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="col-md-12 control-label" for="right"></label>
```

```
<div class="col-md-12">
```

```
<input id="right" name="right" value="".$correct." placeholder="Enter marks on right answer"
class="formcontrol input-md" min="0" type="number" required />
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="col-md-12 control-label" for="wrong"></label>
```

```
<div class="col-md-12">
```

```
<input id="wrong" name="wrong" value="".$wrong." placeholder="Enter minus marks on wrong answer
without sign" class="form-control input-md" min="0" type="number" required />
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="col-md-12 control-label" for="time"></label>
```

```
<div class="col-md-12">
```

```
<input id="time" name="time" value="".$time." placeholder="Enter time limit for test in minute"
class="form-control input-md" min="1" type="number" required />
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="col-md-12 control-label" for="anstype"></label>
```

```
<div class="col-md-12">
```

```
<select id="anstype" name="anstype" class="form-control input-md">
```

```
<option value="">Select Answer Type</option>
```

```
<option value="M"; if($anstype == "M") echo "SELECTED"; echo'>Multiple choice</option>
```

```
<option value="D"; if($anstype == "D") echo "SELECTED"; echo'>Descriptive</option> </select>
</div>
</div>
```

```
</div>
```

```
<div class="form-group">
  <label class="col-md-12 control-label" for=""></label>
  <div class="col-md-12">
    <input type="submit" style="margin-left:45%" class="btn btn-primary" value="Submit" class="btn
    btnprimary add" onclick="return confirm('\Are you sure to update this test ?\')"/> </div>
  </div>
```

```
</fieldset>
```

```
</form></div>';
```

```
}
```

```
}
```

```
if (@$_GET['q'] == 7 && (@$_GET['step']) == 2) { if(@$_GET['a']
```

```
== 'D'){
```

```
    echo '
```

```
<div class="row">
```

```
<span class="title1" style="margin-left:35%;font-size:30px;"><b>Update Question Details</b></span><br
/><br />
```

```
<div class="col-md-3"></div><div class="col-md-6">
```

```
';
```

```
$eid = $_GET['eid'];
```

```
$n = @$_GET['n'];
```

```
$q = mysqli_query($con,"SELECT * from questions WHERE eid='$eid'") or die(mysqli_error($con));
```

```
    for ($i = 1; $i <= $n; $i++) { while
```

```
($row = mysqli_fetch_array($q)) {
```

```
    $qid[$i] = $row['qid'];
```

```
    $qns[$i] = $row['qns'];
```

```
    $id = $qid[$i]; $qn
```

```
    = $qns[$i];
```

```

        echo '<form class="form-horizontal title1" name="form" action="update.php?updateqns=' . $id .
        '&eid='.$eid.'&n='.$n.'" method="POST">

<fieldset><b>Question number&nbsp;' . $i . '&nbsp;'</b><br /><!-- Text input-->

    <div class="form-group">

        <label class="col-md-12 control-label" for="qns' . $i . '"></label>

        <div class="col-md-12">

            <textarea rows="3" cols="5" name="qns" class="form-control" placeholder="Write question number ' . $i . '
            here...">'.htmlentities($qn).'
```

```

<div class="col-md-3"></div><div class="col-md-6">
';
$eid = $_GET['eid'];
$n = @$_GET['n'];
$q = mysqli_query($con,"SELECT * from questions WHERE eid='$eid'" ) or die(mysqli_error($con));
    for ($i = 1; $i <= $n; $i++) { while
($row = mysqli_fetch_array($q)) {
$qid[$i] = $row['qid'];
$qns[$i] = $row['qns'];
$id = $qid[$i]; $qn
= $qns[$i];

    echo '<form class="form-horizontal title1" name="form" action="update.php?updateqns=' . $id .
'&eid=' . $eid . '&n=' . $n . '" method="POST">

<fieldset><b>Question number&nbsp;' . $i . '&nbsp;'</b><br /><!-- Text input-->

<div class="form-group">

    <label class="col-md-12 control-label" for="qns' . $i . '"></label>

    <div class="col-md-12">

        <textarea rows="3" cols="5" name="qns" class="form-control" placeholder="Write question number ' . $i . '
here..." required>'.htmlentities($qn).</textarea>

    </div> </div>';

    $qr2 = mysqli_query($con, "SELECT * FROM options WHERE qid = '$id'" ) or die('Error'); while
($row = mysqli_fetch_array($qr2)) {
    $option = $row['option'];
    $optionid = $row['optionid'];
    //for($i=1;$i<=sizeof((array)$option);$i++){
    // $opt = $option[$i]; echo'<div
class="form-group">

    <label class="col-md-12 control-label" for="" . $i . '1"></label>

    <div class="col-md-12">

        <input id="" . $i . '1" name="option" value="'.htmlentities($option).'" class="form-control input-md"
type="text" required />

    </div>

</div>'; echo
";}

```



```
$get = mysqli_query($con,"SELECT * FROM options WHERE qid = '$id'" ) or die('Error');

$option = "";

while ($row = mysqli_fetch_array($get))

{

    $option .= '<option value = "'.$row['optionid'].'">' . $row['option'] . "</option>";

}


/*echo '

<b>Correct answer</b><br />

<select id="ans" . $i . " name="ans" placeholder="Choose correct answer " class="form-control input-md" required>

<option value="">Select answer for question ' . $i . ' </option>;

echo $option; echo '</select><br/>';*/ echo'

<div class="form-group">

    <label class="col-md-12 control-label" for="" . $i . '4"></label>

    <div class="col-md-12" style="text-align:right">

<input type="submit" name="submit" id="submit" style="margin-left:45%" value="Update" class="btn btnprimary add" font-size:12px;padding:7px;padding-left:10px;padding-right:10px" onclick="return confirm(\`Confirm to Update this Question ?\`) " title="Update Question"/>

&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~

<a href="update.php?deleteqnss=' . $id . '&eid='.$eid.'&n='.$n.'&optionid='.$optionid.'" name="delete" id="delete" class="btn btn-danger" font-size:12px;padding:7px;padding-left:10px;padding-right:10px" onclick="return confirm(\`Confirm to Remove this Question ?\`) " title="Remove Question"> Remove </a>

<br /><br />

<br /><br />

</div>

</div>;

break; }}

        echo '<div class="form-group">

            <label class="col-md-12 control-label" for=""></label>

            <div class="col-md-12">

                <a href="dash.php?q=0" style="margin-left:45%" value="Close" class="btn btn-primary">Close</a>

            </div>

        </div>

</fieldset>
```

```

</form></div>';
}
}

/*if (@$_GET['q'] == 7 && !(@$_GET['step']) && @$_GET['eid']) {
$eid = @$_GET['eid'];

    $q = mysqli_query($con, "SELECT * FROM quiz WHERE eid='$eid' ") or die('Error');
while ($row = mysqli_fetch_array($q)) {

    $title    = $row['title'];
    $correct  = $row['correct'];
    $wrong    = $row['wrong'];
    $total    = $row['total'];
    $time     = $row['time'];
    $anstype  = $row['anstype'];

echo '<div class="row">

<span class="title1" style="margin-left:35%;font-size:30px;"><b>Edit Exam Details</b></span><br /><br />

<div class="col-md-3"></div><div class="col-md-6"> <form class="form-horizontal title1" name="form"
action="update.php?q=updatequiz&eid='.$eid.'" method="POST">

<fieldset>

<div class="form-group">

    <label class="col-md-12 control-label" for="name"></label>

    <div class="col-md-12">

        <input id="name" name="name" value="'. $title.'" placeholder="Enter Exam title" class="form-control
inputmd" type="text" required />

    </div>

</div>

</div>

<div class="form-group">

    <label class="col-md-12 control-label" for="total"></label>

    <div class="col-md-12">

        <input id="total" name="total" value="'. $total.'" placeholder="Enter total number of questions"
class="formcontrol input-md" type="number" required />

    </div>

</div>

```

```

<div class="form-group">

  <label class="col-md-12 control-label" for="right"></label>

  <div class="col-md-12">

    <input id="right" name="right" value="".$correct." placeholder="Enter marks on right answer"
    class="form-control input-md" min="0" type="number" required />

  </div>

</div>

<div class="form-group">

  <label class="col-md-12 control-label" for="wrong"></label>

  <div class="col-md-12">

    <input id="wrong" name="wrong" value="".$wrong." placeholder="Enter minus marks on wrong answer
    without sign" class="form-control input-md" min="0" type="number" required />

  </div>

</div>

<div class="form-group">

  <label class="col-md-12 control-label" for="time"></label>

  <div class="col-md-12">

    <input id="time" name="time" value="".$time." placeholder="Enter time limit for test in minute"
    class="form-control input-md" min="1" type="number" required />

  </div>

</div>

<div class="form-group">

  <label class="col-md-12 control-label" for="anstype"></label>

  <div class="col-md-12">

    <select id="anstype" name="anstype" class="form-control input-md" required>

      <option value="">Select Answer Type</option>

      <option value="M"; if($anstype == "M") echo "SELECTED"; echo'>Multiple choice</option>

      <option value="D"; if($anstype == "D") echo "SELECTED"; echo'>Descriptive</option> </select>

    </div>

  </div>

</div>

```

```

<div class="form-group">

    <label class="col-md-12 control-label" for=""></label>

    <div class="col-md-12">

        <input type="submit" style="margin-left:45%" class="btn btn-primary" value="Submit" class="btn
btnprimary add" onclick="return confirm('\Are you sure to update this test ?\')"/> </div>

    </div>

</fieldset>

</form></div>;

}

}

if (@$_GET['q'] == 7 && (@$_GET['step']) == 2) { if(@$_GET['a']
== 'D'){

    echo '

<div class="row">

<span class="title1" style="margin-left:40%;font-size:30px;"><b>Update Question Details</b></span><br
/><br />

<div class="col-md-3"></div><div class="col-md-6"><form class="form-horizontal title1" name="form"
action="update.php?q=updateqnss&n=' . @$_GET['n'] . '&eid=' . @$_GET['eid'] . '&ch=0 " method="POST">
<fieldset>

';

$eid = $_GET['eid'];

$q = mysqli_query($con,"SELECT * from questions WHERE eid='$eid'") or die(mysqli_error($con));
while ($row = mysqli_fetch_array($q)) {
    $qns = $row['qns'];
}

for ($i = 1; $i <= @$_GET['n']; $i++) {

    echo '<b>Question number&nbsp;' . $i . '&nbsp;';</><br /><!-- Text input-->

<div class="form-group">

    <label class="col-md-12 control-label" for="qns' . $i . '"></label>

    <div class="col-md-12">

        <textarea rows="3" cols="5" name="qns' . $i . '" class="form-control" placeholder="Write question number ' .
        $i . ' here..."></textarea>

    </div>

```

```

</div>

';
}

    echo '<div class="form-group">

<label class="col-md-12 control-label" for=""></label>

<div class="col-md-12">

    <input type="submit" style="margin-left:45%" class="btn btn-primary" value="Submit" class="btn
btnprimary add" onclick="return confirm(\'Confirm to update this test ?\')"/> </div>

</div>

</fieldset>

</form></div>';
}else    if(@$_GET['a'] == 'M'){
    echo '

<div class="row">

<span class="title1" style="margin-left:40%;font-size:30px;"><b>Enter Question Details</b></span><br /><br
/>

<div class="col-md-3"></div><div class="col-md-6"><form class="form-horizontal title1" name="form"
action="update.php?q=updateeqns&n=' . @$_GET['n'] . '&eid=' . @$_GET['eid'] . '&ch=4 " method="POST">
<fieldset>

';

    for ($i = 1; $i <= @$_GET['n']; $i++) {        echo '<b>Question number&nbsp;';

    $i . '&nbsp;';</><br /><!-- Text input-->

<div class="form-group">

    <label class="col-md-12 control-label" for="qns' . $i . '"></label>

    <div class="col-md-12">

        <textarea rows="3" cols="5" name="qns' . $i . '" class="form-control" placeholder="Write question number ' .
        $i . ' here..." required></textarea>

    </div>

</div>

<div class="form-group">

    <label class="col-md-12 control-label" for="" . $i . '1"></label>

    <div class="col-md-12">

```

```
<input id="" . $i . '1' name="" . $i . '1' placeholder="Enter option a" class="form-control input-md" type="text" required />
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="col-md-12 control-label" for="" . $i . '2'></label>
```

```
<div class="col-md-12">
```

```
<input id="" . $i . '2' name="" . $i . '2' placeholder="Enter option b" class="form-control input-md" type="text" required />
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="col-md-12 control-label" for="" . $i . '3'></label>
```

```
<div class="col-md-12">
```

```
<input id="" . $i . '3' name="" . $i . '3' placeholder="Enter option c" class="form-control input-md" type="text" required />
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="col-md-12 control-label" for="" . $i . '4'></label>
```

```
<div class="col-md-12">
```

```
<input id="" . $i . '4' name="" . $i . '4' placeholder="Enter option d" class="form-control input-md" type="text" required />
```

```
</div>
```

```
</div>
```

```
<br />
```

```
<b>Correct answer</b>:<br />
```

```
<select id="ans" . $i . "" name="ans" . $i . "" placeholder="Choose correct answer " class="form-control inputmd" required>
```

```
<option value="">Select answer for question ' . $i . '</option>
```

```
<option value="a">option a</option>
```

```
<option value="b">option b</option>
```

```
<option value="c">option c</option>
```

```
<option value="d">option d</option> </select><br /><br />';
```

```
}
```

```
echo '<div class="form-group">
```

```
<label class="col-md-12 control-label" for=""></label>
```

```
<div class="col-md-12">
```

```
<input type="submit" style="margin-left:45%" class="btn btn-primary" value="Submit" class="btn  
btnprimary add" onclick="return confirm('\Confirm to update this test ?\')"/> </div>
```

```
</div>
```

```
</fieldset>
```

```
</form></div>';
```

```
}
```

```
}*/
```

```
?>
```

```
</div>
```

```
</div></div>
```

```
</body>
```

```
</html>
```