### **METHODS**

# **EVENTS**

<pre>\$('#heading').text('Your Name');</pre>
<pre>\$('.main').find('h1').addClass('warning');</pre>

```
$('li').on('click', () => {
    // do something
});
```

### **SELECTORS**

\$('.className')	class selector
\$('#idName')	id selector
\$('h1, h2, h3')	multiple selectors
\$('li a')	descendent selector

\$('h1 > a')	direct child selector
\$('h1 + a')	adjacent sibling selector
\$('h1 ~ a')	general sibling selector

#### FINDING ELEMENTS

\$('p').find('a');	find descendents
\$('p').children('a');	find children

<pre>\$('p').parent('div');</pre>	find parent
<pre>\$('p').siblings('a');</pre>	find siblings

## **GETTING/SETTING CONTENT**

```
$('p').text('Hello');
$('p').html('<strong>Hello</strong>');
$('img').attr('src', 'images/fun.png');
```

```
$('p').addClass('success');
$('p').removeClass('error');
$('p').toggleClass('highlight');
```

### **EFFECTS/ANIMATION**

```
$('p').show();
$('p').hide();
$('div').fadeIn('slow');
$('h2 a').fadeOut('fast')
```

```
$('p').slideUp(350);
$('p').slideDown(600);
$('h1').slideToggle(300);
```

### **CREATING DOM NODES**

	Vanilla JS	jQuery
1. create a new element	document.createElement(	'li'); \$(' <li>')</li>
	.textContent	.text()
2. add content to new element	.innerHTML	.html()
	.src	.attr()
3. append child node to parent node	parent.appendChild(child	d); parent.append(child);
const list = document.querySel	ector('ul'); co	nst \$list = \$('ul');
<pre>const listItem = document.crea listItem.textContent = 'Orange list.appendChild(listItem);</pre>	e'; \$1	nst \$listItem = \$(' <li>'); istItem.text('Orange'); ist.append(\$listItem);</li>

const \$image = \$('<img>');

\$image.attr('src', 'scene1.png');

\$('#feature').append(\$image);

# **EVENT LISTENERS**

image.src = 'scene1.png';

const image = document.createElement('img');

document.querySelector('#feature').append(image);