CS 312: Artificial Intelligence Laboratory
Lab 9 Report

S V Praveen - 170010025

April 12, 2020

1 Introduction

The objective of this task is to simulate goal stack planning in the block world domain for the given start state and goal state.

2 Pseudo Code

Algorithm 1 Goal Stack Planning

```
procedure GSP(givenState, givenGoal, actions)
    state ← givenState
    plan ← () {start with empty plan}
    stack ← emptyStack {start with empty stack}
    PushSet(givenGoal, stack)
    while not Empty(stack) do
      x ← Pop(stack)
      if x ∈ actions then
        plan ← (plan · x)
        state ← Progress(x, state)
      else if x is conjunct of goal predicates C then
        solvedFlag ← TRUE
        for each G ∈ C do
          if G is unsatisfied in state then
            solvedFlag ← FALSE
          end if
        end for
        if solvedFlag = FALSE then
          pushSet(C, stack)
        end if
      else if x ∉ givenState then
        a ← chooseAction(x, state)
        if a is None then
          return FAILURE
        end if
        Push(a, stack)
        PushSet(Preconditions(a), stack)
      end if
    end while
    return plan
```

3 Input-Output for Given Examples

Sl No.	Input	Output
1.	4 (on b a)^(ontable a)^(ontable c)^(ontable d)^(AE) (on c a)^(on b d)^(ontable a)^(ontable d)	(unstack b a) (stack b d) (pick c) (stack c a)
2.	4 (ontable a)^(ontable b)^(ontable c)^(ontable d) (on a b)^(on b c)^(on c d)	(pick c) (stack c d) (pick b) (stack b c) (pick a) (stack a b)
3.	3 (ontable a)^(ontable b)^(ontable c) (on a b)^(on b c)	(pick b) (stack b c) (pick a) (stack a b)

4 Example 1: Stack Visualization

1. **Stack:**
   EMPTY
2. **Stack:** pushSet(Goal)
   (on c a)∧(on b d)∧(ontable a)∧(ontable d)
   (on c a)
   (on b d)
   (ontable a)
3. **Stack:** pop()
   (on c a)∧(on b d)∧(ontable a)∧(ontable d)
   (on c a)
   (on b d)
4. **Stack:** pop()
   (on c a)∧(on b d)∧(ontable a)∧(ontable d)
   (on c a)
5. **Stack:**
   push(stack b d) and preconditions
   pop()
   (on c a)∧(on b d)∧(ontable a)∧(ontable d)
   (on c a)
   (stack b d)
   (hold b)∧(clear d)
   (hold b)

6. **Stack:** pop()

   (on c a)∧(on b d)∧(ontable a)∧(ontable d)
   (on c a)
   (stack b d)
   (hold b)∧(clear d)

7. **Stack:**
   push(unstack b a) and preconditions
   pop()

   (on c a)∧(on b d)∧(ontable a)∧(ontable d)
   (on c a)
   (stack b d)
   (hold b)∧(clear d)
   (unstack b a)
   (on b a)∧(clear b)∧(AE)
   (on b a)
   (clear b)

8. **Stack:** pop()

   (on c a)∧(on b d)∧(ontable a)∧(ontable d)
   (on c a)
   (stack b d)
   (hold b)∧(clear d)
   (unstack b a)
   (on b a)∧(clear b)∧(AE)
   (on b a)

9. **Stack:** pop()

   (on c a)∧(on b d)∧(ontable a)∧(ontable d)
   (on c a)
   (stack b d)
   (hold b)∧(clear d)
   (unstack b a)
   (on b a)∧(clear b)∧(AE)

10. **Stack:** pop()

    (on c a)∧(on b d)∧(ontable a)∧(ontable d)
    (on c a)
    (stack b d)
    (hold b)∧(clear d)
    (unstack b a)

11. **Stack:**
    pop()
    Progress(unstack b a, state)

(on c a)∧(on b d)∧(ontable a)∧(ontable d)
(on c a)
(stack b d)
(hold b)∧(clear d)

12. **Stack:** pop()

(on c a)∧(on b d)∧(ontable a)∧(ontable d)
(on c a)
(stack b d)

13. **Stack:**
pop()
Progress(stack b d, state)

(on c a)∧(on b d)∧(ontable a)∧(ontable d)
(on c a)

14. **Stack:**
pop()

(on c a)∧(on b d)∧(ontable a)∧(ontable d)

15. **Stack:**
push(stack c a) and preconditions
pop()

(on c a)∧(on b d)∧(ontable a)∧(ontable d)
(stack c a)
(hold c)∧(clear a)
(hold c)

16. **Stack:** pop()

(on c a)∧(on b d)∧(ontable a)∧(ontable d)
(stack c a)
(hold c)∧(clear a)

17. **Stack:**
push(pick c) and preconditions
pop()

(on c a)∧(on b d)∧(ontable a)∧(ontable d)
(stack c a)
(hold c)∧(clear a)
(pick c)
(ontable c)∧(clear c)∧(AE)
(ontable c)
(clear c)

18. **Stack:** pop()

(on c a)∧(on b d)∧(ontable a)∧(ontable d) (stack c a) (hold c)∧(clear a) (pick c) (ontable c)∧(clear c)∧(AE) (ontable c)

19. **Stack:** pop()

(on c a)∧(on b d)∧(ontable a)∧(ontable d) (stack c a) (hold c)∧(clear a) (pick c) (ontable c)∧(clear c)∧(AE)

20. **Stack:** pop()

(on c a)∧(on b d)∧(ontable a)∧(ontable d) (stack c a) (hold c)∧(clear a) (pick c)

21. **Stack:**
pop()
Progress(pick c, state)

(on c a)∧(on b d)∧(ontable a)∧(ontable d) (stack c a) (hold c)∧(clear a)

22. **Stack:** pop()

(on c a)∧(on b d)∧(ontable a)∧(ontable d) (stack c a)

23. **Stack:**
pop()
Progress(stack c a, state)

(on c a)∧(on b d)∧(ontable a)∧(ontable d)

24. **Stack:**
pop()

EMPTY