BOOK K: CONTROL INFORMATION

SUBFILES CONTAINING BOOK K DATA

BUKKSC1 SAMPLING INFO & CENSUS NOTES

BUKKPSK HOUSEHOLD SAMPLE SELECTION

BUKKFP1 CHECKING FORM: RESPONDENTS, COMPLETION CODES

VARIABLE LAYOUT OF SUBFILES CONTAINING BOOK K DATA

BOOK K	+BUKKSC1-	PRSK	-IDRTK	PWWCRK	
		+RESPK	-NVISITK		
	ĺ	+DAYK_1	-MTHK_1		
	į	+HRBEGK_1	-MNBEGK_1	HRENDK_1	MNENDK_1
	ĺ	+DAYK_2	-MTHK_2		
	İ	+HRBEGK_2	-MNBEGK_2	HRENDK_2	MNENDK_2
		+DAYK_3	-MTHK_3		
	ĺ	+HRBEGK_3	-MNBEGK_3	HRENDK_3	MNENDK_3
		+CKK1	-CKK2	KODEKPK	KODEVERK
		+IK2A2			
		+IK2B2	-IK2B1	IK2C2	IK2C1
	ĺ	+IK2D2	-IK2D1	IK2E2	IK2E1
		+SC01	-SC02	SC03	
		+SC05	-SC06	SC07	SC08
		+SC09	-SC10	SC11	SC12
		+SC13	-SC14	SC15	SC16
		+SC17			
	+BUKKPSK-	-+PS00	-PSAWAL	PSAHIR	
		+PS01ART	-PS02ART	PS04ART	PS05ART
		+PS08ART	-PS09ART	PS11ART	PS12ART
		+RNPS04	-RNPS08	RNPS11	RNPS12
	+BUKKFP1-	-+FP2K	-FP2CA	FP2I	FP2II
		+FP2III	-FP2IV	FP2V	FP3_K
		+FP4AK	FP4BK	-FP5_K	-FP3_CA
		+FP4ACA	FP4BCA	-FP5_CA	-FP3 <u>_</u> 1
		+FP4A1	FP4B1	-FP5_1	-FP3 <u>2</u>
		+FP4A2	FP4B2	-FP5_2	-FP3_3A
		+FP4A3A	FP4B3A	-FP5_3A	-FP3_3B
		+FP4A3B		_	_
		+FP4A3C	FP4B3C	-FP5_3C	-FP3_3D
		+FP4A3D	FP4B3D	-FP5_3D	-FP3_4A
		+FP4A4A	FP4B4A	-FP5_4A	-FP3_4B
		+FP4A4B		_	_
		+FP4A5A		_	_
		+FP4A5B		-FP5_5B	-FP7
		+FP8A	-FP9		

			: SAME		INFO AND	CENSUS NOTES
Name	tion	gth	mals	mat		Variable Label Value Label
CASE	1	9	0	N	S	CASE ID OF HOUSEHOLD
PRSK	13	3	0	A	S	FIELD EDITOR ID CODE
IDRTK	16	9	0	A	S	HOUSEHOLD ID #
PWWCRK	25	3	0	A	S	INTERVIEWER ID CODE
RESPK	28	2	0	N	S	HOUSEHOLD MEMBER (LINE NUMBER) values: value label 96 NOT A HOUSEHOLD MEMBER
						GENERALLY THE HOUSEHOLD HEAD OR THE WIFE OF THE HOUSEHOLD HEAD. OTHER KNOWLEDGEABLE INDIVIDUALS WERE USED IF THE HEAD OR SPOUSE OF HEAD WAS NOT AVAILABLE.
						ranges: lower upper 1 9 96 99
NVISITK	30	1	0	N	S	# OF VISITS values: value label
						ranges: lower upper 1 3
DAYK_1	31	2	0	N	M	DATE OF INTERVIEW (DAY OF MONTH) values: value label
						ranges: lower upper 1 31 96 99
MTHK_1	33	2	0	N	М	DATE OF INTERVIEW (MONTH) values: value label 1 JANUARY 1994 2 FEBRUARY 1994 8 AUGUST 1993 9 SEPTEMBER 1993 10 OCTOBER 1993 11 NOVEMBER 1993 12 DECEMBER 1993
						ranges: lower upper 1 12 96 99
HRBEGK_1	35	2	0	N	М	TIME INTERVIEW BEGAN (HOUR) values: value label
						ranges: lower upper 0 30 96 99

### Ariable Loca Len Deci For Class Variable Label ame tion gth mals mat Value Label ### NBEGK_1 37 2 0 N M TIME INTERVIEW BEGAN (MINUTE values: value label ### ranges: lower upper 0 59 96 99 ### RENDK_1 39 2 0 N M TIME INTERVIEW ENDED (HOUR) values: value label ### ranges: lower upper 0 30 96 99 ### NENDK_1 41 2 0 N M TIME INTERVIEW ENDED (MINUTE values: value label ### ranges: lower upper 0 59 96 99 ### AVK_2 43 2 0 N M DATE OF INTERVIEW (DAY OF MO values: value label ### ranges: lower upper 1 31 96 99 ### AVK_2 45 2 0 N M DATE OF INTERVIEW (MONTH) values: value label ### ranges: lower upper 1 31 96 99 ### TIME INTERVIEW (MONTH) values: value label ### ranges: lower upper 1 31 96 99 ### TIME INTERVIEW (MONTH) values: value label ### JANUARY 199 ### AUGUST 1993 ### 9 SEPTEMBER 1 ### 10 OCTOBER 199 ### 11 NOVEMBER 19	
Values: Value label ranges: lower upper	
Values: Value label ranges: lower upper	?)
0 59 96 99 99 96 99 99 96 99 99 99 96 99 99	1)
RENDK_1 39 2 0 N M TIME INTERVIEW ENDED (HOUR) values: value label ranges: lower upper 0 30 96 99 NENDK_1 41 2 0 N M TIME INTERVIEW ENDED (MINUTE values: value label ranges: lower upper 0 59 96 99 AYK_2 43 2 0 N M DATE OF INTERVIEW (DAY OF MO values: value label ranges: lower upper 1 31 96 99 THK_2 45 2 0 N M DATE OF INTERVIEW (MONTH) values: value label 1 JANUARY 199 2 FEBRUARY 19 8 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	
values: value label ranges: lower upper 0 30 96 99 NENDK_1 41 2 0 N M TIME INTERVIEW ENDED (MINUTE values: value label ranges: lower upper 0 59 96 99 AYK_2 43 2 0 N M DATE OF INTERVIEW (DAY OF MO values: value label ranges: lower upper 1 31 96 99 THK_2 45 2 0 N M DATE OF INTERVIEW (MONTH) values: value label 1 JANUARY 199 2 FEBRUARY 19 3 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	
ranges: lower upper 0 30 96 99 NENDK_1 41 2 0 N M TIME INTERVIEW ENDED (MINUTE values: value label ranges: lower upper 0 59 96 99 AYK_2 43 2 0 N M DATE OF INTERVIEW (DAY OF MO values: value label ranges: lower upper 1 31 96 99 THK_2 45 2 0 N M DATE OF INTERVIEW (MONTH) values: value label 1 JANUARY 199 2 FEBRUARY 19 8 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	
NENDK_1 41 2 0 N M TIME INTERVIEW ENDED (MINUTE values: value label ranges: lower upper 0 59 96 99 AYK_2 43 2 0 N M DATE OF INTERVIEW (DAY OF MO values: value label ranges: lower upper 1 31 96 99 THK_2 45 2 0 N M DATE OF INTERVIEW (MONTH) values: value label 1 JANUARY 199 2 FEBRUARY 19 8 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	
NENDK_1 41 2 0 N M TIME INTERVIEW ENDED (MINUTE values: value label ranges: lower upper 0 59 96 99 AYK_2 43 2 0 N M DATE OF INTERVIEW (DAY OF MO values: value label ranges: lower upper 1 31 96 99 THK_2 45 2 0 N M DATE OF INTERVIEW (MONTH) values: value label 1 JANUARY 199 2 FEBRUARY 19 8 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	
values: value label ranges: lower upper 0 59 96 99 AYK_2 43 2 0 N M DATE OF INTERVIEW (DAY OF MO values: value label ranges: lower upper 1 31 96 99 THK_2 45 2 0 N M DATE OF INTERVIEW (MONTH) values: value label 1 JANUARY 199 2 FEBRUARY 19 8 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	
ranges: lower upper 0 59 96 99 AYK_2 43 2 0 N M DATE OF INTERVIEW (DAY OF MOValues: value label ranges: lower upper 1 31 96 99 THK_2 45 2 0 N M DATE OF INTERVIEW (MONTH) values: value label 1 JANUARY 199 2 FEBRUARY 19 8 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	2)
0 59 96 99 AYK_2 43 2 0 N M DATE OF INTERVIEW (DAY OF MOValues: value label ranges: lower upper 1 31 96 99 THK_2 45 2 0 N M DATE OF INTERVIEW (MONTH) values: value label 1 JANUARY 199 2 FEBRUARY 19 8 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	
AYK_2 43 2 0 N M DATE OF INTERVIEW (DAY OF MO values: value label ranges: lower upper 1 31 96 99 THK_2 45 2 0 N M DATE OF INTERVIEW (MONTH) values: value label 1 JANUARY 199 2 FEBRUARY 19 3 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	
values: value label ranges: lower upper 1 31 96 99 THK_2 45 2 0 N M DATE OF INTERVIEW (MONTH) values: value label 1 JANUARY 199 2 FEBRUARY 19 8 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	
ranges: lower upper 1 31 96 99 THK_2 45 2 0 N M DATE OF INTERVIEW (MONTH) values: value label 1 JANUARY 199 2 FEBRUARY 19 8 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19)NTH)
1 31 96 99 THK_2 45 2 0 N M DATE OF INTERVIEW (MONTH) values: value label 1 JANUARY 199 2 FEBRUARY 19 8 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	
THK_2 45 2 0 N M DATE OF INTERVIEW (MONTH) values: value label 1 JANUARY 199 2 FEBRUARY 19 8 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	
values: value label 1 JANUARY 199 2 FEBRUARY 19 8 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	
1 JANUARY 199 2 FEBRUARY 19 8 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	
2 FEBRUARY 19 8 AUGUST 1993 9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	2/
9 SEPTEMBER 1 10 OCTOBER 199 11 NOVEMBER 19	
10 OCTOBER 199 11 NOVEMBER 19	
11 NOVEMBER 19	
ranges: lower upper	
1 12 96 99	
RBEGK_2 47 2 0 N M TIME INTERVIEW BEGAN (HOUR)	
values: value label	
ranges: lower upper 0 30	
96 99	
NBEGK_2 49 2 0 N M TIME INTERVIEW BEGAN (MINUTE	E)
values: value label	
ranges: lower upper	
0 59 96 99	

Name	tion	gth	mals	mat		Variable Value I 		
IRENDK_2	51	2	0	N	М	TIME INTE	CRVIEW E	NDED (HOUR)
						values:		
						ranges:	lower	upper
							0 96	30 99
NENDK_2	E 2	2	0	NT	M	יידאבי דאייים	POVITEM E	NDED (MINUTE)
INENDR_Z	55	2	U	IN	141	values:		
						ranges:	lower	upper
							0	59
							96	99
DAYK_3	55	2	0	N	М	DATE OF I		W (DAY OF MONTH label
						ranges:	lower	upper
							1 96	
IIII	- 7	2	0	NT.	M			ILI (MONTHILL)
THK_3	5 /	2	U	N	ΙVΙ	DATE OF I		
						varaeb.		JANUARY 1994
								FEBRUARY 1994
							8	AUGUST 1993
								SEPTEMBER 1993
								OCTOBER 1993
								NOVEMBER 1993 DECEMBER 1993
						ranges:	lower	upper
						ranges.		12
							96	99
BEGK_3	59	2	0	N	M	TIME INTE	ERVIEW E	EGAN (HOUR)
						values:	value	label
						ranges:	lower	upper
							0	30
							96	99
NBEGK_3	61	2	0	N	M			EGAN (MINUTE)
						values:	value	label
						ranges:	lower	upper
							0 96	59 99
RENDK_3	63	2	0	N	М	ጥፐΜټ ፕለሞ።	ਹ ਪਰਤਾਨ	NDED (HOUR)
תיהואיהיי	U.S	۷	U	IA	1-1	values:	value	label
						ranges:	lower	upper
							0	30
							96	99

Variable	Loca	Len	Deci	For	Class	Variable Label
						Value Label
MNENDK_3	65	2	0	N	М	TIME INTERVIEW ENDED (MINUTE)
_						values: value label
						ranges: lower upper
						0 59 96 99
CKK1	67	1	0	N		INTERVIEW MOSTLY IN WHAT LANGUAGE
						values: value label 1 INDONESIAN
						3 OTHER
						ranges: lower upper
						1 1 3 3
						6 9
CKK2	68	1	0	N	S	OTHER LANGUAGE USED (IF ANY)
						values: value label 1 INDONESIAN
						3 OTHER
						ranges: lower upper
						1 1 3 3
						3 3
						6 9
KODEKPK	69	4	0	A	S	KEYPUNCHER CODE
			0	70	Q	VERIFICATION KEYPUNCHER CODE
KODEVERK	73	4	U	А	D	VERTITION RESIDENCEMENT CODE
IK1A (N	IAME OF					SS OF PERSON IN IK1A) WERE DROPPED FOR PRIVA
IK1A (N	IAME OF	PERSO	ON) AND	IK1B	(ADDRES	S OF PERSON IN IK1A) WERE DROPPED FOR PRIVA
IK1A (N	IAME OF	PERSO	ON) AND	IK1B	(ADDRES	
IK1A (N PROTECTIO	IAME OF	PERSO	ON) AND	IK1B	(ADDRES	S OF PERSON IN IK1A) WERE DROPPED FOR PRIVATE MOVE? SAME OR OTHER DESA?
IK1A (N	IAME OF	PERSO	ON) AND	IK1B	(ADDRES	S OF PERSON IN IK1A) WERE DROPPED FOR PRIVA MOVE? SAME OR OTHER DESA? values: value label
IK1A (N	IAME OF	PERSO	ON) AND	IK1B	(ADDRES	MOVE? SAME OR OTHER DESA? values: value label 1 SAME 3 DIFFERENT ranges: lower upper
IK1A (N PROTECTIO	IAME OF	PERSO	ON) AND	IK1B	(ADDRES	MOVE? SAME OR OTHER DESA? values: value label 1 SAME 3 DIFFERENT ranges: lower upper 1 1
IK1A (N	IAME OF	PERSO	ON) AND	IK1B	(ADDRES	MOVE? SAME OR OTHER DESA? values: value label 1 SAME 3 DIFFERENT ranges: lower upper
IK1A (N	IAME OF	PERSO	ON) AND	IK1B	(ADDRES	MOVE? SAME OR OTHER DESA? values: value label 1 SAME 3 DIFFERENT ranges: lower upper 1 1 3 3 6 9 NAME OF DESA/VILLAGE
IK1A (N PROTECTIO IK2A2	1AME OF 77	PERSO	ON) AND	N IK1B	(ADDRES	MOVE? SAME OR OTHER DESA? values: value label 1 SAME 3 DIFFERENT ranges: lower upper 1 1 3 3 6 9
IK1A (N PROTECTIO IK2A2	1AME OF 77	PERSO	ON) AND	N IK1B	(ADDRES	MOVE? SAME OR OTHER DESA? values: value label 1 SAME 3 DIFFERENT ranges: lower upper 1 1 3 3 6 9 NAME OF DESA/VILLAGE
IK1A (N PROTECTIO IK2A2	77 78	1 30	0 0	N A	(ADDRES	MOVE? SAME OR OTHER DESA? values: value label 1 SAME 3 DIFFERENT ranges: lower upper 1 1 3 3 6 9 NAME OF DESA/VILLAGE (BLANKED OUT FOR PRIVACY PROTECTION) SAME OR OTHER KECAMATAN values: value label 1 SAME
IK1A (N PROTECTIO IK2A2	77 78	1 30	0 0	N A	(ADDRES	MOVE? SAME OR OTHER DESA? values: value label
IK1A (N PROTECTIO IK2A2	77 78	1 30	0 0	N A	(ADDRES	MOVE? SAME OR OTHER DESA? values: value label
IK1A (N PROTECTIO IK2A2	77 78	1 30	0 0	N A	(ADDRES	MOVE? SAME OR OTHER DESA? values: value label
IK1A (N PROTECTIO IK2A2	77 78	1 30	0 0	N A	(ADDRES	MOVE? SAME OR OTHER DESA? values: value label
IK1A (N PROTECTIO IK2A2	77 78	1 30	ON) AND 0 0	N A	(ADDRES	MOVE? SAME OR OTHER DESA? values: value label

Filename : BUKKSC1 : SAMPLING INFO AND CENSUS NOTES ______ Variable Loca Len Deci For Class Variable Label Name tion gth mals mat Value Label IK2C2 139 1 0 N S SAME OR OTHER KABUPATAN values: value label 1 SAME 3 DIFFERENT ranges: lower upper 1 1 3 3 6 9 IK2C1 140 30 0 A NAME OF KABUPATAN S IK2D2 170 1 0 N S SAME OR OTHER PROVINCE values: value label 1 SAME 3 DIFFERENT ranges: lower upper 1 1 3 3 6 9 IK2D1 171 30 0 A S NAME OF PROVINCE IK2E2 201 1 0 SAME OR OTHER COUNTRY N S values: value label 1 SAME 3 DIFFERENT lower upper ranges: 1 1 3 3 6 9 IK2E1 202 30 0 NAME OF COUNTRY S Α SC01 232 2 0 N S CODE OF PROVINCE IN WHICH HHLD LIVES values: value label 12 NORTH SUMATRA 13 WEST SUMMATRA 16 SOUTH SUMATRA 18 LAMPUNG 31 DKI JAKARKTA 32 WEST JAVA 33 CENTRAL JAVA 34 YOGYAKARTA 35 EAST JAVA 51 BALI 52 WEST NUSA TENGGARA (NTB) 63 SOUTH KALIMANTAN 73 SOUTH SULAWESI SC02 234 2 0 CODE OF KABUPATAN IN WHICH HHLD LIVES N S values: value label SC03 236 3 0 N S CODE OF KECAMATAN IN WHICH HHLD LIVES values: value label

Filename : BUKKSC1 : SAMPLING INFO AND CENSUS NOTES ______ Variable Loca Len Deci For Class Variable Label Value Label tion gth mals mat SC04 CODE OF DESA/VILLAGE IN WHICH HHLD LIVES 239 3 0 N S (BLANKED OUT FOR PRIVACY PROTECTION) SC05 242 1 0 Ν S URBAN/RURAL AREA values: value label 1 URBAN 2 RURAL ranges: lower upper 1 2 9 6 SC06 243 CENSUS AREA (BLANKED OUT FOR PRIVACY PROTECTION) SC07 245 3 0 IFLS 1993 ENUMERATION AREA N S values: value label ranges: lower upper 1 321 SC08 248 3 PHYSICAL BUILDING # Ν (BLANKED OUT FOR PRIVACY PROTECTION) SC09 251 3 0 N S CENSUS BUILDING # (BLANKED OUT FOR PRIVACY PROTECTION) SC10 254 2 0 Α S CODE OF FIELD COORDINATOR SC11 256 2 0 CODE OF SUPERVISOR - JAKARTA Α S SC12 258 3 0 CODE OF LOCAL SUPERVISOR Α S SC13 261 3 0 Α S CODE OF EDITOR SC14 264 3 0 S CODE OF MALE INTERVIEWER SC15 267 3 0 CODE OF FEMALE INTERVIEWER Α S SC16 HOUSEHOLD # IN IFLS 1993 270 2 0 N S values: value label SC17 TOTAL # OF HOUSEHOLD MEMBERS 272 2 0 S N values: value label ranges: lower upper 20 1 96 99 SC18 389 26 NAME OF HEAD OF HOUSEHOLD (DROPPED FOR PRIVACY PROTECTION) SC19 415 60 0 S ADDRESS OF HOUSEHOLD Α (DROPPED OUT FOR PRIVACY PROTECTION) SC20 475 0 S INFORMATION ABOUT HOUSEHOLD 60 Α (DROPPED OUT FOR PRIVACY PROTECTION)

Filename : BUKKPSK : HOUSEHOLD SAMPLE SELECTION

Variable Loca Len Deci For Class Variable Label

Name tion gth mals mat Value Label

CASE 1 9 0 N S CASE ID OF HOUSEHOLD

PS00 13 2 0 N M HOUSEHOLD NUMBER (LINE #) (FOR PSK ONLY)

PS00 DID NOT ORIGINALLY ALWAYS CORRESPOND TO AR001A IN THE HOUSEHOLD ROSTER (BUKKAR2) BECAUSE THE ORDER OF HOW HOUSEHOLD MEMBERS WERE LISTED SOMETIMES DIFFERED BETWEEN THE TWO QUESTIONNAIRE SECTIONS. EFFORTS WERE MADE DURING DATA CLEANING TO CORRECT AS MANY OF THESE AS POSSIBLE BY CROSSCHECKING NAMES OF RESPONDENTS.

ranges: lower upper 1 20

PSAR1	(NAMES	OF HO	USEHOLD	MEMBERS) HA	S BEEN DROPPED FOR PRIVACY PROTECTION.
PSAWAL	15	2	0	N	M	DEFINES WHO IS ELIGIBLE FOR VARIOUS SAMPLES values: value label 1 HOUSEHOLD HEAD 2 SPOUSE 3 AGE 50+ (PS03=X) 6 AGE 15-49 (PS06=X) 10 AGE 0-14 CHILD (PS10=X) 0 INELIGIBLE CHILD
						FOR ABOUT 20 HOUSEHOLDS, INTERVIEWERS ACCIDENTALLY TRANSCRIBED 1 AND 2 FOR THE FIRST TWO PEOPLE LISTED ON THE PSK FORM, EVEN THOUGH THE SECOND PERSON LISTED WAS NOT THE SPOUSE OF THE HEAD. IN ABOUT HALF OF THOSE CASES, THE SECOND PERSON WAS ERRONEOUSLY SELECTED TO BE A BOOK 3 RESPONDENT.
PSAHIR	17	2	0	N	M	DEFINES WHO'S SELECTED IN ADDITION TO HH HEAD/SPOUSE values: value label BLANK HOUSEHOLD HEAD AND SPOUSE 4 AGE 50+ PERSON SELECTED 5 SPOUSE OF AGE 50+ PERSON 8 AGE 15-49 PERSON SELECTED 9 SPOUSE OF AGE 15-49 PERSON 11 CHILD 0-14, FIRST SELECTED 12 CHILD 0-14, SECOND SELECTED 0 NOT SELECTED FOR INTERVIEW
						IN A FEW CASES, ZERO WAS INCORRECTLY ASSIGNED AND THE PERSON WAS SELECTED.
PS01ART	19	2	0	N	S	HEAD OF HOUSEHOLD (PS00 FOR HEAD) values: value label
						ranges: lower upper 1 1 96 99

			: HOUS			SELECTION
Variable Name	Loca tion	Len gth	Deci	For mat	Class	Variable Label Value Label
PS02ART	21	2	0	N	S	SPOUSE OF HEAD OF HOUSEHOLD (PS00 FOR SPOUSE) values: value label
						ranges: lower upper 1 2 96 99
PS04ART	23	2	0	N	S	HH MEMBER >= 50 YEAR (PS00 FOR SELECTED 50+) values: value label 96 NO ONE IN SELECTED
						ranges: lower upper 1 20 96 99
PS05ART	25	2	0	N	S	SPOUSE OF HH MEMBER IN PS04 (PS00 OF AGE 50+ SPOUSE) values: value label 96 NO ONE IN SELECTED
						ranges: lower upper 1 20 96 99
PS08ART	27	2	0	N	S	HH MEMBER 15-49 YEARS OLD (PS00 OF SELECTED 15-49) values: value label 96 NO ONE IN SELECTED
						ranges: lower upper 1 20 96 99
PS09ART	29	2	0	N	S	SPOUSE OF PS08 (PS00 OF AGE 15-49 SPOUSE) values: value label 96 NO ONE IN SELECTED
						ranges: lower upper 1 20 96 99
PS11ART	31	2	0	N	S	1ST CHILD SELECTED (PS00 OF CHILD) values: value label 96 NO ONE IN SELECTED
						ranges: lower upper 1 20 96 99
PS12ART	33	2	0	N	S	2ND CHILD SELECTED (PS00 OF CHILD) values: value label 96 NO ONE IN SELECTED
						ranges: lower upper 1 20 96 99

Filename	: BU	KKPSK	: HOUS	EHOLD	SAMPLE	SELECTION
						Variable Label Value Label
RNPS04	35	2	0	N	S	RANDOM # FOR ADULT 50+ SELECTION values: value label
						ranges: lower upper 1 12 96 96
RNPS08	37	2	0	N	S	RANDOM # FOR ADULT 15-49 SELECTION values: value label
						ranges: lower upper 1 12 96 96
RNPS11	39	2	0	N		RANDOM # FOR 1ST CHILD SELECTION values: value label
						ranges: lower upper 1 12 96 96
RNPS12	41	2	0	N	S	RANDOM # FOR 2ND CHILD SELECTION values: value label
						ranges: lower upper 1 12 96 96

Filename : BUKKFP1 : CHECKING FORM--RESPONDENTS, COMPLETION CODES

Name	tion	gth		mat		Variable Label Value Label
CASE	1	9	0	N	S	CASE ID OF HOUSEHOLD
FP2K	13	1	0	N	S	TOTAL # OF BOOK K FOR HH values: value label
						ranges: lower upper 0 1
FP2CA	14	1	0	N	S	TOTAL # OF BOOK CA FOR HH values: value label
						ranges: lower upper 0 1
FP2I	15	1	0	N	S	TOTAL # OF BOOK 1 FOR HH values: value label
						ranges: lower upper 0 1
FP2II	16	1	0	N	S	TOTAL # OF BOOK 2 FOR HH values: value label
						ranges: lower upper 0 1
FP2III	17	1	0	N	S	TOTAL # OF BOOK 3 FOR HH values: value label
						ranges: lower upper 0 4
FP2IV	18	1	0	N	S	TOTAL # OF BOOK 4 FOR HH values: value label
						ranges: lower upper 0 2
FP2V	19	1	0	N	S	COUNT OF BOOK 5 FOR HH values: value label
						ranges: lower upper 0 2
FP3_K	20	2	0	N	М	CODE OF HH MEMBER WHO ANSWERED BOOK K values: value label
						ranges: lower upper

Filename 							-	
Variable Name	tion	gth	mals	mat		Value	Label	
ED4vr	22	1	0	N	М	DICDOCT	PTON OF T	NTERVIEW BOOK K
PTAIL	22		U	IA	1*1		value	
						varacb.		COMPLETED
								PARTIALLY COMPLETED
							3	WAS NOT CONDUCTED
						ranges:	lower	
							1	3 9
							6	9
FP4BK	23	1	0	N	M			INTERVIEW BOOK K
						values:	value	
								RESPONDENT NOT HOME
								RESPONDENT ILL RESPONDENT REFUSED
								LANGUAGE PROBLEM
								OTHER
						ranges:	lower	upper
								9
FP5_K	24	1	0	N	M	REVIEWEI	D BY EDIT	OR? BOOK K
							value	label
							1	COMPLETED
								REVIEWED-INCOMPLETE
							3	WAS NOT REVIEWED
						ranges:	lower	
							1	3 9
							6	9
FP3_CA	25	2	0	N	M			R WHO ANSWERED BOOK C
						values:	value	label
						ranges:	lower	
								20
							96	99
FP4ACA	27	1	0	N	M	DISPOSIT		NTERVIEW BOOK CA
						values:		
								COMPLETED
								PARTIALLY COMPLETED WAS NOT CONDUCTED
						ranges:	lower	upper
						ranges.	10wer	upper 3
							6	9
FP4BCA	28	1	0	N	M	WHY NOT	COMPLETE	INTERVIEW BOOK CA
						values:		
								RESPONDENT NOT HOME
								RESPONDENT ILL
								RESPONDENT REFUSED
							4	LANGUAGE PROBLEM
							5	OTHER
						ranges:		

Filename						SPONDENTS, COMPLETION CODES
Variable	Loca	Len	Deci	For	Class	Variable Label Value Label
FP5_CA	29	1	0	N	М	REVIEWED BY EDITOR? BOOK CA values: value label 1 COMPLETED 2 REVIEWED-INCOMPLETE 3 WAS NOT REVIEWED
						ranges: lower upper 1 3 6 9
FP3_1	30	2	0	N	М	CODE OF HH MEMBER WHO ANSWERED BOOK 1 values: value label
						ranges: lower upper 1 20 96 99
FP4A1	32	1	0	N	М	DISPOSITION OF INTERVIEW BOOK 1 values: value label 1 COMPLETED 2 PARTIALLY COMPLETED 3 WAS NOT CONDUCTED
						ranges: lower upper 1 3 6 9
FP4B1	33	1	0	N	М	WHY NOT COMPLETE INTERVIEW BOOK 1 values: value label 1 RESPONDENT NOT HOME 2 RESPONDENT ILL 3 RESPONDENT REFUSED 4 LANGUAGE PROBLEM 5 OTHER
						ranges: lower upper 1 9
FP5_1	34	1	0	N	М	REVIEWED BY EDITOR? BOOK 1 values: value label 1 COMPLETED 2 REVIEWED-INCOMPLETE 3 WAS NOT REVIEWED
						ranges: lower upper 1 3 6 9
FP3_2	35	2	0	N	М	CODE OF HH MEMBER WHO ANSWERED BOOK 2 values: value label
						ranges: lower upper

Name		gth	mals			Variable Label Value Label
FP4A2	37	1	0	N	М	DISPOSITION OF INTERVIEW BOOK 2 values: value label 1 COMPLETED 2 PARTIALLY COMPLETED 3 WAS NOT CONDUCTED
						ranges: lower upper 1 3 6 9
'P4B2	38	1	0	N	М	WHY NOT COMPLETE INTERVIEW BOOK 2 values: value label 1 RESPONDENT NOT HOME 2 RESPONDENT ILL 3 RESPONDENT REFUSED 4 LANGUAGE PROBLEM 5 OTHER
						ranges: lower upper 1 9
°P5_2	39	1	0	N	М	REVIEWED BY EDITOR? B00K 2 values: value label 1 COMPLETED 2 REVIEWED-INCOMPLETE 3 WAS NOT REVIEWED
						ranges: lower upper 1 3 6 9
FP3_3A	40	2	0	N	М	CODE OF HH MEMBER WHO ANSWERED BOOK 3, RESPONDEN
						THIS CODE WAS BASED ON PS00 AND NOT ON THE ROSTER HOUSEHOLD MEMBER NUMBER. RESPONDENT ID CODES ON BOOK 3 COVERS ARE SET TO REFLECT THE HOUSEHOLD ROSTER TO FACILITATE MATCHING. IN SOME CASES, THE PS00 CODES FOR A RESPONDENT DIFFER FROM THE HOUSEHOLD ROSTER CODE BECAUSE THE ORDER OF HOUSEHOLD MEMBERS WAS WAS DIFFERENT IN SECTION PSK IN RELATION TO THE HOUSEHOLD ROSTER SECTION AR IN BOOK 1.
						EFFORTS WERE MADE TO CORRECT PS00 VALUES AND TO CORRECT ANY CORRESPONDING FP3_3A VALUES, BUT SOME CASES MAY STILL EXIST. USE THE BOOK COVER IDS TO DETERMINE RESPONDENTS.
						THIS CAVEAT HOLDS TRUE FOR FP3_3B,FP3_3C,FP3_3D
						ranges: lower upper 1 20 96 99

Name	tion	gth	mals	mat		Variable Label Value Label
FP4A3A	42	1	0	N	М	DISPOSITION OF INTERVIEW BOOK 3, 1ST RESPONDENT values: value label 1 COMPLETED 2 PARTIALLY COMPLETED 3 WAS NOT CONDUCTED
						ranges: lower upper 1 3 6 9
FP4B3A	43	1	0	N	М	WHY NOT COMPLETE INTERVIEW BOOK 3, 1ST RESPONDENT values: value label 1 RESPONDENT NOT HOME 2 RESPONDENT ILL 3 RESPONDENT REFUSED 4 LANGUAGE PROBLEM 5 OTHER
						ranges: lower upper 1 9
FP5_3A	44	1	0	N	М	REVIEWED BY EDITOR? BOOK 3, RESPONDENT 1 values: value label
						ranges: lower upper 1 3 6 9
FP3_3B	45	2	0	N	М	CODE OF HH MEMBER WHO ANSWERED BOOK 3, RESPONDENT values: value label
						ranges: lower upper 1 20 96 99
FP4A3B	47	1	0	N	М	DISPOSITION OF INTERVIEW BOOK 3, 2ND RESPONDENT values: value label 1 COMPLETED 2 PARTIALLY COMPLETED 3 WAS NOT CONDUCTED
						ranges: lower upper 1 3
FP4B3B	48	1	0	N	М	6 9 WHY NOT COMPLETE INTERVIEW BOOK 3, 2ND RESPONDENT values: value label 1 RESPONDENT NOT HOME 2 RESPONDENT ILL 3 RESPONDENT REFUSED 4 LANGUAGE PROBLEM 5 OTHER
						ranges: lower upper 1 9

	: BU		: CHEC	CKING	FORMRE	ESPONDENTS, COMPLETION CODES
						Variable Label Value Label
FP5_3B	49	1	0	N	М	REVIEWED BY EDITOR? BOOK 3, RESPONDENT 2 values: value label
FP3_3C	50	2	0	N	М	CODE OF HH MEMBER WHO ANSWERED BOOK 3, RESPONDENT 3 values: value label
						ranges: lower upper 1 20 96 99
FP4A3C	52	1	0	N	М	DISPOSITION OF INTERVIEW BOOK 3, 3RD RESPONDENT values: value label 1 COMPLETED 2 PARTIALLY COMPLETED 3 WAS NOT CONDUCTED
						ranges: lower upper 1 3 6 9
FP4B3C	53	1	0	N	М	WHY NOT COMPLETE INTERVIEW BOOK 3, 3RD RESPONDENT values: value label 1 RESPONDENT NOT HOME 2 RESPONDENT ILL 3 RESPONDENT REFUSED 4 LANGUAGE PROBLEM 5 OTHER
						ranges: lower upper 1 9
FP5_3C	54	1	0	N	М	REVIEWED BY EDITOR? BOOK 3, RESPONDENT 3 values: value label
						ranges: lower upper 1 3 6 9
FP3_3D	55	2	0	N	М	CODE OF HH MEMBER WHO ANSWERED BOOK 3, RESPONDENT 4 values: value label
						ranges: lower upper 1 20 96 99

Variable Name	Loca tion	Len gth	Deci mals	For mat	Class	Variable Label Value Label
FP4A3D	57	1	0	N	М	DISPOSITION OF INTERVIEW BOOK 3, 4TH RESPONDENT values: value label 1 COMPLETED 2 PARTIALLY COMPLETED 3 WAS NOT CONDUCTED
						ranges: lower upper 1 3 6 9
FP4B3D	58	1	0	N	М	WHY NOT COMPLETE INTERVIEW BOOK 3, 4TH RESPONDENT values: value label 1 RESPONDENT NOT HOME 2 RESPONDENT ILL 3 RESPONDENT REFUSED 4 LANGUAGE PROBLEM 5 OTHER
						ranges: lower upper 1 9
FP5_3D	59	1	0	N	М	REVIEWED BY EDITOR? BOOK 3, RESPONDENT 4 values: value label 1 COMPLETED 2 REVIEWED-INCOMPLETE 3 WAS NOT REVIEWED
						ranges: lower upper 1 3 6 9
FP3_4A	60	2	0	N	М	CODE OF HH MEMBER WHO ANSWERED BOOK 4, RESPONDENT 1 THIS CODE WAS BASED ON PS00 AND NOT ON THE ROSTER HOUSEHOLD MEMBER NUMBER. RESPONDENT ID CODES ON BOOK 4 COVERS ARE SET TO REFLECT THE

THIS CODE WAS BASED ON PS00 AND NOT ON THE ROSTER HOUSEHOLD MEMBER NUMBER. RESPONDENT ID CODES ON BOOK 4 COVERS ARE SET TO REFLECT THE HOUSEHOLD ROSTER TO FACILITATE MATCHING. IN SOME CASES, THE PS00 CODES FOR A RESPONDENT DIFFER FROM THE HOUSEHOLD ROSTER CODE BECAUSE THE ORDER OF HOUSEHOLD MEMBERS WAS WAS DIFFERENT IN SECTION PSK IN RELATION TO THE HOUSEHOLD ROSTER SECTION AR IN BOOK 1.

EFFORTS WERE MADE TO CORRECT PS00 VALUES AND TO CORRECT ANY CORRESPONDING FP3_4A VALUES, BUT SOME CASES MAY STILL EXIST. USE THE BOOK COVER IDS TO DETERMINE RESPONDENTS.

THIS CAVEAT HOLDS TRUE FOR FP3_4B

ranges:	lower	upper
	1	20
	96	99

	Toga	T.an	Deci	For	Clagg	Variable Label
Name		gth	mals			Value Label
FP4A4A	62	1	0	N	М	DISPOSITION OF INTERVIEW BOOK 4, 1ST RESPONDENT values: value label 1 COMPLETED 2 PARTIALLY COMPLETED 3 WAS NOT CONDUCTED
						ranges: lower upper 1 3 6 9
FP4B4A	63	1	0	N	М	WHY NOT COMPLETE INTERVIEW BOOK 4, 1ST RESPONDENT values: value label 1 RESPONDENT NOT HOME 2 RESPONDENT ILL 3 RESPONDENT REFUSED 4 LANGUAGE PROBLEM 5 OTHER
						ranges: lower upper 1 9
FP5_4A	64	1	0	N	М	REVIEWED BY EDITOR? BOOK 4, RESPONDENT 1 values: value label 1 COMPLETED 2 REVIEWED-INCOMPLETE 3 WAS NOT REVIEWED
						ranges: lower upper 1 3 6 9
FP3_4B	65	2	0	N	М	CODE OF HH MEMBER WHO ANSWERED BOOK 4, RESPONDENT 2 values: value label
						ranges: lower upper 1 20 96 99
FP4A4B	67	1	0	N	М	DISPOSITION OF INTERVIEW BOOK 4, 2ND RESPONDENT values: value label 1 COMPLETED 2 PARTIALLY COMPLETED 3 WAS NOT CONDUCTED
						ranges: lower upper 1 3 6 9

						Variable Label Value Label
FP4B4B	68	1	0	N		WHY NOT COMPLETE INTERVIEW BOOK 4, 2ND RESPONDENT values: value label 1 RESPONDENT NOT HOME 2 RESPONDENT ILL 3 RESPONDENT REFUSED 4 LANGUAGE PROBLEM 5 OTHER
						ranges: lower upper 1 9
FP5_4B	69	1	0	N	М	REVIEWED BY EDITOR? BOOK 4, RESPONDENT 2 values: value label 1 COMPLETED 2 REVIEWED-INCOMPLETE 3 WAS NOT REVIEWED
						ranges: lower upper 1 3 6 9
FP3_5A	70	2	0	N	M	CODE OF HH MEMBER WHO ANSWERED BOOK 5, RESPONDENT
FP3_5A					THIS CODE WAS BASED ON PS00 AND NOT ON THE ROSTER HOUSEHOLD MEMBER NUMBER. RESPONDENT ID CODES ON BOOK 5 COVERS ARE SET TO REFLECT THE HOUSEHOLD ROSTER TO FACILITATE MATCHING. IN SOME CASES, THE PS00 CODES FOR A RESPONDENT DIFFER FROM THE HOUSEHOLD ROSTER CODE BECAUSE THE ORDER OF HOUSEHOLD MEMBERS WAS WAS DIFFERENT IN SECTION PSK IN RELATION TO THE HOUSEHOLD ROSTER SECTION AR IN BOOK 1.	
						EFFORTS WERE MADE TO CORRECT PS00 VALUES AND TO CORRECT ANY CORRESPONDING FP3_5A VALUES, BUT SOME CASES MAY STILL EXIST. USE THE BOOK COVER IDS TO DETERMINE RESPONDENTS.
						THIS CAVEAT HOLDS TRUE FOR FP3_5B
						ranges: lower upper 1 20 96 99
FP4A5A	72	1	0	N	М	DISPOSITION OF INTERVIEW BOOK 5, 1ST RESPONDENT values: value label
						ranges: lower upper 1 3 6 9

						Variable Label Value Label
FP4B5A	73	1	0	N	М	WHY NOT COMPLETE INTERVIEW BOOK 5, 1ST RESPONDENT values: value label 1 RESPONDENT NOT HOME 2 RESPONDENT ILL 3 RESPONDENT REFUSED 4 LANGUAGE PROBLEM 5 OTHER
						ranges: lower upper 1 9
FP5_5A	74	1	0	N	М	REVIEWED BY EDITOR? BOOK 5, RESPONDENT 1 values: value label 1 COMPLETED 2 REVIEWED-INCOMPLETE 3 WAS NOT REVIEWED
						ranges: lower upper 1 3 6 9
FP3_5B	75	2	0	N	М	CODE OF HH MEMBER WHO ANSWERED BOOK 5, RESPONDENT values: value label
						ranges: lower upper 1 20 96 99
FP4A5B	77	1	0	N	М	DISPOSITION OF INTERVIEW BOOK 5, 2ND RESPONDENT values: value label 1 COMPLETED 2 PARTIALLY COMPLETED 3 WAS NOT CONDUCTED
						ranges: lower upper 1 3 6 9
FP4B5B	78	1	0	N	М	WHY NOT COMPLETE INTERVIEW BOOK 5, 2ND RESPONDENT values: value label 1 RESPONDENT NOT HOME 2 RESPONDENT ILL 3 RESPONDENT REFUSED 4 LANGUAGE PROBLEM 5 OTHER
						ranges: lower upper 1 9
FP5_5B	79	1	0	N	М	REVIEWED BY EDITOR? BOOK 5, RESPONDENT 2 values: value label 1 COMPLETED 2 REVIEWED-INCOMPLETE 3 WAS NOT REVIEWED
						ranges: lower upper 1 3 6 9

Filename	: BU	KKFP1	: CHEC	KING	FORMRE	SPONDENTS, COMPLETION CODES
						Variable Label Value Label
FP7	80	2	0	N	S	CODE OF FINAL OUTCOME OF INTERVIEW values: value label 1 COMPLETED 2 PARTIALLY COMPLETED 3 CAN'T CONTACT HH 4 BUILDING DEMOLISHED 5 VACATED BUILDING 6 CAN'T FIND BUILDING 7 REFUSED 8 LANGUAGE PROMTHEM 9 R SERIOUSLY ILL 10 OTHER, SPECIFY 11 INTERVIEWER REFUSED TO DO HHLD ranges: lower upper 1 10
FP8A	82	35	0	A	S	96 99 REASON FOR CODE 3 IN FP5
FP9	117	2	0	N	S (DRC	# QX ENVELOPE-TEEN REPRO BEHAV PPED FOR PRIVACY PROTECTION)

BY CONTRACT, THE TEEN REPRODUCTIVE BEHAVIOR SURVEY CANNOT BE MADE PUBLICLY AVAILABLE.