

FindAGig Final Project — Spring Boot

Week5 & 6 URL to GitHub Repository: <https://github.com/sw-dev-lisa-s-nh/SpringBoot-Final-Project.git>

Final Project

My Final Project is a backend WebAPI that helps musicians connect with possible events and gigs & additionally have event or gig planners connect with available musicians. There are users (musicians & planners), aspect of location (address entity), instruments (instrument entity), and events (gig entity).

- A **musician**, once created (*FUTURE: registered and logged in*), would be able to search available events, request to play at a particular event or gig.
- An **event organizer**, once created (*FUTURE: registered and logged in*), would be able to create an event or gig, with a specific number of OPEN positions, each OPEN position will be tied to an instrument. They can look at their gigs, and if a gig has been REQUESTED by a musician, they can set that spot to CONFIRMED. They can also set a gig to CANCELLED (e.g., if a wedding has been called off).

Database: findagigDB

Entities:

- **User** — written & working “/users”
 - Entity, UserRepository & UserService — written & working
 - CRUD operations in UserController & UserService — written & working
- **Address** — written — stored via User & Gig. [MANYTOONE user to address]
- [MANYTOONE gig to address]
- **Instrument** — written & working “/instruments”
 - Entity, InstrumentRepository & InstrumentService — written & working
 - CRUD operations in InstrumentController & InstrumentService — written & working
- **Gig** — written & working “/gigs” [ONETOMANY gig to gig_status]
 - Entity, GigRepository & GigService — written & working
 - CRUD operations in GigController & GigService — written & working
 - **DELETE OPERATION — NOT ALLOWED By Design!**
- **Musician_instrument** — Join Table — DONE!
 - [MANYTOMANY] user.id to musician_instruments.userId
 - [MANYTOMANY] instruments.instrumentId to musician_instruments.instrumentId
- **GigStatus_instrument** — Join Table — DONE!
 - [MANYTOMANY] gig.instrumentId to gig_status.instrumentId
 - [MANYTOMANY] gig_status.instrumentId to instruments.instrumentId
- **Gig_Status** — Connects Gigs to Instruments — One record for each instrument per gig, and contains salary for a musician, as well as a status.

Final Project Requirements:

Your API must meet the following, minimum requirements:

- **DONE:** Contain at least 5 entities. (User, Instrument, Gig, GigStatus, Address)
- **DONE:** Contain all CRUD operations — CRUD - Instrument, CRUD - User, and CRU for Gig. Delete is only allowed on a Gig in specific circumstances.
- **DONE:** Contain at least 1 one-to-many relationship (gig to gig_status is a one to many relationship, address to user is a one to many relationship, and address to gig is a one to many relationship)
- **DONE:** Contain at least 1 many-to-many relationship (musician_instrument & gig_status_instrument join tables are many-to-many) —
- **DONE:** Contain different application layers including at least controller, service, and repository

FindAGig Web API Functionality: (See *findAGigAPI Documentation* for more details!)

Two types of Users — Musicians & Planners:

- **User(Musician or Planner)** can be created (POST), updated (PUT), read (GET), & deleted (DELETE).
 - In CREATE: if the **instrument** doesn't exist, an **instrument will** be created.
- **Instruments** can be created (POST), updated(PUT), read(GET), & deleted(DELETE).
- **Gigs** can be created(POST), updated (PUT) or read (GET)— **delete** is NOT ALLOWED
 - In CREATE: if the **instrument** doesn't exist, an **instrument will** be created.
- **Addresses** are created within User or Gig creation — and never deleted!
 - In USER or GIG CREATE — if address doesn't exist, an **address will** be created.
- **User(Musician)** Can **update** a Gig (must be OPEN and have matching instrument)
 - **"/gigs/{gigId}/users/{userId}/request"** — REQUEST gig
 - gig_instrument **STATUS** will be updated to **REQUESTED**
 - musician_id will be set to {userId}
- **User(Musician)** can **read** information for) — **GET**
 - **"/gigs"** — All gigs
 - **"/gigs/open"** — All available gigs by OPEN status
 - **"/gigs/state/{stateName}"** — All gigs by state
 - **"/gigs/open/state/{stateName}"** — All OPEN gigs by state
 - **"/gigs/instrument/{instrumentName}"** — All gigs by instrument
 - **"/gigs/open/instrument/{instrumentName}"** — All OPEN gigs by instrument
 - **"/gigs/genre/{genreName}"** — All gigs by genre
 - **"/gigs/open/genre/{genreName}"** — All OPEN gigs by genre
 - **"/gigs/{gigId}"** — All details this gigId: list instruments required!
 - **"/gigs/users/{userId}"** — List all gigs assigned to this user!
 - **"/gigs/{gigId}/users"** — Lists all users assigned to this gigId!
- **User(Planner)** can do the following:
 - Create gigs — **POST "/gigs"**
 - Create instrument requirements to an existing gig — **POST "/gigs/{id}"**
 - Update gigs: **PUT**
 - **"/gigs/{id}/users/{musicianId}/confirm/{plannerId}"** —
 - If a gig has gig_instruments that have a STATUS of **REQUESTED**, they can change status to: **CONFIRMED**
 - **"/gigs/{gigId}/status/{statusType}"** —
 - Can change the STATUS of their gig to **PLANNED, OPEN, CANCELLED, or CLOSED**

Future extension (to be implemented in the future!):

1. **Entity: Credentials** — “/register” & “/login”
 - **What is already done:**
 - Entity Exists — **Credentials**
 - Controller and Service exist for **/users/register** & **/users/login**
 - Password & Username are stored in **Credentials**
 - Password is salted & hashed & stored in hash in entity **User**
 - **TO DO:**
 - When a User registers, actually call `createUser` from `userService.createUser()`; Currently, only the username is stored
 - Add **e-mail storage**, and ability to communicate (send e-mail or a notification) when a status changes that affects a User!
2. **User(Planner) enhancements:**
 - **TO DO:**
 - Send a notice to musician if they are not “CONFIRMED”! Or if they are!
 - Allow communication to all users (email via a stored e-mail address, or a notification) when a Gig is CONFIRMED, CANCELLED or CLOSED!
 - If a Planner’s gig (User is the **Planner**) has **OPEN** `gig_instruments`
 - Send a notice to all musicians of a particular instrument — Musicians needed!
3. **New Type of User: System Admin:** (will have privilege to do whatever is needed in the API & database)
 - **What is already done:**
 - **ADMIN** is already defined in **UserType**
 - **TO DO: (Future Functionality):**
 - Admin can create instruments & musicians
 - Admin can read instruments & musicians
 - Admin can update instruments & musicians
 - Admin can delete instruments & musicians
 - Admin can create gigs
 - Admin can read gigs
 - Admin can update gigs
 - Admin can delete gigs