

Load Test Results for Base Line Loading

Test properties

Project name REST Project 4

Project description

Test name Base Line Loading

Test duration 5:00
Warm-up time 15 sec

Load allocation

Load type VUs

Allocation type Relative

Allocation parameters Percentage distribution of 8 VU(s)

0

Load test overview

Servers monitored

Scenarios in the test 1

Load agents used 0

Cloud agents used 0

Test assertions (all levels) 2

Scenario details

New Scenario

Load profile Fixed

Base VUs 8

Wait time 1 second(s)

Target test case(s)

http://34.105.252.163 TestSuite:TestCase 1 enabled test step(s)



(0)

Test Execution Metrics

Test results

✓ Test run result	PASS
Duration	00:05:15
Start time	04:35:45
End time	04:41:00
Maximum simultaneous virtual users	8
Information on target took acces	


Information on target test cases

Test case runs, including loops	209		
Failed test cases	0	Test case runs, including loops (209)	 Failed test cases (
Failure ratio	0%		

Executed test step(s) summary



Response time



A great difference between response time values may indicate server issues.


Scenarios Summary

This section provides information about target test cases and assertions for each scenario in the load test.

Scenario name	Duration	Targets	Assertions checked	Assertions failed
New Scenario	00:05:15	209	0	0



Overview Chart



Test Step Metrics

//34.105.252.163 TestSuite:TestCase

Test step	Min (ms)	Max (ms)	Median (ms)	Last (ms)	Count	TPS	Err	Err %
Request 1	0	20773	11046	0	205	0	0	0
Test Case Level	294	20773	11046	1311	215	1	0	0

Response time details

Test Step	Avg (ms)	75%	90%	95%	98%
Request 1	10597	12347,00	13808,20	14638,70	17076,36
Test Case Level	10678	12400,00	13886,00	14748,50	17062,60



Top 5 Test Cases

Test case	Time taken (ms)	Start time	Size (bytes)
http://34.105.252.163 TestSuite:TestCase	294	04:41:00	0
http://34.105.252.163 TestSuite:TestCase	1311	04:40:59	0
http://34.105.252.163 TestSuite:TestCase	1860	04:40:58	0
http://34.105.252.163 TestSuite:TestCase	2659	04:40:25	64
http://34.105.252.163 TestSuite:TestCase	3433	04:40:57	0

Bottom 5 Test Cases

Test case	Time taken (ms)	Start time	Size (bytes)
http://34.105.252.163 TestSuite:TestCase	20773	04:39:37	64
http://34.105.252.163 TestSuite:TestCase	17575	04:39:38	64
http://34.105.252.163 TestSuite:TestCase	17521	04:39:37	64
http://34.105.252.163 TestSuite:TestCase	17097	04:39:37	64
http://34.105.252.163 TestSuite:TestCase	16925	04:39:37	64

Top 5 Test Steps

Test case	Time taken (ms)	Start time	Size (bytes)
http://34.105.252.163 TestSuite:TestCase->Request 1	0	04:41:00	0
http://34.105.252.163 TestSuite:TestCase->Request 1	0	04:41:00	0
http://34.105.252.163 TestSuite:TestCase->Request 1	0	04:41:00	0
http://34.105.252.163 TestSuite:TestCase->Request 1	0	04:41:00	0
http://34.105.252.163 TestSuite:TestCase->Request 1	0	04:41:00	0

Bottom 5 Test Steps

Test case	Time taken (ms)	Start time	Size (bytes)
http://34.105.252.163 TestSuite:TestCase->Request 1	20773	04:39:58	64
http://34.105.252.163 TestSuite:TestCase->Request 1	17575	04:39:55	64
http://34.105.252.163 TestSuite:TestCase->Request 1	17521	04:39:54	64
http://34.105.252.163 TestSuite:TestCase->Request 1	17097	04:39:54	64
http://34.105.252.163 TestSuite:TestCase->Request 1	16925	04:39:54	64




Load Test Results for New Scenario Scenario

Scenario overview

Load profile	Fixed
Scenario targets	1
Simulated users	8


Information on target test cases

Test case runs, including loops	209
Failed test cases	0
Failure ratio	0%




Executed test step(s) summary

Test step runs, including loops	209
Failed test steps	3
Failure ratio	1%



Response time

Longest	20773 ms
Shortest	294 ms
Average	10678 ms



A great difference between response time values may indicate server issues.

Targets Metrics

Target	Requests	Min time (ms)	Max time (ms)	Median time (ms)	Std dev (ms)	Err	Err %
http://34.105.252.163 TestSuite:TestCase	215	294	20773	11046	3482	0	0

Response time details

Target	Avg (ms)	75%	90%	95%	98%
http://34.105.252.163	10678	12400,00	13886,00	14748,50	17062,60
TestSuite:TestCase					



Top 5 Test Case Executions

Test case	Time taken (ms)	Start time	Size (bytes)
http://34.105.252.163 TestSuite:TestCase	294	04:41:00	0
http://34.105.252.163 TestSuite:TestCase	1311	04:40:59	0
http://34.105.252.163 TestSuite:TestCase	1860	04:40:58	0
http://34.105.252.163 TestSuite:TestCase	2659	04:40:25	64
http://34.105.252.163 TestSuite:TestCase	3433	04:40:57	0

Bottom 5 Test Case Executions

Test case	Time taken (m	s) Start time	Size (bytes)
http://34.105.252.163 TestSuite:TestCase	20773	04:39:37	64
http://34.105.252.163 TestSuite:TestCase	17575	04:39:38	64
http://34.105.252.163 TestSuite:TestCase	17521	04:39:37	64
http://34.105.252.163 TestSuite:TestCase	17097	04:39:37	64
http://34.105.252.163 TestSuite:TestCase	16925	04:39:37	64

Top 5 Test Step Executions

Test case	Time taken (ms)	Start time	Size (bytes)
http://34.105.252.163 TestSuite:TestCase->Request 1	0	04:41:00	0
http://34.105.252.163 TestSuite:TestCase->Request 1	0	04:41:00	0
http://34.105.252.163 TestSuite:TestCase->Request 1	0	04:41:00	0
http://34.105.252.163 TestSuite:TestCase->Request 1	0	04:41:00	0
http://34.105.252.163 TestSuite:TestCase->Request 1	0	04:41:00	0


Bottom 5 Test Step Executions

Test case	Time taken (ms)	Start time	Size (bytes)
http://34.105.252.163 TestSuite:TestCase->Request 1	20773	04:39:58	64
http://34.105.252.163 TestSuite:TestCase->Request 1	17575	04:39:55	64
http://34.105.252.163 TestSuite:TestCase->Request 1	17521	04:39:54	64
http://34.105.252.163 TestSuite:TestCase->Request 1	17097	04:39:54	64
http://34.105.252.163 TestSuite:TestCase->Request 1	16925	04:39:54	64



Execution dispersion


This graph shows when the 5 fastest and 5 slowest test case executions happened. The clustered values show the time when the issues occurred during the test run. For example, a lot of values at the beginning of the test might mean that you need a longer warm-up time for the server. Ideally, the values should be distributed evenly throughout the test duration.





Statistics

Baseline Statistics





Terms Used in This Report

VUs load type

When you use the VUs load type, the load profile settings specify the number of virtual users working on the server simultaneously. This number can be permanent during the entire test run, or it can change as specified in the selected load profile. When a virtual user stops working because the test case is over, LoadUI starts a new user to maintain the needed number of virtual users.

Load allocation

In LoadUI, there are several ways to specify the load simulated by each scenario. This is called Load allocation. You can enter the total number of users and select what portion of them runs each scenario (Relative allocation), run the same number of virtual users for all scenarios (Equal allocation) or enter the number of users in each scenario individually (Per scenario allocation).

Fixed profile (VUs)

This load profile simulates the same number of virtual users during the entire test run.

Agent

LoadUI uses agents to distribute load to other computers. Load agents run on a physical computer where the LoadUI Agent application is installed. Cloud agents run in the cloud.

Failure

Failure is a generic term for all issues that cause a simulated user to fail. For example, a test can have failures when load test assertions fail or a test step does not receive a response.

Error

SoapUI test step and test case failures that happen during the load test run are called errors.

Target

LoadUI runs SoapUI test cases to simulate user behavior. The test cases simulated in a scenario are called targets.

TPS

For test steps, number of times the test step was executed during the second. For target test cases, the number of virtual users that finished the test case execution at each second.

Last

The time spent on the last transaction of the test.

Count

The number of times the test step was run during the test.