```
1. JSP 10개의 구성요소
 1
 2
       1)scriptlet
 3
          <% %>
 4
 5
       2)expression
          <%= %>
 6
 7
 8
       3)declaration
 9
          <%!
               %>
10
11
       4)comment
12
          -html <!--
                       -->
          -Java //, /* ~ */
13
          -JSP
14
                 <%-- --%>
15
16
       5)directive
17
          <%@ %>
18
          -@page, @tablib, @include
19
20
       6)implicit object
          -9개의 내장객체(기본객체)
21
22
23
       7)Action Tag
24
          <jsp:~ />
25
          -<jsp:include />
26
          -<jsp:forward />
27
          -<jsp:useBean />
28
          -<jsp:getProperty />
29
          -<jsp:setProperty />
30
31
       8)EL & JSTL
32
33
       9)Custom Tag
34
35
       10)Filter & Listener
36
37
    2. Lab
38
39
       1)comment.jsp
          <%@ page language="java" contentType="text/html; charset=UTF-8" pageEncoding="UTF-8"%>
40
41
          <!doctype>
42
          <html>
          <head>
43
44
          <meta charset="UTF-8">
45
          <title>Insert title here</title>
          </head>
46
47
          <body>
          <%--
48
             <!-- <font size='7' face="Arial" color='red'>Hello</font><br />-->
49
             <div style="background-color:yellow;width=300px;height=300px">
50
51
52
             </div><br />
             <%
53
               String str = "Hello, World";
54
               //str += "안녕하세요";
55
56
               out.print("<br />" + str + "<br />");
57
            %>--%>
58
          </body>
59
          </html>
60
61
       2)expressiondemo.jsp
62
          <%@ page language="java" contentType="text/html; charset=UTF-8" pageEncoding="UTF-8" import="java.util.Calendar"</p>
          %>
63
64
             Calendar now = Calendar.getInstance();
            int hour = now.get(Calendar.HOUR_OF_DAY);
65
66
          %>
```

```
67
         <%=100 + 200; %> <br />
68
         <%=(hour >= 12)? "PM" : "AM" %>
69
      3)expressiondemo1.jsp
70
71
         <%@ page language="java" contentType="text/html; charset=UTF-8" pageEncoding="UTF-8" import="java.util.Calendar"</p>
72
73
           Calendar now = Calendar.getInstance();
74
           int hour = now.get(Calendar.HOUR);
75
        %>
76
        <body bgcolor='yellow'>
77
           Math.PI = <%=Math.PI %> <br />
78
           Integer's Max value = <%=Integer.MAX_VALUE %> <br />
           1부터 10까지의 합 = <%=1+2+3+4+5+6+7+8+9+10 %><br/>>
79
           오전 / 오후 ? <%=(hour < 12) ? "AM" : "PM" %>
80
81
         </body>
82
83
      4)scriptletdemo.jsp
84
         <%@ page language="java" contentType="text/html; charset=UTF-8" pageEncoding="UTF-8"%>
85
         <style>
           table.c {margin-left:auto;margin-right:auto;
86
                  width:500px;border-width:1px;border-style:solid;height:360px}
87
88
           th {border : 1px solid}
           td {border :1px solid}
89
90
           td.d {border-width:0px 0px 1px 0px; border-style:solid}
91
           th.a {width:50px}
92
           th.b {border-width:0px 0px 1px 0px; border-style:solid}
93
           tr {height: 40px}
94
         </style>
95
        96
           단
97
98
             값
99
           100
           101
             102
               103
                  <\% for(int i = 2; i < 10; i++){ %>
104
105
                          <font color='blue'> <%=i %> </font> 
106
                      <%}%>
107
108
               109
110
             111
112
                  <\% for(int i = 2; i < 10; i++){ %>
113
                    <\% for(int j = 1 ; j < 10 ; j++){ %>}
114
                        <%=i * j %>
115
116
                      <% }//j end %>
117
                    118
                  <% }//i end %>
119
               120
             121
           122
         123
124
      5)gugudan.jsp
        < @ page contentType="text/html;charset=utf-8" %>
125
126
        <html>
127
        <body>
128
           <center>
           129
130
           131
             <% for(int i=2;i<=5;i++){ %>
             <%=i %>단
132
```

```
133
               <% } %>
134
             135
               <\% for(int i=2;i<=5;i++){ %>
136
137
               138
                  <\% for(int j=1;j<=9;j++){ %>
139
                     <\%=i \%> X <\%=j \%> = <\%=i*j \%><BR>
140
141
                  <% } %>
142
143
               144
               <% } %>
145
             <!-- 둘째 행 -->
146
147
             <\% for(int i=6;i<=9;i++){ %>
148
               <%=i %>단
149
150
               <% } %>
151
             152
             153
               <\% for(int i=6;i<=9;i++){ %>
154
               155
                  <\% for(int j=1; j<=9; j++){ %>}
156
                     <%=i %> X <%=j %> = <%=i*j %> <br />
157
158
                  <% } %>
159
160
                161
               <% } %>
162
             163
             164
             </center>
165
          </body>
166
          </html>
167
168
       6)declaration.jsp
169
          < @ page contentType="text/html;charset=utf-8" %>
170
          <html>
171
          <body>
172
             <%!
173
               String msg = null; //member variable
174
               public int checkLength(String str){    //member method
175
                  return str.length();
176
177
             %>
178
179
             <% msg = "Good Morning"; %>
180
181
             <%=msg %>의 문자의 길이는 <%=checkLength(msg) %>자 입니다.
          </body>
182
183
          </html>
184
185
       7) declaration demo 1. jsp
          <%@ page language="java" contentType="text/html; charset=utf-8"</pre>
186
187
             pageEncoding="utf-8"%>
188
          <%!
189
             private int sum(int a, int b){
190
               return a + b;
191
          %>
192
193
194
            int a = Integer.parseInt(request.getParameter("num1"));
195
            int b = Integer.parseInt(request.getParameter("num2"));
          %>
196
197
          <%= sum(a, b) %>
198
199
       8) page directive demo. jsp
```

```
200
           < @ page contentType="text/html;charset=utf-8" %>
201
           < @ page import="java.util.Date" %>
           <%@ page import="java.text.SimpleDateFormat" %>
202
203
             String pattern = "HH시 mm분 ss초";
204
             SimpleDateFormat sdf = new SimpleDateFormat(pattern);
205
206
             String str = sdf.format(new Date());
          %>
207
          귀하가 방문하신 시간은 <font color='red' size='7'><b>
208
           <%=str %></b></font>입니다.
209
210
211
        9)date.jsp
212
           < @ page import="java.util.Date, java.text.DateFormat" %>
213
           <html>
214
           <body>
215
             <%
216
                //scriptlet coding
217
                Date now = new Date();
218
                String str = DateFormat.getDateTimeInstance().format(now);
                String today = new String(str.getBytes("KSC5601"), "ISO8859_1");
219
             %>
220
221
              <%=today %>
222
           </body>
223
           </html>
224
225
        10)pagedirectivedemo1.jsp
226
           <%@ page contentType="text/html;charset=utf-8" buffer="50kb" autoFlush="false" %>
227
           <% for(int i = 0; i < 500; i++){ %>
228
               <%=i %>&nbsp;&nbsp;&nbsp;
229
           <% } %>
230
231
232
```

3. JSP의 source를 보려면

233

234

C:\WebHome\warename.metadata\warename.plugins\worg.eclipse.wst.server.core\warename.tmp0\work\warename.datalina\wordnost\wpROJECTNAME\worg\warename.arche ₩jsp