

OD Tours And Travels Private Limited

Rest API – Integration Guide

Email: support@odbus.in

[This document is confidential and may be privileged or otherwise protected from disclosure and may include proprietary information. Unauthorized reproduction or disclosure of this information in whole or in part is prohibited.]

Contents

1. ClientLogin	3
2. getLocation	
3. Listing	4
4. Filter	5
5. FilterOptions	7
6. viewSeats	8
7. PriceOnSeatsSelection	10
8. BoardingDroppingPoints	11
9. PassengerInfo	12
10. SeatBlock	13
11. TicketConfirmation	14
12.ClientCancelTicketinfo	16
13.ClientTicketCancellation	16

1. ClientLogin

Method:POST

Calls to the methods enlisted in the API require an authentication bearer token. The authentication bearer token is received on calling the ClientLogin method by passing the login credentials.

Request URL: <a href="https://testing.odbus.co.in/api/ClientLogin?client_id={client_id}&password={password}

Request Parameters:

Sample Response:

"data":

Parameter Name	Туре	Required	Description
Client_id	string	yes	As provided
password	string	yes	As provided

```
{
    "status": "1",
    "message": "Client token generated",
```

"eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJodHRwczovL2NvbnN1bWVyLm9kYnVzLmNvLmluL2FwaS9DbGllbnRMb2dpbiIsImlhdCI6MTY1MjI0NzYxNiwiZXhwIjoxNjUyMjUxMjE2LCJuYmYiOjE2NTIyNDc2MTYsImp0aSI6Imc0NExhV0Q0TTJUV2o4YlMiLCJzdWIiOjEsInBydiI6IjIzYmQ1Yzg5NDlmNjAwYWRiMzllNzAxYzQwMDg3MmRiN2E1OTc2ZjcifQ.SJcWTX4AHG3fm75PGD35sMKQyetWkJ-VDO3F-anWMNI"

**Note: Bearer type token of the Client(Received in response to ClientLogin API) need to use as authorization header to access other all apis.

```
Error Response:
{
    "status": "0",
    "message": "Wrong credentials",
    "data": null
```

2. getLocation

}

}

Method: GET

Provides location name as per search values.

Request URL:

https://testing.odbus.co.in/api/getLocation?locationName={locationName}

Parameter Name	Туре	Required	Description
locationName	string	No	

Method: GET

Provides List of Buses running in a particular route for a particular date.

Request URL:

https://testing.odbus.co.in/api/Listing?source={source}&destination={destination}&entry_date={entry_date}

Parameter Name	Type	Required	Description
source	string	Yes	Source city name
destination	string	Yes	destination city name
entry_date	string	Yes	Journey Date Format: dd-mm-yyyy
			(e.g. 25-05-2022)
bus_operator_id	integer	No	Operator ID
User_id	integer	No	Client ID

```
Sample Response:
```

```
"status": "1",
"message": "Record Fetched Successfully",
"data": [ {
   "srcId": 82,
"destId": 53,
"display": "show",
"busId": 592,
"busName": "PANI COACH",
 "via": "CUTTACK, JAMSOLA",
 "popularity": null,
"busNumber": "OR 05 AL 0768",
"maxSeatBook": 6,
 "conductor_number": "7749088101,7749088102",
   "operatorId": 133,
   "operatorUrl": "pani-coach",
   "operatorName": "SujitPani",
   "sittingType": "2+2",
   "bus_description": "Leyland A/C Push Back Seater",
   "busType": "AC",
   "busTypeName": "A/C SEATER",
   "totalSeats": 8,
   "seaters": 8,
   "sleepers": 0,
   "startingFromPrice": 421,
   "departureTime": "07:00",
   "arrivalTime": "13:30",
   "totalJourneyTime": "6h 30m",
```

```
"amenity": [{
                      "id": 13,
                      "name": "Music System",
                      "amenity_image": "https://www.sitename.com/img.png",
                      "amenity_android_image": "https://www.sitename.com/img1.png"
        },
    {
                      "id": 14,
                      "name": "M Ticket",
                      "amenity_image": "https://www.sitename.com/img.png",
                "amenity_android_image": "https://www.sitename.com/img1.png",
            } ],
          "safety": [ {
                      "id": 5,
                      "name": "Emergency Exit",
                      "safety_image": "https://www.sitename.com/img.png",
                      "safety_android_image": "https://www.sitename.com/img2.png",
        } ],
          "cancellationDuration": [
                  "12-18",
                  "18-24".
                 "25-999"
         ],
 "cancellationDuduction": [
                  "35",
                  "25",
                 "20"
         ],
        "cancellationPolicyContent": "<b><span lang=\"EN-
US\">CANCELLATION POLICY</span></b>....",
   "TravelPolicyContent": null
    }
  1
}
```

4. Filter

Provides List of Buses running in a particular route for a particular date with Filter criteria like:Price, BusType(AC or Non AC), Seat Type(seater or sleeper), Boarding points,Dropping Points,Operators,Amenities. **Request URL:**

https://testing.odbus.co.in/api/Filter

Method: POST

Parameter Name	Type	Required	Description
price	integer	Yes	sort by price:0-without sorting, 1- ascending order
			sorting
sourceID	integer	Yes	Id of location(source)
destinationID	integer	Yes	Id of location(destination)
entry_date	string	Yes	Journey Date Format: dd-mm-yyyy
			(e.g. 25-05-2022)
bus_operator_id	integer	No	Operator ID
User_id	integer	No	Client ID
busType	integer	No	AC or NONAC type Bus:1-AC, 2-NONAC
seatType	integer	No	Seater or Sleeper type Bus:1-seater, 2-sleeper
boardingPointId	integer	No	Boarding point Ids
dropingingPointId	integer	No	Dropping point Ids

operatorId	integer	No	Operator Ids
amenityId	integer	No	Amenity Ids

```
Sample Response:
          "status": "1",
          "message": "Record Fetched Successfully",
          "data": [ {
                     "srcId": 82.
                     "destId": 53.
                     "display": "show",
                     "busId": 592,
                     "busName": "PANI COACH",
                     "via": "CUTTACK, JAMSOLA",
                     "popularity": null,
                     "busNumber": "OR 05 AL 0768",
                     "maxSeatBook": 6,
                     "conductor number": "7749088101,7749088102",
                     "operatorId": 133,
                     "operatorUrl": "pani-coach",
                     "operatorName": "SujitPani",
                     "sittingType": "2+2",
                     "bus_description": "Leyland A/C Push Back Seater",
                     "busType": "AC",
                     "busTypeName": "A/C SEATER",
                     "totalSeats": 8,
                     "seaters": 8,
                     "sleepers": 0,
                     "startingFromPrice": 421,
                     "departureTime": "07:00",
                     "arrivalTime": "13:30",
                     "totalJourneyTime": "6h 30m",
                    "amenity": [
                       "id": 13,
                       "name": "Music System",
                       "amenity_image": "https://testingadminapi.odbus.co.in/public/uploads/amenities/Music-
                 System-pc.png.png",
                       "amenity_android_image":
                 "https://testingadminapi.odbus.co.in/public/uploads/amenities/Music-System-mb.png.png"
                      },
                       "id": 14,
                       "name": "M Ticket",
                       "amenity_image": "https://www.sitename.com/img.png",
                       "amenity_android_image": "https://www.sitename.com/img1.png"
            "safety": [ {
              "id": 5.
              "name": "Emergency Exit",
              "safety image":
                                  "https://www.sitename.com/img.png",
              "safety_android_image": "https://www.sitename.com/img1.png"
            "cancellationDuration": [
                      "12-18",
                      "18-24".
                      "25-999"
```

"cancellationDuduction": [

```
"35",
"25",
"20"

],
"cancellationPolicyContent": "<b><span lang=\"EN-US\">CANCELLATION POLICY</span></b>...",
"TravelPolicyContent": null
}
]
```

5. FilterOptions

Method: POST

Provides List of BusTypes, seatTypes, boardingPoints, dropping points, busOperator, amenities for corresponding bus.

Request URL:https://testing.odbus.co.in/api/FilterOptions

Request Parameters:

Parameter Name	Type	Required	Description
sourceID	integer	yes	Id of location(source)
destinationID	integer	yes	Id of location(destination)
busIDs	integer	Yes	All busIds getting in response of Listing api

Sample Response:

```
"status": "1",
"message": "Record Fetched Successfully",
"data": [
 {
  "busTypes": [
             "id": 1,
             "class_name": "AC"
             "class_name": "NON AC"
   }
  "seatTypes": [
             "id": 1,
             "name": "seater"
   },
             "id": 2,
             "name": "sleeper"
  "boardingPoints": [
             "id": 121,
             "boarding_point": "Baramunda"
```

```
"id": 125,
          "boarding_point": "Hotel Crown"
 },
 {
             "id": 127,
             "boarding_point": "SatsangVihar"
 }
"dropingPoints": [
          "id": 217,
          "boarding_point": "Baripada Bus Stand"
 }
],
"busOperator": [
          "id": 167,
          "operator_name": "Amitav Das",
          "organisation_name": "Das & DAS"
 },
     "id": 168,
     "operator_name": "Arup Das",
          "organisation_name": "DAS"
"amenities": [
  "id": 4,
  "name": "Charging Point",
  "amenities_image": "https://www.sitename.com/img.png",
  "android_image": "https://www.sitename.com/img2.png"
  "id": 5,
  "name": "E-Ticket",
  "amenities_image": "https://www.sitename.com/img.png",
  "android_image": "https://www.sitename.com/img2.png"
```

6. viewSeats

Method: POST

Provides seatlayout, available seats, booked seats, reserved seats, against a perticular bus.

Request URL: https://testing.odbus.co.in/api/viewSeats

Request Parameters:

Parameter Name	Type	Required	Description
entry_date	string	Yes	Journey Date Format: dd-mm-yyyy
			(e.g. 25-05-2022)
busId	integer	yes	busId of bus
sourceId	integer	yes	Source Id of source location(srcId of Listing api response)
destinationId	integer	Yes	Destination Id of destination location(destId of Listing api
			response)

Sample Response:

```
"status": "1",
 "message": "Record Fetched Successfully",
 "data": {
  "bus": [
   {
              "id": 287,
              "name": "GAJANAN",
              "bus_seat_layout_id": 29
   }
  ],
  "lower_berth": [
              "id": 2409,
              "bus_seat_layout_id": 29,
              "seat_class_id": 1, //////1 for seater,2 for sleeper,3 for vertical sleeper, 4 for blank
              "berthType": "1",/////1 for Lower berth,2 for Upper berth
              "seatText": "3",///seat no
              "rowNumber": 0,
              "colNumber": 0
   },
              "id": 2410,
              "bus_seat_layout_id": 25,
              "seat_class_id": 1,
              "berthType": "1",
              "seatText": "14",
              "rowNumber": 3,
              "colNumber": 3,
"Gender": "M"/////Gender key present means booked seat(value "M" means booked by Man and value "F"
                                 means booked by Lady.
 },
              "id": 2417,
              "bus seat layout id": 29,
              "seat class id": 1,
              "berthType": "1",
              "seatText": "27",
              "rowNumber": 0,
              "colNumber": 8,
              "bus_seats": {//////bus_seats key present means seat is allocated to odbus
               "ticket_price_id": 3698,
               "seats_id": 2417,
               "new_fare": 0,
               "ticket_price": {
                         "id": 3698,
                         "base_seat_fare": 410,
                         "base_sleeper_fare": 380
               }
    }
   },
  1,
  "lowerBerth_totalRows": 4,
  "lowerBerth_totalColumns": 13,
  "upper_berth": [
   {
              "id": 2466,
              "bus_seat_layout_id": 29,
              "seat_class_id": 2,
```

```
"berthType": "2",
           "seatText": "SL18",
           "rowNumber": 0,
           "colNumber": 5
 },
 {
           "id": 2471,
           "bus_seat_layout_id": 29,
           "seat_class_id": 2,
           "berthType": "2",
           "seatText": "SL14",
           "rowNumber": 1,
           "colNumber": 4,
           "bus_seats": {//////bus_seats key present means seat is allocated to odbus
            "ticket_price_id": 3698,
            "seats_id": 2471,
            "new_fare": 0,
            "ticket_price": {
                      "id": 3698,
                      "base_seat_fare": 380,
                      "base_sleeper_fare": 410
            }
  }
"upperBerth_totalRows": 4,
"upperBerth_totalColumns": 6
```

7. PriceOnSeatsSelection

Method: POST

Provides total price of seater/sleeper on seats selection including all service changes and GST charges.

Request URL: https://testing.odbus.co.in/api/PriceOnSeatsSelection

Parameter Name	Type	Required	Description
busId	integer	yes	busId of a bus
sourceId	integer	yes	Id of location(source)
destinationId	integer	Yes	Id of location(destination)
entry_date	string	Yes	Journey Date Format: dd-mm-yyyy (e.g. 25-05-2022)
seater	integer	Yes	seatId of seats
sleeper	integer	Yes	seatId of seats

```
Sample Response:
```

```
{
    "status": "1",
    "message": "Record Fetched Successfully",
    "data": [ {
        "totalFare": 587.4
     } ]
}
```

8. BoardingDroppingPoints

Method: POST

Provides total price of seats (seater/sleeper) on seats selection.

Request URL: https://testing.odbus.co.in/api/BoardingDroppingPoints

Parameter Name	Type	Required	Description
busId	integer	Yes	busId of a bus
sourceId	integer	Yes	Id of location(source)
destinationId	integer	Yes	Id of location(destination)

```
Sample Response:
```

```
"status": "1",
"message": "Record Fetched Successfully",
 "data": [ {
             "boardingPoints": [
                        "id": 121.
                        "boardingPoints": "Baramunda",
                        "boardingTimes": "21:20"
              },
              {
                        "id": 127,
                        "boardingPoints": "SatsangVihar",
                        "boardingTimes": "21:30"
              },
                        "id": 129,
                        "boardingPoints": "Palasuni",
                        "boardingTimes": "21:35"
              }
            ],
             "droppingPoints": [
                        "id": 643,
                        "droppingPoints": "Sector - 6 / Telephone Chowk", "droppingTimes": "05:15"
              },
                        "id": 645,
                        "droppingPoints": "Udit Nagar",
                        "droppingTimes": "05:20"
                        "id": 639,
                        "droppingPoints": "Sector - 2",
                        "droppingTimes": "05:30"
              },
                        "id": 638,
                        "droppingPoints": "Rourkela Bus Stand",
                        "droppingTimes": "06:00"
              }
   ]
```

```
}
]
```

9. PassengerInfo

Method:POST

TransactionId and pnr generated against booking and passengers and seats details captured against generated pnr.

Request URL: https://testing.odbus.co.in/api/PassengerInfo

Request Parameters:

Parameter Name	Type	Required	Description
customerInfo.email	string	No	Email of customer
customerInfo.phone	integer	Yes	Mobile no of customer
customerInfo.name	string	Yes	Customer name
bookingInfo.bus_id	integer	Yes	Id of bus
bookingInfo.source_id	integer	Yes	Id of location(source)
bookingInfo.destination_id	integer	Yes	Id of location(destination)
bookingInfo.journey_date	string	Yes	Journey Date Format: yyyyy-mm-dd(e.g. 2022- 03-09)
bookingInfo.boarding_point	string	Yes	boardingPoint
bookingInfo.dropping_point	string	Yes	droppingingPoint
bookingInfo.boarding_time	time	Yes	Boarding time(format-21:00)
bookingInfo.dropping_time	time	Yes	Boarding time(format- 06:30)
bookingInfo.bookingDetail[].bus_seats_id	integer	Yes	Id of seats
bookingInfo.bookingDetail[].passenger_name	string	Yes	Name of passenger
bookingInfo.bookingDetail[].passenger_gender	string	Yes	M/F/O (for male/Female/others)
bookingInfo.bookingDetail[].passenger_age	integer	Yes	Passenger age

Sample Request Body(JSON format):

```
"boarding_point": "Bermunda",
                 "dropping_point": "sector",
                 "boarding_time": "21:20",
                 "dropping_time": "00:06",
                 "bookingDetail": [
                          {
                                   "bus_seats_id": "2694",
                                   "passenger_name": "nancy",
                                   "passenger_gender": "M",
                                   "passenger_age": "33"
                          },
                           {
                                   "bus_seats_id": "2755",
                                   "passenger_name": "nancy1",
                                   "passenger_gender": "M",
                                   "passenger_age": "33"
                          } ]
Sample Response:
          "status": "1",
          "message": "Record Added Successfully",
          "data": {
         "transaction_id": "20220614122921979464",
         "pnr": "ODCL43682"
Error Response:
1.
 "status": "0",
 "message": "wrong date format or not in range - 2022-06-30",////allowed for a range of
                                            days from current date to book
                                   tickets
 "data": null
2.
 "status": "0",
 "message": "Bus not running in this route",
 "data": null
```

10. SeatBlock

Method:POST

Selected seats against a transaction id blocked(hold) for further payment process.

Request URL: https://testing.odbus.co.in/api/SeatBlock

Request 1 at affecters.			
Parameter Name	Type	Required	Description
transaction_id	string	Yes	transaction_id(response of PassengerInfoapi)
customer_gst_status	integer	No	0/1, default 0:gst not required,1:gst required
customer_gst_number	string	No	Customer GST number

customer_gst_business_name	string	No	Customer GST name
customer_gst_business_email	string	No	Cusomer GST email
customer_gst_business_address	string	No	Customer GST address

11. TicketConfirmation

Method:POST

Ticket confirmed against a transaction id.

Request URL: https://testing.odbus.co.in/api/TicketConfirmation

Request Parameters:

Par	rameter Name	Type	Required	Description
tra	nsaction_id	string	Yes	transaction_id(response of PassengerInfoapi)

Sample Response:

```
"status": "1",
"message": "Tickets booked successfully",
"data": [
     "id": 13017,
     "pnr": "ODCL65057",
     "users_id": 24,
    "bus_id": 592,
    "source_id": 82,
    "destination_id": 53,
    "client_comission": 55.04,
    "journey_dt": "2022-08-10",
    "boarding_point": "Bermunda",
    "dropping_point": "sector",
    "boarding_time": "21:20:00",
    "dropping_time": "00:06:00",
    "src_name": "Bhubaneswar",
    "dest_name": "Baripada",
     "users": {
       "id": 24,
       "name": "nancy",
       "email": null,
       "phone": "1234567898"
```

```
},
"bus": {
  "id": 592,
  "name": "PANI COACH",
  "bus_number": "OR 05 AL 0768",
  "bus_type_id": 12,
  "bus_sitting_id": 12,
  "bus_type": {
     "id": 12,
     "bus_class_id": 1,
     "name": "A/C SEATER",
     "bus class": {
       "id": 1,
       "class_name": "AC"
     }
  },
  "bus_sitting": {
     "id": 12,
     "name": "2+2"
  "bus_contacts": {
     "bus_id": 592,
     "phone": "7749088101,7749088102"
"booking_detail": [
     "id": 17052,
     "booking_id": 13017,
     "bus_seats_id": 92595,
     "passenger_name": "nancy",
     "passenger_gender": "M",
     "bus seats": {
       "id": 92595,
       "seats_id": 2976,
       "seats": {
          "id": 2976,
          "seatText": "12"
  },
     "id": 17053,
     "booking_id": 13017,
     "bus_seats_id": 92596,
     "passenger_name": "nancy1",
     "passenger_gender": "M",
     "bus_seats": {
       "id": 92596,
       "seats_id": 2978,
       "seats": {
         "id": 2978,
          "seatText": "20"
     }
  }
"client_wallet": [
     "booking_id": 13017,
```

12. ClientCancelTicketinfo

Method:POST

Ticket cancel information against pnr.

Request URL: https://testing.odbus.co.in/api/ClientCancelTicketinfo

Request Parameters:

request i unumeters.					
Parameter Name	Туре	Required	Description		
pnr	string	Yes	pnr of ticket		

```
Sample Response:
          "status": "1",
          "message": "Record Fetched Successfully",
          "data": {
                    "cancel status": true,
                    "refundAmount": 977.26,
                   "deductionPercentage": "20%",
                   "deductAmount": 244.32,
                   "totalfare": 1221.58,
                   "clientCancelCommission": 122.16,
                   "odbusCancelCommission": 122.16
Error Response:
          "status": "0",
          "message": "Not a valid Client Booking or pnr mismatch",
          "data": null
}
```

13. ClientTicketCancellation

Method:POST

Ticket cancellation against pnr.

$\textbf{Request URL:} \underline{\text{https://testing.odbus.co.in/api/ClientTicketCancellation}}$

Parameter Name	Туре	Required	Description
pnr	string	Yes	pnr of ticket

```
Sample Response:
{
    "status": "1",
    "message": "Ticket cancellation successful",
```

```
"data": {
  "source": "Bhubaneswar",
  "destination": "Baripada",
  "bookingDetails": [
       "id": 13017,
       "pnr": "ODCL65057",
       "users_id": 24,
       "user_id": 205,
       "bus_id": 592,
       "source_id": 82,
       "destination id": 53,
       "client comission": 55.04,
       "journey_dt": "2022-08-10",
       "boarding_point": "Bermunda",
       "dropping_point": "sector",
       "boarding_time": "21:20:00",
"dropping_time": "00:06:00",
       "total_fare": 917.4,
       "users": {
         "id": 24,
          "name": "nancy",
          "email": null,
          "phone": "1234567898"
       },
       "bus": {
          "id": 592,
          "name": "PANI COACH",
          "bus_number": "OR 05 AL 0768",
          "bus_type_id": 12,
          "bus_sitting_id": 12
       "booking_detail": [
            "id": 17052.
            "booking_id": 13017,
            "bus_seats_id": 92595,
            "passenger_name": "nancy",
            "passenger_gender": "M",
            "bus_seats": {
               "id": 92595,
               "seats_id": 2976,
               "seats": {
                 "id": 2976,
                 "seatText": "12"
               }
            }
          },
            "id": 17053,
            "booking_id": 13017,
            "bus_seats_id": 92596,
            "passenger name": "nancy1",
            "passenger_gender": "M",
            "bus_seats": {
               "id": 92596,
               "seats_id": 2978,
               "seats": {
                 "id": 2978,
                 "seatText": "20"
```

```
}
         ]
       }
     "cancel_status": true,
    "refundAmount": 733.92,
     "deductionPercentage": "20%",
    "deductAmount": 183.48,
    "totalfare": 917.4,
    "OdbusCancelCommission": 155.96,
    "ClientCancelCommission": 27.52
  }
}
Error Response:
          "status": "0",
          "message": "Not a valid Client Booking or pnr mismatch",
          "data": null
}
```

Kindly email us your queries/suggestions to support@odbus.in and we will review them. In case of any tech issue, please share JSON request body & JSON response data with us.

Your suggestions are always welcome.

Thank you