


Swaham Pitambar Patra

#Range with 1 Parameter




The screenshot shows the Visual Studio Code editor with a file named `range_with_1_Parameter.py`. The code in the editor is:

```
for loop > range_with_1_Parameter.py > ...  
1 for i in range(5):  
2     print(i)
```

The terminal output shows the execution of the script:

```
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06> python -u "c:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06\for loop\range_with_1_Parameter.py"  
0  
1  
2  
3  
4  
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06>
```

#Range with 2 Parameter




The screenshot shows the Visual Studio Code editor with a file named `range_with_2_parameters.py`. The code in the editor is:

```
for loop > range_with_2_parameters.py > ...  
1 for i in range(1,6):  
2     print(i)
```

The terminal output shows the execution of the script:

```
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06> python -u "c:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06\for loop\range_with_2_parameters.py"  
1  
2  
3  
4  
5  
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06>
```

#Range with 3 Parameter




The screenshot shows the Visual Studio Code editor with a file named `range_with_3_parameters.py`. The code contains a `for` loop that iterates from 0 to 10 with a step of 2, printing each value. The terminal window shows the command `python -u "c:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06\range_with_3_parameters.py"` and the output: 0, 2, 4, 6, 8.

```
range_with_3_parameters.py X
for loop > range_with_3_parameters.py > ...
1 for i in range(0,10,2):
2     print(i)

PROBLEMS OUTPUT DEBUG CONSOLE PORTS

TERMINAL
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06> python -u "c:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06\range_with_3_parameters.py"
0
2
4
6
8
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06> 
```

#Reverse for loop




The screenshot shows the Visual Studio Code editor with a file named `reverse_for_loop.py`. The code contains a `for` loop that iterates from 5 down to 0, printing each value. The terminal window shows the command `python -u "c:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06\reverse_for_loop.py"` and the output: 5, 4, 3, 2, 1.

```
reverse_for_loop.py X
for loop > reverse_for_loop.py > ...
1 for i in range(5,0,-1):
2     print(i)

PROBLEMS OUTPUT DEBUG CONSOLE PORTS

TERMINAL
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06> python -u "c:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06\reverse_for_loop.py"
5
4
3
2
1
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06> 
```

#Print Odd No.



The screenshot shows the Visual Studio Code editor with a file named `printOddNo.py`. The code is as follows:


```
for loop > printOddNo.py > ...  
1 for i in range(1,101,2):  
2     print(i)
```

The terminal output shows the execution of the script, printing odd numbers from 1 to 39:

```
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06> python -u "c:\Users\Swaham Patra\OneDrive\ITR Python+DS  
\Tasks 09-06\for_loop\printOddNo.py"  
1  
3  
5  
7  
9  
11  
13  
15  
17  
19  
21  
23  
25  
27  
29  
31  
33  
35  
37  
39
```

...continue till 100

#Print table of two




The screenshot shows the Visual Studio Code editor with a file named `table_of_2.py`. The code is as follows:

```
for loop > table_of_2.py > ...  
1 # print table of 2  
2 for i in range(2,22,2):  
3     print(i)
```

The terminal output shows the execution of the script, printing even numbers from 2 to 20:

```
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06> python -u "c:\Users\Swaham Patra\OneDrive\ITR Python+DS  
\Tasks 09-06\for_loop\table_of_2.py"  
2  
4  
6  
8  
10  
12  
14  
16  
18  
20  
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06>
```

#Print “Hello” 5 times



The screenshot shows a Python IDE with a file named `print_hello_using_for.py`. The code in the editor is a for loop that prints "Hello" five times. The terminal window shows the command `python -u "c:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06\for_loop\print_hello_using_for.py"` being executed, and the output is five lines of "Hello".


```
print_hello_using_for.py X
for loop > print_hello_using_for.py > ...
1  for i in range(5):
2  print("Hello")

PROBLEMS OUTPUT DEBUG CONSOLE PORTS

TERMINAL
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06> python -u "c:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06\for_loop\print_hello_using_for.py"
Hello
Hello
Hello
Hello
Hello
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06>
```

All for loop programs 🖐️ 🖐️ 🖐️


#Infinite Loop



The screenshot shows the Visual Studio Code editor with a file named `infiniteLoop.py` open. The code is a simple infinite loop. The terminal at the bottom is empty, indicating the script has not been executed yet.

```
while loop > infiniteLoop.py
1 # while True:
2 #     print("This loop will run forever!")
```

#Print numbers from 1 to 5




The screenshot shows the Visual Studio Code editor with a file named `while.py` open. The code is a script that prints numbers from 1 to 5. The terminal at the bottom shows the output of the script, which is the numbers 1 through 5, followed by the message "Code Ended".

```
while loop > while.py > ...
1 # Print numbers from 1 to 5
2
3 i = 1
4 while i<=5:
5     print(i)
6     i += 1
7
8 print("Code Ended")
```

Terminal Output:

```
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06> python -u "c:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06\while loop\while.py"
1
2
3
4
5
Code Ended
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06>
```

#Print table of 5



The screenshot shows a Python IDE with two tabs: `infiniteLoop.py` and `table_of_5.py`. The `table_of_5.py` tab is active, displaying the following code:

```
1 i = 5
2 while i <= 50:
3     print(i)
4     i += 5
```

Below the code editor, the `TERMINAL` panel shows the command executed and its output:

```
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06> python -u "c:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06\while loop\table_of_5.py"
5
10
15
20
25
30
35
40
45
50
PS C:\Users\Swaham Patra\OneDrive\ITR Python+DS\Tasks 09-06>
```

All while loop programs 🙌 🙌 🙌