
1) Login Form

Email:		
Password	:	
	LogIn	-

rong creder 	Email: asd
	ssword: •••
	LogIn
	invalid email or password





Index.html

```
1 <!DOCTYPE html>
29 < html>
3● ⟨head>
4 <meta charset="UTF-8">
5 <title>Login Form</title>
6 </head>
7€ <body>
9⊖ <center>
    <form action="login.jsp">
           Email: <input type="text" name="email"><br>
12
           Password: <input type="password" name="password"><br>
           <input type="submit" value="LogIn">
13
14
       </form>
15
   </center>
16
   </body>
18 </html>
```


Login.jsp

```
<%@ page language="java" contentType="text/html; charset=UTF-8"
pageEncoding="UTF-8" errorPage="error.jsp"%>
3 <!DOCTYPE html>
40 html
head:
   <title>Insert title here</title>
90 body
100 <%!
       String emailVal="abc@gmail.com";
       String pass="password";
13 %>
150 <%
       String email=request.getParameter("email");
       String password=request.getParameter("password");
       if(email.equals("") || password.equals(""))throw new Exception("Email or Password is empty");
       if(email.equals(emailVal) && password.equals(pass))
           out.println("Login successful ");
            out.println("invalid email or password ");
```

Error.jsp

```
1 < page language="java" contentType="text/html; charset=UTF-8"
pageEncoding="UTF-8" isErrorPage="true"%
3 <!DOCTYPE html>
40 (html)
50 head
6 <meta charset="UTF-8">
7 <title Insert title here (/title)
8 </head>
90 (body bgcolor="red">
11
120 h1>
B9<%=
14 exception.getMessage()
15 %>
17 (/body)
18 </html>
```

2) JSTL Tag to fetch data from database



First.jsp

```
| degree | language | flow | controllyse | flow | f
```