

```

CREATE DATABASE IF NOT EXISTS `moco_crime_db` /*!40100 DEFAULT CHARACTER SET
utf8mb3 */ /*!80016 DEFAULT ENCRYPTION='N' */;
USE `moco_crime_db`;
-- MySQL dump 10.13 Distrib 8.0.36, for Win64 (x86_64)
--
-- Host: localhost Database: moco_crime_db
--
-- Server version 8.0.36

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!50503 SET NAMES utf8 */;
/*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE */;
/*!40103 SET TIME_ZONE='+00:00' */;
/*!40014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0 */;
/*!40014 SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0 */;
/*!40101 SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;
/*!40111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;

--
-- Table structure for table `crime_against_1`
--

DROP TABLE IF EXISTS `crime_against_1`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `crime_against_1` (
  `Crime_ID_1` int NOT NULL AUTO_INCREMENT,
  `Crime_name_1` varchar(45) NOT NULL,
  `Offense_code` int NOT NULL,
  PRIMARY KEY (`Crime_ID_1`),
  UNIQUE KEY `Crime_ID_1_UNIQUE` (`Crime_ID_1`),
  UNIQUE KEY `Crime_name_1_UNIQUE` (`Crime_name_1`),
  UNIQUE KEY `Offense_code_UNIQUE` (`Offense_code`)
) ENGINE=InnoDB AUTO_INCREMENT=50 DEFAULT CHARSET=utf8mb3;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `crime_against_1`
--

LOCK TABLES `crime_against_1` WRITE;
/*!40000 ALTER TABLE `crime_against_1` DISABLE KEYS */;
INSERT INTO `crime_against_1` VALUES (1,'Crime Against Property',2404),(2,'Crime
Against Society',5404),(16,'Crime Against Person',1313);
/*!40000 ALTER TABLE `crime_against_1` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `crime_against_2`
--

DROP TABLE IF EXISTS `crime_against_2`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `crime_against_2` (
  `Crime_ID_2` int NOT NULL AUTO_INCREMENT,
  `Crime_ID_1` int NOT NULL,

```

```

`Crime_name_2` varchar(45) NOT NULL,
`NIBRS_code` varchar(3) NOT NULL,
PRIMARY KEY (`Crime_ID_2`),
UNIQUE KEY `Crime_ID_2_UNIQUE` (`Crime_ID_2`),
UNIQUE KEY `Crime_name_2_UNIQUE` (`Crime_name_2`),
UNIQUE KEY `NIBRS_code_UNIQUE` (`NIBRS_code`),
KEY `Crime_ID_1_idx` (`Crime_ID_1`),
CONSTRAINT `FK_Crime_ID_1` FOREIGN KEY (`Crime_ID_1`) REFERENCES
`crime_against_1` (`Crime_ID_1`)
) ENGINE=InnoDB AUTO_INCREMENT=50 DEFAULT CHARSET=utf8mb3;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `crime_against_2`
--

```

```

LOCK TABLES `crime_against_2` WRITE;
/*!40000 ALTER TABLE `crime_against_2` DISABLE KEYS */;
INSERT INTO `crime_against_2` VALUES (1,1,'Motor Vehicle Theft','240'),
(2,2,'Driving Under the Influence','90D'),(3,1,'Theft of Motor Vehicle Parts or
Accessories','23G'),(4,1,'False Pretenses/Swindle/Confidence Game','26A'),
(5,2,'Trespass of Real Property','90J'),(6,2,'Drug/Narcotic Violations','35A'),
(7,1,'Shoplifting','23C'),(14,1,'Theft from Building','23D'),(16,16,'Simple
Assault','13B'),(18,1,'Theft From Motor Vehicle','23F'),(20,1,'Burglary/Breaking
and Entering','220'),(24,16,'Statutory Rape','36B'),(27,16,'Aggravated
Assault','13A'),(29,1,'All other Larceny','23H'),(33,1,'Credit Card/Automatic
Teller Machine Fraud','26B'),(36,1,'Destruction/Damage/Vandalism of
Property','290'),(43,1,'Robbery','120'),(48,1,'Identity Theft','26F');
/*!40000 ALTER TABLE `crime_against_2` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `crime_against_3`
--

```

```

DROP TABLE IF EXISTS `crime_against_3`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `crime_against_3` (
  `Crime_ID_3` int NOT NULL AUTO_INCREMENT,
  `Crime_ID_2` int NOT NULL,
  `Crime_name_3` varchar(45) NOT NULL,
  PRIMARY KEY (`Crime_ID_3`),
  KEY `fk_Crime_Against_3_Crime_Against_2_idx` (`Crime_ID_2`),
  CONSTRAINT `fk_Crime_Against_3_Crime_Against_2` FOREIGN KEY (`Crime_ID_2`)
REFERENCES `crime_against_2` (`Crime_ID_2`)
) ENGINE=InnoDB AUTO_INCREMENT=99 DEFAULT CHARSET=utf8mb3;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `crime_against_3`
--

```

```

LOCK TABLES `crime_against_3` WRITE;
/*!40000 ALTER TABLE `crime_against_3` DISABLE KEYS */;
INSERT INTO `crime_against_3` VALUES (1,1,'AUTO THEFT - VEHICLE THEFT'),(2,1,'AUTO
THEFT - VEHICLE THEFT'),(3,1,'AUTO THEFT - VEHICLE THEFT'),(4,1,'AUTO THEFT -
VEHICLE THEFT'),(5,2,'DRIVING UNDER THE INFLUENCE LIQUOR'),(6,2,'DRIVING UNDER THE
INFLUENCE LIQUOR'),(7,3,'LARCENY - AUTO PARTS'),(8,3,'LARCENY - AUTO PARTS'),

```

```

(9,4,'FRAUD - SWINDLE'),(10,4,'FRAUD - SWINDLE'),(11,5,'TRESPASSING'),(12,6,'DRUGS
- OPIUM OR DERIVATIVE - POSSESS'),(13,6,'DRUGS - COCAINE - SELL'),(14,6,'DRUGS -
MARIJUANA - POSSESS'),(15,6,'DRUGS - MARIJUANA - POSSESS'),(16,6,'DRUGS - MARIJUANA
- POSSESS'),(17,6,'DRUGS - DANGEROUS (DESCRIBE OFFENSE)'),(18,7,'LARCENY -
SHOPLIFTING'),(19,7,'LARCENY - SHOPLIFTING'),(20,7,'LARCENY - SHOPLIFTING'),
(21,7,'LARCENY - SHOPLIFTING'),(22,7,'LARCENY - SHOPLIFTING'),(23,7,'LARCENY -
SHOPLIFTING'),(24,7,'LARCENY - SHOPLIFTING'),(25,7,'LARCENY - SHOPLIFTING'),
(26,7,'LARCENY - SHOPLIFTING'),(27,7,'LARCENY - SHOPLIFTING'),(28,7,'LARCENY -
SHOPLIFTING'),(44,14,'LARCENY (DESCRIBE OFFENSE)'),(45,14,'LARCENY (DESCRIBE
OFFENSE)'),(47,16,'DAMAGE PROPERTY - PUBLIC'),(49,18,'IDENTITY THEFT');
/*!40000 ALTER TABLE `crime_against_3` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `incidents`
--

```

```

DROP TABLE IF EXISTS `incidents`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `incidents` (
  `Incident_ID` int NOT NULL AUTO_INCREMENT,
  `Location_ID` int NOT NULL,
  `Agency_ID` int NOT NULL,
  `Incident_number` int DEFAULT NULL,
  `CR_number` int DEFAULT NULL,
  `Victims` int DEFAULT NULL,
  `Dispatch_date` date DEFAULT NULL,
  `Start_date` date DEFAULT NULL,
  `End_date` date DEFAULT NULL,
  PRIMARY KEY (`Incident_ID`),
  UNIQUE KEY `Incident_ID_UNIQUE` (`Incident_ID`),
  KEY `Location_ID (FK)` (`Location_ID`),
  KEY `Agency_ID` (`Agency_ID`),
  CONSTRAINT `Agency_ID` FOREIGN KEY (`Agency_ID`) REFERENCES `police_agency`
(`Agency_ID`),
  CONSTRAINT `Location_ID (FK)` FOREIGN KEY (`Location_ID`) REFERENCES `location`
(`Location_ID`)
) ENGINE=InnoDB AUTO_INCREMENT=61 DEFAULT CHARSET=utf8mb3;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `incidents`
--

```

```

LOCK TABLES `incidents` WRITE;
/*!40000 ALTER TABLE `incidents` DISABLE KEYS */;
INSERT INTO `incidents` VALUES (41,3,3,201360056,220001336,1,'2022-01-12','2022-01-
12','2022-01-12'),(42,6,3,201360519,220001908,1,'2022-01-15','2022-01-15','2022-01-
15'),(43,15,2,201377648,220022392,1,'2022-05-25','2022-05-16','2022-05-21'),
(44,17,2,201337639,210026590,1,'2021-07-10','2021-07-10','2021-07-10'),
(45,18,2,201367088,220009661,1,'2022-03-06','2022-03-05','2022-03-06'),
(46,19,2,201360562,220001959,1,'2022-01-16','2022-01-16','2022-01-16'),
(47,20,2,201132008,170504969,1,'2017-04-29','2017-04-22','2017-04-25'),
(48,22,2,201162146,170542970,1,'2017-11-15','2017-11-15','2017-11-15'),
(49,28,2,201411802,230005778,1,'2023-02-04','2023-02-03','2023-02-04'),
(50,29,1,201374356,220018396,1,'2022-04-30','2022-04-30','2022-04-30'),
(51,33,2,201451226,230063919,1,'2023-11-02','2023-10-11','2023-10-20'),
(52,36,3,201360591,220001992,1,'2022-01-16','2022-01-16','2022-01-16'),

```

```

(53,37,2,201361124,220002619,1,'2022-01-21','2022-01-20','2022-01-21'),
(54,38,3,201369067,220012030,1,'2022-03-20','2022-03-20','2022-03-20'),
(55,41,2,201401076,220050824,1,'2022-11-17','2022-11-10','2022-11-17'),
(56,42,3,201402385,220052382,1,'2022-11-28','2022-11-28','2022-11-28'),
(57,45,2,201403113,220053184,1,'2022-12-02','2022-12-02','2022-12-02');
/*!40000 ALTER TABLE `incidents` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `incidents_crimes`
--

DROP TABLE IF EXISTS `incidents_crimes`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `incidents_crimes` (
  `Incident_ID` int NOT NULL,
  `Crime_ID_1` int NOT NULL,
  PRIMARY KEY (`Incident_ID`,`Crime_ID_1`),
  KEY `fk_incidents_has_Crime_Against_1_Crime_Against_11_idx` (`Crime_ID_1`),
  KEY `fk_incidents_has_Crime_Against_1_incidents1_idx` (`Incident_ID`),
  CONSTRAINT `fk_incidents_has_Crime_Against_1_Crime_Against_11` FOREIGN KEY
  (`Crime_ID_1`) REFERENCES `crime_against_1` (`Crime_ID_1`),
  CONSTRAINT `fk_incidents_has_Crime_Against_1_incidents1` FOREIGN KEY
  (`Incident_ID`) REFERENCES `incidents` (`Incident_ID`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb3;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `incidents_crimes`
--

LOCK TABLES `incidents_crimes` WRITE;
/*!40000 ALTER TABLE `incidents_crimes` DISABLE KEYS */;
/*!40000 ALTER TABLE `incidents_crimes` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `location`
--

DROP TABLE IF EXISTS `location`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `location` (
  `Location_ID` int NOT NULL AUTO_INCREMENT,
  `City` varchar(45) DEFAULT NULL,
  `State` varchar(2) DEFAULT NULL,
  `Zip_code` int DEFAULT NULL,
  `Address_number` int DEFAULT NULL,
  `Street_prefix` varchar(2) DEFAULT NULL,
  `Street_name` varchar(45) DEFAULT NULL,
  `Street_suffix` varchar(4) DEFAULT NULL,
  `street_type` varchar(5) DEFAULT NULL,
  PRIMARY KEY (`Location_ID`),
  UNIQUE KEY `Location_ID_UNIQUE` (`Location_ID`)
) ENGINE=InnoDB AUTO_INCREMENT=46 DEFAULT CHARSET=utf8mb3;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```
--
-- Dumping data for table `location`
--

LOCK TABLES `location` WRITE;
/*!40000 ALTER TABLE `location` DISABLE KEYS */;
INSERT INTO `location` VALUES (1,'GERMANTOWN','','20874,13500','','DUHART','','RD'),
(2,'GAITHERSBURG','MD',20877,100,'N','FREDERICK','','AVE'),
(3,'ROCKVILLE','MD',20851,1600','','BRADLEY','','AVE'),
(4,'GAITHERSBURG','MD',20878,1','','GRAND CORNER','','AVE'),(5,'SILVER
SPRING','MD',20902,11100','','VEIRS MILL','','RD'),(6,'SILVER
SPRING','MD',20902,11100','','VEIRS MILL','','RD'),
(7,'GAITHERSBURG','MD',20877,700','','RUSSELL','','AVE'),(8,'SILVER
SPRING','MD',20902,11100','','VEIRS MILL','','RD'),
(9,'GERMANTOWN','MD',20876,20900','','FREDERICK','','RD'),
(10,'GERMANTOWN','MD',20876,20900','','FREDERICK','','RD'),(11,'SILVER
SPRING','MD',20904,12000','','CHERRY HILL','','RD'),(12,'SILVER
SPRING','MD',20904,1','','CARONA','','CT'),(13,'CHEVY
CHASE','MD',20815,4400','','WILLARD','','AVE'),
(14,'ROCKVILLE','MD',20852,5200','','TUCKERMAN','','LA'),(15,'SILVER
SPRING','MD',20910,8400','','16TH','','ST'),
(16,'POTOMAC','MD',20854,7600','','GLACKENS','','DR'),
(17,'BETHESDA','MD',20817,7100','','DEMOCRACY','','BLV'),
(18,'OLNEY','MD',20832,18600','','FIDDLELEAF','','TER'),
(19,'GAITHERSBURG','MD',20787,800','','CLOPPER','','RD'),(20,'SILVER
SPRING','MD',20904,1000','','MILESTONE','','DR'),(21,'SILVER
SPRING','MD',20901,11000','','NEW HAMPSHIRE','','AVE'),(22,'SILVER
SPRING','MD',20902,11100','','VEIRS MILL','','RD'),(23,'SILVER
SPRING','MD',20906,14200','','GEORGIA','','AVE'),(24,'SILVER
SPRING','MD',20903,9700','','MT PISGAH','','RD'),
(25,'GAITHERSBURG','MD',20878,500','','QUINCE ORCHARD','','RD'),
(26,'GAITHERSBURG','MD',20877,700','','RUSSELL','','AVE'),
(27,'GAITHERSBURG','MD',20878,100','','EDISON PARK','','DR'),
(28,'GAITHERSBURG','MD',20877,700','','RUSSELL','','AVE'),
(29,'BURTONSVILLE','MD',20866,15000','','BLACKBURN','','RD'),
(30,'GAITHERSBURG','MD',20787,800','','CLOPPER','','RD'),(31,'SILVER
SPRING','MD',20902,12300','','GEORGIA','','AVE'),
(32,'ROCKVILLE','MD',20850,300','','FREDERICK','','AVE'),
(33,'KENSINGTON','MD',20895,4000','','FRANKLIN','','ST'),
(34,'ROCKVILLE','MD',20852,1300','','ROCKVILLE','','PIK'),
(35,'GAITHERSBURG','MD',20877,1','','TRENTO','','CT'),(36,'SILVER
SPRING','MD',20902,11200','','TRIANGLE','','LA'),(37,'SILVER
SPRING','MD',20906,3600','','JANET','','RD'),
(38,'ROCKVILLE','MD',20850,100','','ELMCROFT','','SQ'),(39,'SILVER
SPRING','MD',20906,12500','','GEORGIA','','AVE'),
(40,'ROCKVILLE','MD',20853,5100','','NORBECK','','RD'),(41,'SILVER
SPRING','','20906,12400','','DALEWOOD','','DR'),(42,'SILVER
SPRING','MD',20903,9700','','MT PISGAH','','RD'),
(43,'GAITHERSBURG','MD',20878,1','','GRAND CORNER','','AVE'),
(44,'POTOMAC','MD',20854,13200','','MAPLECREST','','DR'),
(45,'ROCKVILLE','MD',20850,600','','RIDGEMONT','','AVE');
/*!40000 ALTER TABLE `location` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `police_agency`
--

DROP TABLE IF EXISTS `police_agency`;
```

```

/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `police_agency` (
  `Agency_ID` int NOT NULL AUTO_INCREMENT,
  `police_district_number` varchar(10) NOT NULL,
  `Agency_name` varchar(6) NOT NULL,
  `Sector` varchar(1) NOT NULL,
  `Beat` varchar(5) NOT NULL,
  `PRA` int NOT NULL,
  PRIMARY KEY (`Agency_ID`),
  UNIQUE KEY `Agency_ID_UNIQUE` (`Agency_ID`),
  KEY `police_district_number_fk_idx` (`police_district_number`),
  CONSTRAINT `police_district_number_fk` FOREIGN KEY (`police_district_number`)
REFERENCES `police_district` (`Police_district_number`)
) ENGINE=InnoDB AUTO_INCREMENT=50 DEFAULT CHARSET=utf8mb3;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `police_agency`
--

```

```

LOCK TABLES `police_agency` WRITE;
/*!40000 ALTER TABLE `police_agency` DISABLE KEYS */;
INSERT INTO `police_agency` VALUES (1,'5D','MCPD','N','5N2',596),
(2,'6D','GPD','P','6P2',428),(3,'1D','RCPD','A','1A2',293),
(4,'6D','GPD','P','6P1',549),(5,'4D','MCPD','L','4L2',321),
(6,'1D','RCPD','A','1A3',278),(7,'4D','MCPD','L','4L2',321),
(8,'6D','GPD','R','6R1',548),(9,'4D','MCPD','L','4L2',321),
(10,'5D','MCPD','M','5M1',701),(11,'3D','MCPD','G','3G1',94),
(12,'5D','MCPD','M','5M1',701),(13,'3D','MCPD','I','3I1',146),
(16,'4D','MCPD','J','4J1',372),(18,'2D','MCPD','D','2D4',185),
(19,'2D','MCPD','D','2D1',517),(20,'1D','MCPD','B','1B1',203),
(22,'4D','MCPD','J','4J2',401),(23,'6D','GPD','P','6P2',593),
(24,'3D','MCPD','I','3I1',148),(25,'3D','MCPD','H','3H2',142),
(26,'4D','MCPD','L','4L2',321),(27,'4D','MCPD','K','4K1',534),
(28,'3D','MCPD','H','3H2',655),(29,'6D','GPD','P','6P2',445),
(30,'6D','GPD','R','6R1',548),(31,'1D','MCPD','B','1B2',725),
(32,'6D','GPD','R','6R1',548),(33,'3D','MCPD','I','3I2',381),
(34,'6D','GPD','P','6P2',593),(35,'4D','MCPD','L','4L1',536),
(36,'1D','RCPD','A','1A3',743),(37,'2D','MCPD','D','2D3',180),
(38,'1D','RCPD','A','1A1',266),(39,'6D','GPD','P','6P3',419),
(40,'4D','MCPD','L','4L2',324),(41,'4D','MCPD','K','4K2',336),
(42,'1D','RCPD','A','1A3',439),(43,'4D','MCPD','K','4K2',335),
(44,'4D','MCPD','K','4K2',344),(45,'4D','MCPD','K','4K2',334),
(46,'3D','MCPD','H','3H2',138),(47,'6D','GPD','P','6P1',549),
(48,'1D','MCPD','B','1B1',237),(49,'1D','RCPD','A','1A3',439);
/*!40000 ALTER TABLE `police_agency` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `police_district`
--

```

```

DROP TABLE IF EXISTS `police_district`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `police_district` (
  `Police_district_number` varchar(10) NOT NULL,
  `Police_district_name` varchar(45) DEFAULT NULL,

```

```

    PRIMARY KEY (`Police_district_number`),
    UNIQUE KEY `Police_district_name_UNIQUE` (`Police_district_name`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb3;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `police_district`
--

LOCK TABLES `police_district` WRITE;
/*!40000 ALTER TABLE `police_district` DISABLE KEYS */;
INSERT INTO `police_district` VALUES ('2D','BETHESDA'),('5D','GERMANTOWN'),
('6D','MONTGOMERY VILLAGE'),('1D','ROCKVILLE'),('3D','SILVER SPRING'),
('Unknown','Unknown'),('4D','WHEATON');
/*!40000 ALTER TABLE `police_district` ENABLE KEYS */;
UNLOCK TABLES;
/*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */;

/*!40101 SET SQL_MODE=@OLD_SQL_MODE */;
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
/*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;

-- Dump completed on 2024-05-13 22:49:42

```