



Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical
Physical
x: 959, y: 219
Root
03:04:30
MESH TOPOLOGY
PC-PT PC0
PC-PT PC1
2950-24 Switch0
2950-24 Switch1
2950-24 Switch3
2950-24 Switch2
PC-PT PC2
PC-PT PC3
Simulation Panel
Event List
Vis. Time(sec) Last Device
0.000 --
0.008 --
0.009 PC0
0.010 Switch0
0.011 Switch3
0.012 Switch2
0.013 PC3
0.014 Switch2
0.015 Switch3
0.016 Switch0
Reset Simulation
Constant Delay
Captured to: 152.761 s
Play Controls
Event List Filters - Visible Events
ICMP
Edit Filters
Show All/None
Time: 00:05:53.974
PLAY CONTROLS:
Event List
Realtime
Simulation
Scenario 0
New
Delete
Toggle PDU List Window
Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete
Successful PC0 PC3 ICMP 0.000 N 0 (edit) (delete)


Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical
Physical
x: 643, y: 697
Root
04:50:00
STAR TOPOLOGY
PC-PT PC0
PC-PT PC1
PC-PT PC4
2950-24 Switch0
PC-PT PC2
PC-PT PC3
Simulation Panel
Event List
Vis.
Time(sec)
Last Device
0.000 --
0.004 --
0.005 PC1
0.006 Switch0
0.007 PC4
0.008 Switch0
Reset Simulation
Constant Delay
Captured to:
0.008 s
Play Controls
Event List Filters - Visible Events
ICMP
Edit Filters
Show All/None
Time: 00:08:08.879
PLAY CONTROLS:
Event List
Realtime
Simulation
Scenario 0
New
Delete
Toggle PDU List Window
Fire
Last Status
Source
Destination
Type
Color
Time(sec)
Periodic
Num
Edit
Delete
Successful PC1 PC4 ICMP 0.000 N 0 (edit) (delete)


Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical Physical x: 686, y: 203
BUS TOPOLOGY
PC-PT PC0
PC-PT PC1
PC-PT PC2
2960-24TT Switch0
2960-24TT Switch1
2960-24TT Switch2
PC-PT PC5
PC-PT PC4
PC-PT PC3
Time: 00:09:36
PC2
Physical Config Desktop Programming Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.1.10
Pinging 192.168.1.10 with 32 bytes of data:
Reply from 192.168.1.10: bytes=32 time<1ms TTL=128
Reply from 192.168.1.10: bytes=32 time<1ms TTL=128
Reply from 192.168.1.10: bytes=32 time=1ms TTL=128
Reply from 192.168.1.10: bytes=32 time<1ms TTL=128
Ping statistics for 192.168.1.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms
C:\>
Top
04:50:00
Realtime Simulation