


SMART
TECHNOLOGY
FOR A BETTER
TOMORROW

SWAMI™

GARMENTS SEWING MACHINE

JK-8009VCDII/UTL

HIGH SPEED COMPUTERIZED MULTI-NEEDLE MACHINE



FEATURING



INDUSTRIAL SEWING MACHINES

FABRICS
IDEAS
A STRONGER
TOMORROW


PRODUCT CATALOGUE
2026 COLLECTION

GLOBAL
MACHINES
LOCAL
PARTNERSHIP

01 / PRODUCT OVERVIEW

JK-8009VCDII/UTL High Speed Computerized Multi-needle Machine

A high-speed multi-needle platform designed for elastic attaching, tape attaching, shirt-fronting, waist-band work and other production applications.



UP TO

3,500
MAX. SPEED /
S.P.M.



POWER-SAVING

Source brochure positioning for efficient production.



Tape attaching




Shirt-fronting



WIDE APPLICATIONS

Elastic, tape, shirt-fronting and waist-band use cases.



MULTI-NEEDLE RANGE

Multiple needle/thread configurations for production needs.

02 / APPLICATION

Elastic Attaching

The supplied JACK brochure positions the JK-8009VCDII/UTL for wide application work, including elastic attaching in garment production.

INTELLIGENT
CONTROL
HIGHER PRODUCTIVITY
SUPERIOR QUALITY

1.7-4.0
STITCH LENGTH RANGE



Multi-needle production

Source variants span multiple needle and thread counts depending on configuration.

Elastic attaching

03 / APPLICATION RANGE

Wide Application System

Application examples in the supplied brochure include tape attaching, shirt-fronting and waist-band work, alongside elastic attaching.

INTELLIGENT
CONTROL
HIGHER PRODUCTIVITY
SUPERIOR QUALITY

8 mm

PRESSER FOOT LIFT



Tape attaching



Shirt-fronting



Waist band JK-8009HF

Production flexibility


Optional configurations include computerized/direct-drive and application-specific devices as listed by JACK.

05 / TECHNICAL SPECIFICATIONS

Technical Specifications

SOURCE-ALIGNED PRODUCT DATA

Configurations and values below are drawn from the supplied JACK product brochure.



Model family	Needles	Threads	Stitch length	Presser lift	Max speed	Volume
04064P/04080P/04085P/04095P/UTL	4	8	1.7-4.0 mm	8 mm	3500 spm	615x400x605
06048P/06064P/06080P/06095P/UTL	6	12	1.7-4.0 mm	8 mm	3500 spm	615x400x605
08064P/08085P/UTL	8	16	1.7-4.0 mm	8 mm	3500 spm	615x400x605
12064P/UTL	12	24	1.7-4.0 mm	8 mm	3500 spm	615x400x605
13064-32P/UTL	13	26	1.7-4.0 mm	8 mm	3500 spm	615x400x605

Source table lists additional needle-count and application variants. Weight is listed as 52.5/57.5 kg on the supplied brochure.

GLOBAL
SOLUTIONS
LOCAL
PARTNERSHIP

STITCHING
A STRONGER
TOMORROW

SWAMITM

GARMENTS SEWING MACHINE

FEATURING
JACK

INDUSTRIAL SEWING MACHINES

COMPLETE SUPPORT
FOR A HIGHER TOMORROW



SALES



INSTALLATION



TRAINING



MAINTENANCE



SPARE PARTS



TECHNICAL
SUPPORT



AFTER-SALES

REQUEST QUOTE →



swamienterprises.online

FABRICS
IDEAS
A STRONGER
TOMORROW

A GLOBAL PARTNERSHIP
FOR A SMARTER APPAREL INDUSTRY

PEOPLE
MACHINES
PROGRESS
TOGETHER