


SMART
TECHNOLOGY
FOR A BETTER
TOMORROW

SWAMI™

GARMENTS SEWING MACHINE

A3c

COMPUTERIZED LOCKSTITCH



FEATURING

JACK

INDUSTRIAL SEWING MACHINES

FABRICS
IDEAS
A STRONGER
TOMORROW

PRODUCT CATALOGUE
2026 COLLECTION

GLOBAL
MACHINES
LOCAL
PARTNERSHIP

01 / PRODUCT OVERVIEW

A3c

Computerized Lockstitch

PRECISION
BUILDS
A STRONGER
TOMORROW

A high-speed computerized lockstitch machine for garment production, delivering intelligent control, higher productivity and superior sewing quality.



UP TO
5,000
S.P.M.
ON A3c-C




OCTOPUS CHIP

Supports up to 10,000 operations per second, enabling unified control of multiple functions for faster response and optimized productivity.



ULTRA-FAST RESPONSE SYSTEM

Three functions are flexibly integrated for rapid response, significantly improving production efficiency and product quality.



0.1-SECOND CUTTING & REINFORCE TECHNOLOGY

Integrated with stitch-length adjustment, thread trimming and feeding mechanism. Completes the corresponding action within 0.1 seconds.

AVAILABLE CONFIGURATIONS

A3c-C	DBx1 11-18# Max. Speed: 5,000 s.p.m.	A3c-C-H-7	DPx5 18-21# Max. Speed: 3,500 s.p.m.
--------------	---	------------------	---

GLOBAL
MACHINES
LOCAL
PARTNERSHIP

03 / RESPONSE SYSTEM


Ultra-fast Response System

The Octopus Chip enables unified control of the three automatic functions. These functions are flexibly integrated for rapid response, optimizing redundant production movements while improving product quality.

INTELLIGENT
CONTROL
HIGHER PRODUCTIVITY
SUPERIOR QUALITY


15%

OVERALL EFFICIENCY
INCREASE



The Octopus Chip

COMPUTING SPEED UP TO
10,000 OPERATIONS PER SECOND



SWAMI × **JACK**

A GLOBAL PARTNERSHIP FOR A SMARTER APPAREL INDUSTRY

PRECISION
THROUGH
INNOVATION


05 / AUTOMATIC ACTION

0.1-Second Cutting & Reinforce Technology


The automatic stitch-length adjustment mechanism is integrated with the thread trimming and feeding mechanism, and has been optimized for broader garment production scenarios. It can complete the corresponding action within 0.1 seconds upon receiving the control parameters.

INTELLIGENT
CONTROL
HIGHER PRODUCTIVITY
SUPERIOR QUALITY

0.1S
ACTION TIME



INTEGRATED CUTTING, TRIMMING,
AND FEEDING RESPONSE




05 / TECHNICAL SPECIFICATIONS

Technical Specifications

PRECISION ENGINEERING
FOR HIGHER PRODUCTIVITY

The SWAMI A3c series combines advanced automation, reliable performance and industrial-grade durability to meet the evolving needs of the garment industry.

INDUSTRIAL
SEWING
EXCELLENCE



GLOBAL
MACHINES
LOCAL
PARTNERSHIP

TECHNICAL SPECIFICATIONS

Model	Needle	Thread Qty	Stitch Length (mm)	Presser Foot Lift (mm)	Max. Speed (s.p.m.)	Light Material	Medium-thick Material	Thick Material
A3c-C	DBx1 11-18#	2	5	5-13	5000	✓	✓	—
A3c-C-H-7	DPx5 18-21#	2	7	5-13	3500	—	—	✓



CONFIGURATIONS FOR

light / medium-thick / thick material applications.

GLOBAL
SOLUTIONS
LOCAL
PARTNERSHIP

STITCHING
A STRONGER
TOMORROW

SWAMI™

GARMENTS SEWING MACHINE

FEATURING
JACK
INDUSTRIAL SEWING MACHINES

COMPLETE SUPPORT
FOR A HIGHER TOMORROW



SALES



INSTALLATION



TRAINING



MAINTENANCE



SPARE PARTS



TECHNICAL
SUPPORT



AFTER-SALES

REQUEST QUOTE →



swamienterprises.online

FABRICS
IDEAS
A STRONGER
TOMORROW

A GLOBAL PARTNERSHIP
FOR A SMARTER APPAREL INDUSTRY

PEOPLE
MACHINES
PROGRESS
TOGETHER