

SMART
TECHNOLOGY
FOR A BETTER
TOMORROW

SWAMI™

GARMENTS SEWING MACHINE

H2

TOP & BOTTOM FEEDING DIRECT DRIVE LOCKSTITCH



FEATURING



INDUSTRIAL SEWING MACHINES

FABRICS
IDEAS
A STRONGER
TOMORROW

PRODUCT CATALOGUE
2026 COLLECTION

GLOBAL
MACHINES
LOCAL
PARTNERSHIP

01 / PRODUCT OVERVIEW

H2 Top & Bottom Feeding Direct Drive Lockstitch Machine

A heavy-duty lockstitch platform with top-and-bottom feeding, strong material control, large stitch length and integrated direct-drive architecture.



UP TO

2,000

MAX. SPEED /
S.P.M.



TOP & BOTTOM FEEDING

Strong feeding for demanding materials.



SEALED LIFTER SHAFT

Oil-free shaft with solid-grease lubrication.



COOLING FAN

Designed to reduce motor and control temperature.

Strong Feeding for Heavy Materials

The source brochure highlights top and bottom feeding, a 750W motor and strong feeding for heavy materials, including a claim of sewing 10 layers of leather.

INTELLIGENT
CONTROL
HIGHER PRODUCTIVITY
SUPERIOR QUALITY

750W
MOTOR



Heavy-duty control

Top-and-bottom feeding is positioned for stronger and more consistent material movement.

03 / DRIVE & CONTROL

Stable, Quiet Direct Drive

H2 uses coaxial driving and integrates a smart control panel, LED lighting and a cooling-fan design for stable production operation.

INTELLIGENT
CONTROL
HIGHER PRODUCTIVITY
SUPERIOR QUALITY

7.5-16 mm

PRESSER FOOT LIFT



Coaxial driving

The supplied brochure describes reduced energy loss and stable, durable running.

6 Cooling fan

Scientific design. vortex suction of cooling fan.

05 / TECHNICAL SPECIFICATIONS

Technical Specifications

SOURCE-ALIGNED PRODUCT DATA

Configurations and values below are drawn from the supplied JACK product brochure.



Model	Application	Needle	Stitch	Foot lift	Max speed	Volume
H2-CZ	Normal materials	DPx17 20-23#	8 mm	7.5-16 mm	2000 spm	725x285x580
H2-CZ-12	Sofa/Car seat/Curtain	DPx17 20-23#	12 mm	7.5-16 mm	2000 spm	725x285x580
H2-CZST	Gloves/Handbag etc.	DPx17 20-23#	8 mm	7.5-16 mm	2000 spm	725x285x580
H2-CZXB	Luggage	DPx17 20-23#	8 mm	7.5-16 mm	2000 spm	725x285x580
H2-CZZD	Car seat	DPx17 20-23#	8 mm	7.5-16 mm	2000 spm	725x285x580

Weight is listed as 40.5/43 kg in the supplied H2 brochure.

GLOBAL
SOLUTIONS
LOCAL
PARTNERSHIP

STITCHING
A STRONGER
TOMORROW

SWAMITM

GARMENTS SEWING MACHINE

FEATURING
JACK

INDUSTRIAL SEWING MACHINES

COMPLETE SUPPORT
FOR A HIGHER TOMORROW



SALES



INSTALLATION



TRAINING



MAINTENANCE



SPARE PARTS



TECHNICAL
SUPPORT



AFTER-SALES

REQUEST QUOTE →



swamienterprises.online

FABRICS
IDEAS
A STRONGER
TOMORROW

A GLOBAL PARTNERSHIP
FOR A SMARTER APPAREL INDUSTRY

PEOPLE
MACHINES
PROGRESS
TOGETHER