

SMART
TECHNOLOGY
FOR A BETTER
TOMORROW

SWAMI™

GARMENTS SEWING MACHINE

K7

FULL-SPEED CROSS-SEAM INTERLOCK



FEATURING



INDUSTRIAL SEWING MACHINES

FABRICS
IDEAS
A STRONGER
TOMORROW

PRODUCT CATALOGUE
2026 COLLECTION

GLOBAL
MACHINES
LOCAL
PARTNERSHIP

01 / PRODUCT OVERVIEW

K7 Full-Speed Cross-Seam Interlock Machine

An AI-assisted interlock platform designed to maintain full-speed sewing across material and thickness changes with coordinated fabric and thread control.



UP TO

6,000

MAX. SEWING
SPEED / S.P.M.

AI Full-Speed Feeding System

The system intelligently senses fabric thickness changes in real-time and calculates the optimal fabric pressing force and feed force through AI algorithms. It enables seamless collaboration between the Smart Rhino Fabric Feeding System and the 0 degree thread technology, ensuring full-speed sewing without slowdowns for thick, thin, elastic, or slippery fabrics. The system also guarantees smooth stitching during style or material changes.



AI FULL-SPEED FEEDING

Real-time thickness sensing and feed-force calculation.



• Smart Rhino fabric feeding technology:

SMART RHINO FEEDING

9.2Nm torque and 360° feed-force control.



0° THREAD TECHNOLOGY

Source claim: 30% less path resistance, 80% loop stability gain.

02 / AI FEEDING

AI Full-Speed Feeding System

The system senses fabric thickness changes in real time and calculates pressing and feed force, coordinating the Smart Rhino Fabric Feeding System with 0-degree thread technology.


INTELLIGENT
CONTROL
HIGHER PRODUCTIVITY
SUPERIOR QUALITY

11%+

COMPREHENSIVE EFFICIENCY

AI Full-Speed Feeding System

The system intelligently senses fabric thickness changes in real-time and calculates the optimal fabric pressing force and feed force through AI algorithms. It enables seamless collaboration between the Smart Rhino Fabric Feeding System and the 0 degree thread technology, ensuring full-speed sewing without slowdowns for thick, thin, elastic, or slippery fabrics. The system also guarantees smooth stitching during style or material changes.



Full-speed across changes

The source positions K7 for thick, thin, elastic and slippery fabrics without slowdowns.


Smart Rhino Fabric Feeding

Smart Rhino is described as intelligent matching for precise fabric feeding, with 9.2Nm ultra-large torque and 360-degree precise feed-force control at every 1-degree interval.

INTELLIGENT
CONTROL
HIGHER PRODUCTIVITY
SUPERIOR QUALITY

9.2Nm

ULTRA-LARGE TORQUE



- **Smart Rhino fabric feeding technology:**
Intelligent matching for precise fabric feeding

0-degree thread technology

The supplied brochure states 30% lower thread-path resistance and 80% improved loop stability.

05 / TECHNICAL SPECIFICATIONS

Technical
Specifications

SOURCE-ALIGNED PRODUCT DATA

Configurations and values below are drawn from the supplied JACK product brochure.



Model	Purpose	Ndl.	Thread	Gauge	Width	Max speed
K7-UT-01GB	Basic seam	3	5	1.5-4.5	5.6/6.4	6000
K7-UT2-01GB	Basic seam	3	5	1.5-4.5	5.6/6.4	6000
K7-UT-35AC	Hem folding + cutter	3	5	1.5-4.5	5.6/6.4	5000
K7-UT2-35AC	Hem folding + cutter	3	5	1.5-4.5	5.6/6.4	5000

All listed source rows show differential ratio 0.6-1.8, presser-foot lift 7.5 mm, factory speed 4500 spm, volume 675x450x602 mm and weight 51/61 kg.

GLOBAL
SOLUTIONS
LOCAL
PARTNERSHIP

STITCHING
A STRONGER
TOMORROW

SWAMITM

GARMENTS SEWING MACHINE

FEATURING
JACK

INDUSTRIAL SEWING MACHINES

COMPLETE SUPPORT
FOR A HIGHER TOMORROW



SALES



INSTALLATION



TRAINING



MAINTENANCE



SPARE PARTS



TECHNICAL
SUPPORT



AFTER-SALES

REQUEST QUOTE →



swamienterprises.online

FABRICS
IDEAS
A STRONGER
TOMORROW

A GLOBAL PARTNERSHIP
FOR A SMARTER APPAREL INDUSTRY

PEOPLE
MACHINES
PROGRESS
TOGETHER