

SMART
TECHNOLOGY
FOR A BETTER
TOMORROW

SWAMI™

GARMENTS SEWING MACHINE

JK-T1900G / 1903G / 1906G

ELECTRONIC BARTACKING & BUTTON ATTACHING



FEATURING



INDUSTRIAL SEWING MACHINES

FABRICS
IDEAS
A STRONGER
TOMORROW

PRODUCT CATALOGUE
2026 COLLECTION

GLOBAL
MACHINES
LOCAL
PARTNERSHIP

01 / PRODUCT OVERVIEW

JK-T1900G / 1903G / 1906G High Speed Electronic Bartacking Attaching

A multi-function special-machine for elastic applications and heavy-duty work.



UP TO

3,200

MAX. SPEED /
R.P.M.



One, Multi Functions

ONE MACHINE, MULTIFUNCTIONS

Transfer between supported bartack/button functions.



HEAVY-DUTY SEWING

Source highlights luggage/fishing-net backing work.



VISUALIZED OPERATION

Touch/dot-screen parameter and pattern display.

02 / APPLICATION FLEXIBILITY

One Machine, Multi Functions

The source describes multiple application variants including bartacking, button attaching, elastic attaching, decorative sewing, underwear/knit bartack and thick-fabric work.

INTELLIGENT
CONTROL
HIGHER PRODUCTIVITY
SUPERIOR QUALITY

60x50

MAX. LISTED SEWING RANGE / MM



1 One Machine, Multi Functions

Application family

Variant capability depends on the exact JK-T1900G/1903G/1906G configuration.

03 / THREAD FINISH


Thread Remaining Tacking & Cleanness

The supplied brochure highlights short thread remaining and no need for manual trimming on relevant models, with production-efficiency positioning.

INTELLIGENT
CONTROL
HIGHER PRODUCTIVITY
SUPERIOR QUALITY

180%

SOURCE CLAIM: BUTTON FEED



Automatic button feeding

The 180% figure is stated for the JK-T1903GR automatic button-feeding device.

05 / TECHNICAL SPECIFICATIONS

Technical Specifications

SOURCE-ALIGNED PRODUCT DATA

Configurations and values below are drawn from the supplied JACK product brochure.



Model	Application	Needle	Range	Lift	Max speed	Volume
JK-T1900GSK	Light/medium	DPx5 16#	40x30	13	3200	805x405x525
JK-T1900GHK	Heavy fabric	DPx17 19#	40x30	13	2700	805x405x525
JK-T1906GS	Pattern	DPx17 14#	60x50	10	2700	805x405x525
JK-T1903GSK	Button attach	DPx17 14#	Φ8-Φ30	10	2700	805x405x525
JK-T1903GR	Auto button feed	DPx17 14#	Φ9-Φ22	13	2700	1020x870x1390

Exact function set varies by model. Source notes automatic presser-foot lifter, trimming and wiper as standard on listed bartacking/button-attaching configurations.

GLOBAL
SOLUTIONS
LOCAL
PARTNERSHIP

STITCHING
A STRONGER
TOMORROW

SWAMI™

GARMENTS SEWING MACHINE

FEATURING
JACK

INDUSTRIAL SEWING MACHINES

COMPLETE SUPPORT
FOR A HIGHER TOMORROW



SALES



INSTALLATION



TRAINING



MAINTENANCE



SPARE PARTS



TECHNICAL
SUPPORT



AFTER-SALES

REQUEST QUOTE →



swamienterprises.online

FABRICS
IDEAS
A STRONGER
TOMORROW

A GLOBAL PARTNERSHIP
FOR A SMARTER APPAREL INDUSTRY

PEOPLE
MACHINES
PROGRESS
TOGETHER