

SMART
TECHNOLOGY
FOR A BETTER
TOMORROW

SWAMI™

GARMENTS SEWING MACHINE

JK-T781G

INTEGRATED ELECTRONIC LOCKSTITCH BUTTONHOLING



FEATURING



INDUSTRIAL SEWING MACHINES

FABRICS
IDEAS
A STRONGER
TOMORROW

PRODUCT CATALOGUE
2026 COLLECTION

GLOBAL
MACHINES
LOCAL
PARTNERSHIP

01 / PRODUCT OVERVIEW

JK-T781G

New Integrated Electronic Lockstitch Buttonholing Machine


An integrated electronic buttonholing platform with servo drive, automatic lifting/trimming and



UP TO

3,600

MAX. SPEED /
S.P.M.



SERVO-DRIVEN INTEGRATION

Low vibration/noise and high-efficiency positioning.



AUTO LIFTING & TRIMMING

Automatic presser-foot lift and thread trimming.



SHORT THREAD REMAINING

Source describes reduced follow-up thread trimming.

02 / INTEGRATED DRIVE

Auto Lifting & Trimming

The source brochure combines automatic presser-foot lifting and automatic thread trimming with an integrated servo-driven platform to improve work efficiency.

INTELLIGENT
CONTROL
HIGHER PRODUCTIVITY
SUPERIOR QUALITY

12 mm

PRESSER FOOT LIFT



Mechatronic integration

The brochure emphasizes easy installation, low vibration and low noise.

Auto Lifting And Trimming Energy


03 / THREAD CONTROL

Short Thread Remaining

For thin woven material, the source describes a short-thread setup intended to keep remaining thread within 3 mm and reduce manual thread-cutting work.

INTELLIGENT
CONTROL
HIGHER PRODUCTIVITY
SUPERIOR QUALITY

□ 3 mm
SOURCE-STATED REMAINING T



Additional controls

Bottom-thread detection and automatic counting are also shown on the supplied brochure.

5 Short Thread Remaining, No Need

05 / TECHNICAL SPECIFICATIONS

Technical
Specifications

SOURCE-ALIGNED PRODUCT DATA

Configurations and values below are drawn from the supplied JACK product brochure.



Model	Material	Hole size	Needle	Lift	Max speed	Volume
JK-T781G-Z	Woven	22x4	DPx5 12#	12	3600	730x365x695
JK-T782G-Z	Woven	33x5	DPx5 12#	12	3600	730x365x695
JK-T783G-Z	Woven	40x5	DPx5 12#	12	3600	730x365x695
JK-T781GK-Z	Knitting	22x4	DPx5KN 11#	12	3600	730x365x695
JK-T781G-Z-F13	Woven	40x5	DPx5 12#	12	3600	730x365x695

Source table lists parallel interspace 0.2-2.5 mm, thread number 2, automatic thread trimmer and auto presser-foot lifter; weight 46/66 kg.

GLOBAL
SOLUTIONS
LOCAL
PARTNERSHIP

STITCHING
A STRONGER
TOMORROW

SWAMITM

GARMENTS SEWING MACHINE

FEATURING
JACK

INDUSTRIAL SEWING MACHINES

COMPLETE SUPPORT
FOR A HIGHER TOMORROW



SALES



INSTALLATION



TRAINING



MAINTENANCE



SPARE PARTS



TECHNICAL
SUPPORT



AFTER-SALES

REQUEST QUOTE →



swamienterprises.online

FABRICS
IDEAS
A STRONGER
TOMORROW

A GLOBAL PARTNERSHIP
FOR A SMARTER APPAREL INDUSTRY

PEOPLE
MACHINES
PROGRESS
TOGETHER