


SMART
TECHNOLOGY
FOR A BETTER
TOMORROW

SWAMI™

GARMENTS SEWING MACHINE

W4

HIGH SPEED COMPUTERIZED FLAT-BED INTERLOCK



FEATURING



INDUSTRIAL SEWING MACHINES

FABRICS
IDEAS
A STRONGER
TOMORROW

PRODUCT CATALOGUE
2026 COLLECTION

GLOBAL
MACHINES
LOCAL
PARTNERSHIP

01 / PRODUCT OVERVIEW

W4 High Speed Computerized Flat-bed Interlock Machine

A full-automatic, multifunctional flat-bed interlock platform with automatic trimming, voice guidance and flexible process switching.



UP TO


5,500

MAX. SPEED /
S.P.M.



AUTOMATIC TRIMMER

Upper/lower trimming for production efficiency.



LIGHT & HEAVY FABRIC

Source positions W4 for a wide sewing range.



VOICE GUIDE

Operational voice reminders for easier use.

Automatic Thread Trimmer

The source brochure highlights upper and lower thread trimming for higher operation efficiency and states a 40% efficiency increase versus conventional interlock in its comparison graphic.

INTELLIGENT
CONTROL
HIGHER PRODUCTIVITY
SUPERIOR QUALITY

40%

SOURCE-STATED EFFICIENCY



Full automatic workflow

The brochure emphasizes precise trimming and reduced interruption.

03 / FABRIC RANGE



Light & Heavy Fabric, Beautiful Stitch

W4 is positioned for a broad sewing range across various fabrics, with smooth sewing and reduced arch/gathering effects in the source examples.

INTELLIGENT
CONTROL
HIGHER PRODUCTIVITY
SUPERIOR QUALITY

5,500

MAX. SPEED / S.P.M.



Multifunction platform


Plain seam, tape binding, cover seam, bottom hemming and other process configurations are listed.

05 / TECHNICAL SPECIFICATIONS

Technical Specifications

SOURCE-ALIGNED PRODUCT DATA

Configurations and values below are drawn from the supplied JACK product brochure.



Model	Function	Ndl.	Thread	Stitch	Lift	Max speed
W4-UT-01GB	Plain seaming	3	5	1.5-4.5	7	5500
W4-UT-02BB	Tape binding	3	5	1.5-4.5	7	5500
W4-UT-03DB	Covering stitch	3	5	1.5-4.5	7	5500
W4-UT-0BAC	Bottom hemming	3	5	1.5-4.5	7	5500
W4-D-05CB	Elastic lace attach	3	5	1.5-4.5	5	4000

Source table lists UY128GAS 11-14# needles for these shown variants, stitch width 5.6/6.4 mm and volume 670x445x595 mm.

GLOBAL
SOLUTIONS
LOCAL
PARTNERSHIP

STITCHING
A STRONGER
TOMORROW

SWAMITM

GARMENTS SEWING MACHINE

FEATURING
JACK

INDUSTRIAL SEWING MACHINES

COMPLETE SUPPORT
FOR A HIGHER TOMORROW



SALES



INSTALLATION



TRAINING



MAINTENANCE



SPARE PARTS



TECHNICAL
SUPPORT



AFTER-SALES

REQUEST QUOTE →



swamienterprises.online

FABRICS
IDEAS
A STRONGER
TOMORROW

A GLOBAL PARTNERSHIP
FOR A SMARTER APPAREL INDUSTRY

PEOPLE
MACHINES
PROGRESS
TOGETHER