UHI8 Hookathon

Hookathon Background & Incentives

Hookathon Overview

During the last 3 weeks of the Uniswap Hook Incubator, developers build their own hook applying what they've learned in the first 6 weeks of the program. This experience culminates in a live Demo Day where top teams present their projects to a panel of notable investors, researchers, and builders.

In the initial six cohorts, 400 experienced developers have come together to build 300+ unique hooks. Over 100 developers went on to win $130,000+ in prizes. Multiple projects then went on to receive additional funding in the form of grants and venture capital. Many of the UHI Alumni teams have gone on to raise millions of dollars in funding, and graduates' hooks have already won multiple thousands of dollars in grants.

Your Mission

Build a custom hook from your own idea or get inspired by our Request for Hooks page.
Hack solo or in teams of up to 4 developers.
Solo devs, duos, and full teams have all won before.
If you like, you can submit multiple hooks (only up to 3) but focus on quality over quantity.

Submission Guidelines

Hooks will be evaluated on:

Original Idea
Unique Execution
Impact
Functionality
Presentation Pitch

What to submit:

Link to your GitHub repo
Link to a demo video explaining your project

Either:

Include test cases, OR
Build a frontend for judges to interact with
You'll be able to submit your final project through this form at the end of the Hookathon.
See Sponsor Hooks for individual sponsor criteria and ideas.

$25,000+ in Prizes

Sponsored by Reactive Network, Unichain, and Uniswap Foundation.
All prize pools are split across multiple winning projects increasing the prize opportunities for all competing devs.

Industry Exposure

Participating in this hackathon grants you exposure as an innovator in DeFi and pioneer of Uniswap v4!
DeFi investors at top crypto VC firms (Variant Fund, a16z, Dragonfly Capital, USV) judge the projects involved.
Multiple grant providers attend with the explicit intention to fund compelling projects.
Founders and engineer managers recruit devs directly from the program.

Alumni Perks

All graduates who submit a capstone hook are eligible to join future hackathons. Even if you don't have the capacity to ship the highest quality hook this cohort, ship something by the deadline and return to launch your masterpiece next time :)
Only graduates who submit a capstone hook will be eligible for consideration as a Uniswap Foundation Ambassador. This is a new program that helps grow the Uniswap ecosystem through both content and technical contributions, and is great exposure for you within the broader community.
Receive a personalized NFT certificate highlighting your project name and date of completion.
We'll deliver physical swag (e.g. sweatshirt or t-shirt) directly to you.

Hookathon Guidelines & Process

How to get started

Please post your hook ideas in #hook-ideas and get feedback or suggestions (or maybe even collaborators).
Find teammates in #form-a-team (you can also work solo, if you prefer).
If you haven't submitted your Hookathon Project Idea Submission via this form, this should be your top focus before starting work. If you're stuck on an idea, spend a few minutes reading

through what people have shared on discord and scan through the Request for Hooks page for inspiration.
Be sure to submit your progress updates.

Submitting your progress updates:

Submit this form for the Progress Update 1 (1 week into the hookathon)
Submit this form for the Progress Update 2 (2 weeks into the hookathon)
Make sure you use the Project ID you recieved in your initial submission email (should be something like HK-UHI#-####)
Reminder: Only one person from each team needs to submit the update!

Submitting your project via the Final Hookathon Submission form:

Submit your final project here.
Once submitted, your project will appear in the hooks directory: hooks.atrium.academy
You'll receive an email invite within 1 week of submission for edit access to your individual project page.
(Check for an email with subject **"Atrium is ready to work with you").

Tips for your Hookathon Submission

Things to note while submitting:

Under Submission Type, select "Uniswap Hook Incubator (UHI)".
Select all the partners you've integrated so you're considered for their track prizes a. Please do not select any partners that you haven't actually built the integrations for. Explanations for future integrations will not be considered for prizes.
In the Links section, make sure to include:
a. A demo video (no more than 5 minutes). You can use Loom, OBS or any screen capture tools you'd like.
b. Your public GitHub repo(s) that contain the hook and any supporting code.
For your submission, testnet deployment isn't mandatory. Just make sure that you submit a hook with: unit tests OR a basic frontend that interacts with the hook.

Demo Video Tips

You have full creative freedom — just keep it clear, concise, and under 5 minutes.
Here are some formats you can use:
Start with slides explaining your hook, then move into a live demo.
Short walk through your code and tests — or if you have a frontend, show us that.
Make sure to cover these:
The problem you're solving
How your hook works

How it compares to existing solutions (if relevant)

Judging

This section is meant to help you ensure you're planning for the best possible Hookathon outcome and that you submit a hook that meets all the necessary requirements to be eligible for judging and for graduation.

Binary Qualifications

If any of these criteria are not true or present, your submission will not be evaluated in judging and you may not be eligible for alumni status.

Criteria	Description	Pass/Fail Threshold	Notes
Public GitHub Repo	GitHub repository is public.	Yes	Private repos must be cleared with Atrium Academy prior to submission and access provided to Hookathon judges. Private repos that have not been pre-cleared will be disqualified.
Demo/Explainer Video	Demo or explainer video (≤5 min) explaining the hook is included in the submission.	Yes	Without a demo video, your project will not be reviewed for judging.
Valid Hook	Contains a valid Uniswap v4 hook or directly interfaces with hooks.	Yes	You must have built a Uniswap v4 hook to be eligible for judging and alumni status. Any exceptions must be submitted to team@atrium.academy and approved prior to the submission deadline.
Written & Workable Code	Submission contains functional code created during the Hookathon period.	Yes	While some code may have been written prior to the Hookathon start date, a portion must be newly written during the Hookathon period.

README with Partner Integrations	README lists partner integrations used and where they are in code (or states “No partner integrations”).	Yes	Theoretical integrations or future plans will not be considered and should not be mentioned for judging. The README must clearly outline where partner tech is integrated to be reviewed for partner prizes.
New Code for Returning Teams	Returning participants may only submit new code and functionality created since the last judged submission.	Yes	Past code reviewed in a previous Hookathon is ineligible for prize consideration.
Originality (No Copied Code)	The project must be original; directly copied code from workshops, curriculum, other developers, or past projects disqualifies the submission unless clearly credited.	Yes	Violations disqualify the team from prizes, graduation, and alumni perks.

Note: A front-end is not required, but providing one may make judging more straightforward. If no front-end is provided, submission must include sufficient test cases for judges to verify functionality. Projects that have neither tests nor a front end will not be judged for prizes.

Scored Evaluation (Weighted)

Scored on a 0–5 scale (0 = Poor/Not at all, 5 = Exceptional).
For Hook Submissions that meet the Binary Qualifications listed above, judging will be based on the following categories below.

Criteria	Description	Score Range	Weight (%)
Original Idea	Novelty of the concept itself — is the idea behind the hook new to Uniswap or DeFi?	0–5	30%
Unique Execution	Distinctiveness of how the hook is built — architecture, integrations, optimizations, UX.	0–5	25%
Impact	Potential value to users and/or the Uniswap ecosystem, or DeFi.	0–5	20%

Functionality	How well the hook works as intended/outlined; robustness and completeness of implementation.	0–5	15%
Presentation Pitch	Clarity, persuasiveness, and quality of the video explanation/demo.	0–5	10%

General Hook Ideas

Hook Ideas taught in UHI

Hook Name	Description
Gas Price Fees	A hook that dynamically modifies Swap Fees (LP Fees) in the related pool in response to movements in average gas price onchain, which can make pools more competitive by decreasing fees during periods of high gas and increasing fees during periods of low gas around a base fee.
JiT Rebalancing Hook	A hook that has LPs transfer their tokens to the hook, instead of the Pool Manager directly, and does active management for the tokens. Originally it places all liquidity full-range across the pool. If a “large” swap is detected (large can be defined by % of reserves, or a certain dollar amount, etc) - the hook takes all liquidity it’s managing and concentrates it in a `+- 1` tick range around the current tick, allowing the swapper to get access to high liquidity depth without causing much slippage and having these LPs gain most of the fees around that tick. After swap, it rebalances back to full range
Nezlobin’s Directional Fee	A hook that dynamically increases/decreases swap fees in one direction to deter large price movements caused by arbitrageurs that can create toxic order flow to mitigate impermanent loss for LPs.
CSMM Custom Curves	A simple custom pricing curve (CSMM) implemented as a NoOp hook that follows the invariant $x + y = k$ instead of $x * y = k$
LAMMBert	Another custom pricing curve implemented as a NoOp hook that follows the Lambert *W function*. **Tweet reference**

Async Swap Fulfillments	For large swaps, accept input tokens from the user and NoOp the actual swap. Later, at a "*random*" point in time - through VRF Oracles for example - pick an unfulfilled swap and execute it. The idea is to deter sandwich attackers by introducing randomness for swap executions that can cause high slippage.
Coincidence of Wants (CoW)	Waits to match limit orders before hitting AMM.A modification of the limit order hook that NoOps the swap functionality and keeps orders unfulfilled for a threshold amount of blocks hoping to fulfill the order through a coincidence of wants. If no CoW is found, then order is executed similar to limit orders.

Uniswap Ecosystem Requests

Hook Name	Description
Updated February 2026	
Perp DEXs built with hooks (Unichain)	Experimentation with perpetual DEX designs using hooks, including margin management, liquidations, and incentive mechanisms.
JIT Liquidity / Issuance Hooks for New Assets	Hooks that enable just-in-time liquidity or issuance for newly launched or illiquid assets, improving price discovery and reducing initial slippage.
Stable-Focused Hooks	Hooks oriented around stablecoins, including liquidity management, incentive design, and stability mechanisms.
Smart Borrow & Leveraged Liquidity Hooks	Focused on borrowing against liquidity positions to increase effective liquidity depth with the same base capital. Includes borrowing against LP positions, dynamic LTVs, adaptive rates, risk-aware borrowing models, and flash-loan-based leverage applied only to the active tick. Applicable to both stable and volatile assets.
Liquid Staking Token (LST) Optimized Hooks	Improved handling of liquid staking tokens (e.g., stETH) via hooks that manage rebasing behavior, yield distribution, or pricing adjustments.
Liquidity Locking & Token Launch Hooks	Hooks for token launches or ICO-style mechanisms that lock liquidity or condition unlocks based on time, volume, or market behavior.

NFT Strategy Token Hooks (Tokenworks-Inspired)	Hooks where fees are used as protocol revenue to accumulate NFTs, suitable for experimental or solo builders.
External Revenue–Driven Liquidity Incentives (Liquity v2 / BOLD-Inspired)	Using external or protocol-level revenue streams to incentivize liquidity, treated as design inspiration rather than strict hook implementation.
Updated April 2025	
Dynamic Fee Hook	Automatically adjusts swap fees based on market conditions to optimize fee generation and liquidity utilization. Can be customized per asset pair; based on volatility, reward programs, gas spikes, etc.
Rehypothecation Hook	Allows LP positions outside the active tick to be deposited into lending protocols to earn yield until liquidity is needed for a swap.
Custom Curve Hook	Allows LPs to implement custom price curves to optimize pricing for specific assets.
Asynchronous Swap Hook	Enforces temporal or other constraints to fill swaps (e.g., application-specific sequencing, coincidence of wants).
MEV-Mitigating Hooks	Hooks that tackle MEV (front-running, back-running, sandwich attacks, JIT liquidity, etc.) to improve user execution.
Reward Aggregator	Distributes incentives to liquidity providers based on pool activity, boosting participation in targeted pools.
Liquidations Hook	A customizable hook designed to efficiently and safely handle liquidations.
Auto-Position Rebalancing	Automates the rebalancing of liquidity positions to optimize capital efficiency for LPs.
Oracle Hooks	Enables custom or novel price feeds by recording data (e.g., TWAP) for integration with other DeFi protocols.
Permissioned Pool Hook	Enables compliant hooks for institutions, allowing arbitrary rules such as restricting access based on KYC or geolocation.
Auto-Hedging Hook	Protects liquidity providers from impermanent loss through automated hedging strategies.

Time-Weighted Average Market Maker (TWAMM) Hook	Facilitates large trades over time, minimizing price impact and attracting larger retail and institutional liquidity.
LRT Liquidity Hook (analogous to Sanctum in Solana)	Special logic for LST/LRT AMMs.
Internalized MEV	Enables LPs to earn MEV profits (e.g., via off-chain/on-chain bidding for top-of-block transaction rights).
Oracleless Lending Protocol	A lending protocol design with flexible liquidation thresholds, oracle-free operation, and enhanced LP earnings.
Tornado Cash on Hooks	A Tornado-like system utilizing Uniswap's liquidity as its pool.
Hook Safety as a Service	Insures the safety of a hook up to a certain amount.
Gasless Swaps	Incentivizes traders via a non-toxic MEV executor with gasless swaps.
Keeper Activity Hook	Facilitates keeper activity using Uniswap v4 hooks.
UniBrain Hook	Automatically triggers on-chain actions using an automated Dutch auction via a Uniswap v4 pool; can turn v4 into a hub for triggering on-chain function calls.
Value Accrual Designs	Explores fee-based hook models while mitigating vampire/fork risk and retaining LPs.
Auction-Managed AMM	An auction-managed AMM demonstrating the design space of Uniswap v4.

2026 UHI Hookathon Themes

As Uniswap v4 continues to grow, the Uniswap team wants to incentivize innovation in particular areas. Each 2026 Hookathon will have a special prize track for the best hooks built in a specific category. You can find the Hookathon themes for 2026 below.

UHI8 Hookathon: Specialized Markets

The goal here is to push hook innovation toward bespoke liquidity systems tailored to specific assets, trade sizes, and chains.
What you could build:

Hook Idea	Description
Hook Templates	Hook templates optimized for RWAs, stablecoins, or long-tail tokens
Chain-Localized Routing	Chain-localized routing hooks (e.g. Base, Optimism, Arbitrum)
Large-Cap Execution	Hooks for large market cap pairs that handle block-based execution or segmented order flow
Dynamic Stablecoin Managers	Stablecoin liquidity managers with dynamic fee and rebalancing logic
Non-Fungible LP Positions	NFT-like fractionalization of LP positions for retail access

UHI9 Hookathon: Impermanent Loss & Yield Systems

The goal here is to push hook innovation toward yield-protected liquidity systems that shield LPs from impermanent loss while unlocking sustainable, predictable on-chain returns.
What you could build:

Hook Idea	Description
IL Insurance Hooks	Impermanent-loss insurance hooks that offset losses via dynamic rebalancing or premium accrual
YieldBasis-Style Fixed Income	Fixed-income systems inspired by YieldBasis or Pendle that create predictable, sustainable returns for LPs
Delta-Neutral Hooks	Hooks that hedge LP exposure using per-block swaps, options, or external hedging protocols
Fee-Smoothing Hooks	Hooks that automatically reinvest or distribute yield over time, smoothing fee flow for LPs
Cross-Pool Hedging Routers	Routers that match opposing liquidity positions across correlated pairs for cross-pool hedging

Hookathon Sponsor Hooks

Unichain

Ultimately, the Unichain prize track will reward the best innovation of any kind from builders in the Hookathon. If you’re looking for specific ideas or guidance then in addition to the broader [Hook Ideas from the Uniswap team](https://atriumacademy.notion.site/atrium-academy-request-for-hooks#20f5f0444abe805283f4d0e758b9ad4b), Unichain is excited to see hooks that focus on the follow ideas:

Hook Idea	Description
Derivatives/Perps	Perpetual futures built on Unichain, particularly leveraging V4 hooks on top of the core AMM. There's significant trading activity on Unichain with limited ability to hedge on-chain, making short positions especially valuable for active LPs.
Tokenized Strategies/Yield-Bearing Tokens	Hooks that package AMM liquidity in interesting ways or generate unique sources of yield tied to individual tokens. These can be actively used in lending markets to drive up native yields, with optimized hooks providing secondary market liquidity.

Reactive Network

Hook Idea Examples:

Reactive Network doesn’t have specific hook requests for this hackathon. Instead, they are excited to provide the infrastructure that can help you implement a range of ecosystem and sponsor hook ideas listed below, but not limited to just this list.
We recommend considering Reactive Contracts to implement any of the following hook ideas:
- Liquidations Hooks
- Asynchronous Swap Hooks
- Oracle Hooks
- Permissioned Pool Hook
- NFTs and Proof of Ownership
- Arbitrage
- Liquidity Optimizations
- Time-Weighted Average Market Maker (TWAMM) Hook
- Oracleless Lending Protocol
- Hook Safety as a Service
- UniBrain Hook

How to think about using Reactive Network

Here's how Reactive Network works: Reactive Smart Contracts (RSCs) let you monitor on-chain events on chain A and react to those events by triggering callbacks (submitting transactions) on another chain B (or chain A). This enables cross-chain automation and modularity, where your logic can respond to activity in existing smart contracts without modifying them. We believe that our technology will be especially useful when combined with Uniswap Hooks, supercharging them with time-based or conditional automations and cross-chain functionality.
To add reactivity to your smart contract setup, you will just need to deploy two additional Solidity smart contracts: on Reactive Network and on the destination chain.

Hookathon Judging Guidance

For our prize track, we'll be looking for the most innovative hooks that implement Reactive Smart Contracts correctly.

Other Technology Integrations/Community Ideas

Community Ideas

Hook Idea	Description
giveTargeted Liquidity	A differentiated fee based on your token ownership or some general way of doing loyalty based fees. Could be built in conjunction with spindl.xyz (from Ani Pai at Dragonfly)
Lending hooks	Hooks for borrowing liquidity in AMM positions, to give traders similar exposure to a perp (from Derek Walkush at Variant)
Automated liquidity provisioning	hooks for automatically rebalancing concentrated liquidity to max yield (from Derek Walkush at Variant)