

ETHGlobal Open Agents

Event Rules & Code of Conduct

To ensure a fair and enjoyable experience for everyone, we have a few essential rules and a code of conduct that all participants must follow:

Start from Scratch: All projects must be created entirely during the hackathon. You're welcome to use public libraries or boilerplate code, but pre-existing code, designs, or assets specific to your project are not allowed.

Focus on Quality: When it comes to judging, only the work you complete during the hackathon will be evaluated. Judges will be looking for creativity, functionality, and the quality of your final product, so focus on those elements.

Respect the Code of Conduct: We expect all participants to maintain a respectful and inclusive environment. Harassment or inappropriate behavior of any kind won't be tolerated and can lead to disqualification.

You can read the full code of conduct [here](#).

Please email us at incidents@ethglobal.com if you have any code of conduct related issues.

Mentorship and Technical Support

Mentors are there to help you during the hackathon. Our mentors are here to help you troubleshoot technical challenges, refine your project, and provide feedback.

You'll easily identify them on Discord by their "Mentor" role. If you need assistance, jump into the #mentorship-help channel on Discord, where you can ask questions and request guidance from our mentors.

Project Check-Ins

Check-ins are in place to help track your progress and for us to offer support. The check-in process is simple: your Hacker Dashboard will notify you when it's time to check in, usually earlier in the week. Even if things are going smoothly, it's important to keep us updated on your project status.

Check-ins allow you to highlight any blockers, ask for help, or simply confirm that everything is on track. Following your check-in, our team, along with partners, may reach out with additional support or guidance.

Project Feedback Sessions

Feedback sessions are a great way to refine your project before the final submission. We'll be hosting sessions during the hackathon. We recommend you take a look at the [website schedule](#).

In these sessions, you'll have the opportunity to share your progress—whether it's a demo, Figma designs, slide decks, or just your ideas. Mentors and partners will give you constructive feedback to help you improve your project.

Project Submission

Submitting your project is one of the most crucial parts of the hackathon. Make sure to stick to the submission deadline. Late submissions will not be accepted, so plan accordingly!

The submission deadline is: Sunday, May 3rd 2026 at 12:00 pm EDT.

You'll submit your project through your Hacker Dashboard by filling out the submission form, where you'll provide a project title, description, and a link to your project's repository.

Be sure to review the Submission Guidelines beforehand to make sure your project meets all requirements.

Project Judging

After submissions close, the judging process will begin. Here's what to expect:

Finalist Judging: If you select the Finalist judging category, you'll present it live to the judges. Make sure your presentation is polished and highlights your project's key features.

Partner Judging: For partner prizes, judging takes place asynchronously. Partners are already judging your project!

Judging Criteria: Projects will be evaluated based on creativity, functionality, technical difficulty, and the impact of the solution. You can find more details in the Submission Guidelines.



Key Information

The final stretch of the hackathon involves submitting your project and presenting it to the judges. Here's everything you need to know to ensure a smooth process and give your project the best chance at success.



Submission Deadline: All projects must be submitted by Sunday, May 3rd 2026 at 12:00 pm EDT. Late submissions won't be accepted, so be sure to plan ahead!



How to Submit: Head over to your Hacker Dashboard to submit your project. You'll fill out the form with essential details like your project title, description, and a link to your repository.



Demo Video: You are required to submit a 2-4 minute demo video showcasing your project. This video will be featured on the ETHGlobal Showcase, so take your time making it clear and informative.



Partner Prizes: On the last step of the submission form, you can select up to 3 Partner Prizes to apply for. If a partner has multiple tracks, you can be eligible for all of them while only counting as 1 Partner Prize. Please ensure to select these prizes carefully as it is the only way for partners to assess your project.



Important Rules

Start Fresh: All work on your project must begin after the hackathon officially starts. Any prior code, designs, or assets are not allowed unless they're from public libraries or starter kits. Projects built before the event may still participate but won't qualify for partner prizes or the Finalist category.

Version Control: Use version control to track your code during the event. Submissions with large single commits or missing histories may be disqualified, as it's important to show your progress throughout the hackathon.

Open Source Libraries & Boilerplates: You're welcome to use open-source libraries and starter kits to kickstart your project, but be transparent.

Include Everything: Your submission should include a GitHub Repo, Figma files, or equivalent, proving the work was done during the hackathon. Clearly distinguish between what's new and what's reused.



Use of AI Tools

The use of AI tools (e.g., ChatGPT, Claude Code, GitHub Copilot, Cursor, etc.) is generally permitted, but with the following guidelines to ensure transparency and integrity:

Attribution: Clearly document in your submission where and how AI tools were used in the project. This includes specifying which parts of the code, specific files, or assets were generated or assisted by AI.

Involvement: AI tools should be used to assist your development process, not to create the entire project. Submissions that rely entirely on AI without meaningful contributions from team members may not be eligible for partner prizes or finalist consideration.

Spec-Driven Development: Using spec-driven workflows (e.g., OpenSpec, Kiro, spec-kit) is permitted. If you use one, you must include all spec files, prompts, and planning artifacts in your submission repository. Judges need to see the full picture of how you directed the AI, not just the generated output.



Submitting Your Project

When you're ready to submit, you have two options:

1. Finalist and Partner Prizes

Opting for this will require you to present your project to judges in the Finalist judging session. Partners will be judging your project asynchronously. There is no action required from you here.

2. Partner Prizes Only

You can select up to 3 Partner Prizes during submission. For each partner prize, you'll need to explain how you've used or integrated their tools, provide feedback, and share relevant comments. Partners will be judging your project asynchronously. There is no action required from you here.

Attending Judging Sessions

Once you've submitted your project, information about your Finalist judging session will appear on your Hacker Dashboard. Here's what to expect:

If you're selected for final judging, on judging day, you'll be sent to the green room and then to your official judging room where you'll present your project to the judges.

Each team has 7 minutes to present: 4 minutes for the demo, followed by 3 minutes for Q&A with the judges.

Common Questions to Prepare For:

What inspired your project?

What tools did you use, and why?

What challenges did you solve, and how?

Judging Criteria

Judges will evaluate your project based on five categories:

Technicality: How complex is the problem you're addressing, and how sophisticated is your solution?

Originality: Is your project introducing a new idea or creatively solving an existing problem?

Practicality: How complete and functional is your project? Could it be used by its target audience today?

Usability (UI/UX/DX): How intuitive is your project? Have you made it easy for users to interact with your solution?

WOW Factor: Does your project leave a lasting impression? This is the catch-all for anything unique or impressive that may not fit into the other categories.

Disclaimer for Async events on Live Judging

For most async events, there are two rounds of judging. The first round is asynchronous, and the second round is live judging at the event. The judging criteria for both rounds is the same and the first round of async judging is used to screen projects. Typically, only the top 20% of projects advance to the live judging session.

The first round of judging has no impact on your project's eligibility for partner prizes and partners do not have access to the results of the first round of judging. At most async events, the majority of prizes are paid out to projects that do not advance to the live judging. So, even if you don't advance in one, you might still succeed in the other!

Tips for a Great Demo Video

Your demo video is a key part of showcasing your project. Make sure it meets the following guidelines:

Must be between 2 and 4 minutes: Videos under 2 minutes or over 4 minutes will be automatically rejected during upload. Aim for a clear, focused demo.

Don't rush: Speak clearly and at a pace that's easy to follow.

Avoid background noise and echo: A good microphone or choosing a room with better acoustics will make a big difference.

Keep introductions short: You don't need to spend more than 20 seconds on your backstory.

Show your project in action and skip any unnecessary waiting (The video can be edited to remove any unnecessary waiting).

Use slides to summarize key points: no more than 4 bullet points per slide.

Common mistakes to avoid in your demo video

We see a lot of these mistakes during submissions, which can require a team to re-submit their video in order to qualify for judging. Please be mindful of these common issues if you'd like to be considered for prizes. If we see one or more of these items on your submission, you will be asked to re-submit the video.

🔴 DO NOT export the video in any resolution less than 720p (Upload will fail if the video is less than 720p)

🔴 DO NOT exceed the 4-minute submission length (Upload will fail if the video is over 4 minutes)

🔴 DO NOT speed up the video to fit under the time limit

🔴 DO NOT play music with text on the video describing your project (instead of talking)

🔴 DO NOT use mobile phones to record the video submission

🔴 DO NOT use a text to speech synthesizer / AI Voiceover

💡 Need Inspiration?

Iris - Iris, messenger of the gods. Twitter x Patreon x Twitch x TikTok, built on Lens

Splits - Automatically route funds from one address to set of addresses

Ollie Verse - NFT Trading Card Game that allows player to create and mint their own trading cards

Cadbury - Open, neutral, border-less, decentralized, and censorship resistance meetings

Umbra - Umbra is protocol for enabling stealth payments on the Ethereum blockchain

Sunset Supreme - A Google sheets plugin for MultiBaas (a REST API for Ethereum) to allow display, interaction, and analysis of data on the blockchain

DeFi777 - Use DeFi protocols from any wallet! Wrapper tokens let you use Uniswap, Aave, Balancer & Set in normal wallets without a dapp browser

Oya Market - Oya is a decentralized ecommerce protocol owned by its users and run by smart contracts

0G
\$15,000

<https>
[0g_labs](#)
[About](#)

0G is the intelligent Layer 1 for onchain AI powered by first decentralized AI operating system (dAIOS) that provides the complete infrastructure stack for building AI-powered applications on-chain. Developers can leverage 0G's four core components: 0G Storage, 0G DA (infinitely scalable data availability layer), 0G Compute Network (decentralized AI inference and training), and 0G Chain (EVM-compatible blockchain).

Prizes

 Best Agent Framework, Tooling & Core Extensions — \$7,500



1st place

\$2,500



2nd place

\$2,000



3rd place

\$1,500



4th place

\$1,000



5th place

\$500

This track is strictly for framework-level work.

Build the best core extensions, improvements, forks, or entirely new open agent frameworks inspired by OpenClaw (or alternatives like ZeroClaw, NullClaw, etc.) and deployed on 0G. Focus on advancing how agents are created in 2026 - architectures, developer tooling, and infrastructure primitives that other builders will use.

Ideas to get you started:

- ◆ New OpenClaw modules for hierarchical planning, reflection loops, or multi-modal reasoning that natively integrate 0G Compute's sealed inference (live models like qwen3.6-plus or GLM-5-FP8)
- ◆ Self-evolving agent framework that autonomously generates/tests/integrates new skills/tools using persistent 0G Storage memory
- ◆ Modular "agent brain" library with easy swapping of memory layers (0G Storage KV/Log), LLM backends, or decision engines
- ◆ No-code/low-code visual agent builder with one-click deployment to 0G Compute + Storage

Qualification Requirements

Submission requirements: ♦ Project name and a short description ♦ Contract deployment addresses ♦ Public GitHub repo (README + setup instructions) ♦ Demo video & live demo link (keep the video under 3 mins!) ♦ Explain which protocol features or SDKs you used ♦ Team member names and contact info (Telegram & X)

You must also include:

♦ At least one working example agent built using your framework/tooling (include the example code or link in the README) ♦ Architecture diagram (optional but strongly recommended) showing integration with OpenClaw + OG Storage/Compute



Best Autonomous Agents, Swarms & iNFT Innovations — \$7,500

Up to 5 teams will receive \$1,500

This track is strictly for building the actual agents.

Create the most capable autonomous single agents, powerful multi-agent swarms/collectives, or any highly creative open agent project deployed on OG. This track celebrates long-running goal-driven agents, emergent collaboration, and novel uses of iNFTs (ERC-7857) for ownership, composability, and monetization on OG.

Ideas to get you started:

♦ Personal “Digital Twin” agent that learns from user behavior and maintains evolving persistent memory via OG Storage (KV for real-time state + Log for conversation/history) ♦ Advanced research/knowledge or creative agent with persistent context on OG Storage + self-fact-checking/reflection using verifiable OG Compute inference ♦ Specialist agent swarms (planner + researcher + critic + executor) that collaborate in real time via shared OG Storage memory and coordinate inference on OG Compute ♦ iNFT-minted agents with embedded intelligence (encrypted on OG Storage), persistent memory, dynamic upgrades, and automatic royalty splits on usage ♦ Agent breeding/merging via iNFTs, emergent behavior experiments, agent arenas, or completely new paradigms leveraging OG’s full stack

Qualification Requirements

Submission requirements: ♦ Project name and a short description ♦ Contract deployment addresses ♦ Public GitHub repo (README + setup instructions) ♦ Demo video & live demo link (keep the video under 3 mins!) ♦ Explain which protocol features or SDKs you used ♦ Team member names and contact info (Telegram & X)

You must also include:

♦ For swarms: clear explanation of how agents communicate and coordinate ♦ For iNFT projects: link to the minted iNFT on OG explorer + proof that the intelligence/memory is embedded

Resources

Builder Hub

<https://build.0g.ai>



Telegram Support Channel

<https://t.me/+mQmldXXVBGpkODU1>

Uniswap Foundation

\$5,000

uniswapfoundation.org

uniswapfnd

About

The Uniswap Protocol is one of the largest decentralized exchange protocol for swapping value onchain across Ethereum and other supported blockchains. The Uniswap ecosystem has evolved into a full stack platform for onchain finance, including smart contracts such as v2, v3, and v4, developer tools, APIs, and emerging infrastructure like Unichain. This enables developers to build applications on top of shared, permissionless liquidity.

Prizes



Best Uniswap API integration — \$5,000



1st place

\$2,500



2nd place

\$1,500



3rd place

\$1,000

Build the future of agentic finance with Uniswap. Integrate the Uniswap API to give your agent the ability to swap and settle value onchain with transparency, composability, and real execution. Agents that trade, coordinate with other agents, or invent primitives we haven't imagined yet - we want to see it.

Qualification Requirements

Every submission must include: A FEEDBACK.md file in the repo root, required for prize eligibility. Tell us everything about your builder experience with the Uniswap API and Developer Platform: what worked, what didn't, bugs you hit, docs gaps, DX friction, missing endpoints, and what you wish existed.

Resources

Uniswap Developer Platform

<https://developers.uniswap.org/>



Uniswap AI

<https://github.com/Uniswap/uniswap-ai>

Gensyn

\$5,000

gensyn.ai

gensynai

About

Gensyn is building open infrastructure for AI.

AXL is our peer-to-peer network node: a single binary that gives your applications an encrypted, decentralised communication layer. No servers, no cloud, no accounts. Your app talks to localhost, and AXL handles encryption, routing, and peer discovery across the mesh. AXL ships with built-in MCP and A2A support for structured agent-to-agent communication, and everything is end-to-end encrypted by default. Any language that can make HTTP requests can use it.

For this hackathon, we're looking for builders who want to push what's possible when AI agents communicate peer-to-peer with no central coordinator.

Prizes



Best Application of Agent eXchange Layer (AXL) — \$5,000



1st place

\$2,500



2nd place

\$1,500



3rd place

\$1,000

One prize pool, ranked. Best work wins regardless of what you build.

Build something on AXL, our peer-to-peer network node that gives your applications encrypted, decentralised communication with zero infrastructure. Your app talks to localhost, AXL handles encryption, routing, and peer discovery across the mesh. Any language that can make HTTP requests can use it.

We don't want to be prescriptive. If it works and it uses AXL in a meaningful way, it qualifies.

Please review the suggestions below on things you can build, and use your imagination:

Agent Town: Build a multi-agent simulation where agents have distinct personalities, communicate freely over AXL, and interact in ways you can watch unfold. A generative-agents sandbox, a hackathon simulator, an agentic website with zero humans. Give agents personalities, let them loose, see what happens.

Decentralised Agent Messaging: Build a messaging or discovery platform where AI agents find each other, form groups, and communicate peer-to-peer. Think Telegram, except every user is an AI agent. Agent social networks, agent marketplaces, self-organising working groups. Or something else entirely!

All winners are fast-tracked into the Gensyn Foundation grant programme.

Judging Criteria: We want participants to create something on top of AXL with real utility, not just novelty. We will consider:

Depth of AXL integration

Quality of code

Clear documentation

Working examples

Qualification Requirements

Must use AXL for inter-agent or inter-node communication (no centralised message broker replacing what AXL provides).

Must demonstrate communication across separate AXL nodes, not just in-process. Project must be built during the hackathon.

Resources

AXL Documentation

<https://docs.gensyn.ai/tech/agent-exchange-layer>



GitHub Repository

<https://github.com/gensyn-ai/axl>



Collaborative Autoresearch Demo

<https://github.com/gensyn-ai/collaborative-autoresearch-demo>



KeeperHub logo

KeeperHub

\$5,000

keeperhub.com

[keeperhubapp](#)

[About](#)

KeeperHub is the execution and reliability layer for AI agents operating onchain. Agents are great at reasoning, but they hit a wall when they need to actually move value: failed transactions, gas spikes, MEV extraction, zero guarantees. We're the infrastructure they plug into for guaranteed onchain execution with retry logic, gas optimization, private routing, and full audit trails.

Already powering Sky Protocol (formerly MakerDAO). Agents and developers connect natively via MCP, CLI, and agents can pay autonomously via x402 or MPP.

Every deployment is backed by 24/7 global engineering support.

We're building the standard for agent execution infrastructure: reliable, auditable, human-supported.

Prizes

🏆 Best Use of KeeperHub — \$4,500



1st place

\$2,500



2nd place

\$1,500



3rd place

\$500

Two focus areas, one ranked prize pool. Best work wins regardless of which area you build in.

🟢 Focus Area 1: Best Innovative Use of KeeperHub.

Show us something we haven't seen before. Use KeeperHub's execution layer in a way that solves a real problem, whether that's an • agent, • a workflow, • a dApp, • a dev tool, • or something entirely new.

What counts: any project that uses KeeperHub (MCP server or CLI) in a meaningful way. No format restrictions. If it works and solves a real problem, it qualifies.

🟢 Focus Area 2: Best Integration with KeeperHub.

Connect KeeperHub to something. Build the bridge so other developers don't have to. Two potential angles:

- **Payments.** Integrate KeeperHub with payment rails like x402 or MPP. Show how agents can pay for services, settle transactions, or route payment flows into KeeperHub execution.

- **Agent** frameworks and tools. Build a plugin, connector, or SDK integration for ElizaOS, OpenClaw, LangChain, CrewAI, or any framework with an active builder community.

● **Judging criteria:** • Does it work? • Would someone actually use it? Real utility over novelty. • Depth of KeeperHub integration • Mergeable quality: clean code, clear documentation, working examples

Qualification Requirements

Each submission must include: • A working demo, live or recorded • A public GitHub repository with a README covering setup and architecture • A brief write-up explaining the approach and how KeeperHub is used • Project name, team members, and contact info

Links and Resources

MCP docs

<https://docs.keeperhub.com/ai-tools>



API docs

<https://docs.keeperhub.com/api>



Platform

<https://app.keeperhub.com/>



CLI

<https://docs.keeperhub.com/cli>



🔍 Builder Feedback Bounty — \$500

Up to 2 teams will receive \$250

● A separate bounty for builders who give us honest, actionable feedback while integrating KeeperHub during the hackathon. Open to any team that uses KeeperHub, whether or not they place in the main prize pool.

We want feedback that helps us make KeeperHub better. • UX and UI friction, • reproducible bugs, • documentation gaps that slowed you down, • feature requests that would have made your build easier. This isn't a consolation prize. Honest feedback from builders working under time pressure is some of the most valuable product input we get.

Two winners, \$250 each.

Qualification Requirements

Submissions must cover at least one of the following:

- UX or UI friction: what was confusing, slow, or unclear when using KeeperHub
- Reproducible bugs: issues with clear steps to replicate
- Documentation gaps: where the docs left you stuck
- Feature requests: what's missing that would have made the build easier

Feedback must be specific and actionable. Generic praise or vague criticism will not qualify.

Resources

KeeperHub documentation

<https://docs.keeperhub.com/>



KeeperHub Links

<https://keeperhub.com/links>