

Functions:-

using the procedure multiple times.

→ def name (params)

logic.
return.

→ procedural execution.

→ using return.

↓
returns the specific value from function

↓
can be reused in other operation.

↓
which can't be done using print statement

→ Return for print is "None"

→ ~~for~~ for n in range (2, num)

↓
doesn't include
'1' and the number itself.

→ Generators:- important concept

iterator:-

l = 'joey'

s = iter(l) → it is used for iterating
a specific iterable
object

iterable object is created.

next(s) ↓ simple similar to for loop.

→ creates a iterable object and then proceeds with iteration (next).

↓
iterators (practice)

→ Generator

↓
type of iterator

uses yield instead of return

↓
pauses when yield and then proceeds with execution.

↓
it used to generate the values on the fly
saving memory.

↓
return ends the function and send back value.


↓
yield pauses the function and remembers the state, allowing to resume later.

```
def generator(n)
```

```
    for num in range(n)
```

```
        yield num * 3
```


practice generators



Calling for loop will decide
the actual parameter.

↓
we can also use next function

→ map()



map(function, iterable).

C-temps = list(map(Celsius, temp))

↓
function

↓
list of
values.

reduce()

↓
take the input and reduce it to single value.

Lambda

↓
a one time use function.

reduce(lambda a, b; a+b, list)

practice

map, reduce with examples

reduce(function, iterable)-

→ filter()

↓
for yes (or) no outputs.

→ Iterator
→ generator
→ map()
→ ~~re~~ reduce()
→ lambda
→ filter

} Special function
of python.

~~data~~

data analysis

on data

visualization

}

→ ETL

Classification

Recommendation

Gen AI Chat bot.

}