

Built in functions provided by SQL.

→ String operations (data and time)

→ Numerical operations

→ text data (Char and Varchar)

→ Padding (align the text based on the code logic)

RPAD (title, 20, *)

↓
takes title fills first 20 characters and then fill with star.

LPAD (RPAD (title, 20, *), 25, *)

→ left padding

↓
Right

SQL indexing start from '1'.

* SUBSTRING (title, 5, 9) as short_title

* CONCAT (first_name, '-', last_name)

* Reversing the string.

→ REVERSE(title)

* Length of the string.

LENGTH(title).

* Substring with locate → it is used a specific char in the title. (or) email.
LOCATE (@)

* Substring index (substring(email, LOCATE('@', email) + 1), '.', -1)
As Domain. ↓
left +1, right.

* UPPER, LOWER(title) upper case (or) lower case

* Left(title, 2), right(title, 3)
↓ first 2 characters of title
↓ last 3 letters of the title.

* CASE , END , THEN

* REPLACE (title, 'A', 'X').

* "REGexp"

$[^a e i o u A E I O U] \{3\}$ → not contains 3 consecutive vowels.

$[a e i o u A E I O U] \$$ → last character as vowels

✓ Check different symbols in the GFLB for "Regexp"

dealing with patterns we need to use
Regex

Refer the documentation all the functions.

* Math.

COUNT, AVG, SUM

ALTER Table add column DECIMAL(6,2).

↓
total 6 character
2 after decimal

FLOOR (lower limit)
CEIL (upper limit).

ROUND (number of decimal characters).

MOD (remainder)

★ Date & time.

- day of week (last update)
- month (last update).
- DATE diff.
- date
- year.
- CURDATE()
- Now()
- CURRENT_TIMESTAMP.
- date format (payment data, (%d - %m - %y))

