


→ Cardinality dependencies.

primary Key → is a unique identifier in each table.

foreign Key → It is a common column in 2 tables but unique identifier in one table.
↓
primary

one to one, one to many, many to many,
many to one.




→ Bridge table is used to join a table with itself.


→
u, y, z
↓
bridge table.

x joins y then when join xy with z.


→ SQL Joins.



Full outer join.



Inner join



Full outer no-irradiation.




Cross join

→ Cartesian product join

where a -key is null
(or) b -key is null.

table 1

table 2.



1, a; 1, b; 1, c; 1, d; 1, e

⋮

25.



→ loss of data production.

Can be computationally expensive, only if explicitly required.

self join.

id	employee	Managed
1	rk	2
2	Toey	4
3	Chandler	2


not default full outer join in MySQL.

union of A & B is $\boxed{A+B}$

↓
repeats the matched records once.

union all

↓
twice the matched records.



Sub queries :- (avoid subqueries unless
validation checks)
↓
Can be used instead of joins.

→ where → filtering. (condition in where)
IN (sub query).

→ using in select statements. as aliasing columns.

→ derived table (readability, complexity, at query level).

↓
use the subquery as a derived sub-table which
can be used for joins.



↓
can we save derived table.

→ group label is created after the sub-query.

→ "co-related subquery"

↓
analyse the concept and order
of execution.

→