


2026 Audi Q4 e-tron

Technical Specifications


	Q4 45 e-tron (RWD)	Q4 55 e-tron quattro	Q4 Sportback 55 e-tron quattro
MOTOR/ELECTRICS			
Electric Motor Type (Front/Rear)	PSM - Rear	PSM/ASM	PSM/ASM
Peak Horsepower ¹	282	335	335
BATTERY & CHARGING ²			
Battery Type	352V Lithium Ion	352V Lithium Ion	352V Lithium Ion
Battery Pack Construction	288 Prismatic Cells, 12 Modules Aluminum Battery Case Reinforced with Extruded Aluminum Cross-Sections	288 Prismatic Cells, 12 Modules Aluminum Battery Case Reinforced with Extruded Aluminum Cross-Sections	288 Prismatic Cells, 12 Modules Aluminum Battery Case Reinforced with Extruded Aluminum Cross-Sections
Battery Size (Gross)	82 kWh	82 kWh	82 kWh
Battery Size (Net)	77 kWh	77 kWh	77 kWh
Charge Port (Driver side)	AC/DC Combo Port J1772 / CCS	AC/DC Combo Port J1772 / CCS	AC/DC Combo Port J1772 / CCS
Max Charging Capacity AC / DC	up to 11.5 kW / 175 kW	up to 11.5 kW / 175 kW	up to 11.5 kW / 175 kW
Max Charging Capacity AC / DC (Optional)	NA	NA	NA
Level 2 Charging (9.6 kW - 240V @ 40A)	9 hours	9 hours	9 hours
Level 2 Charging (11.5 kW - 240V @ 80A) (Optional)	7.5 hours	7.5 hours	7.5 hours
DC Fast Charging	28 minutes (10% - 80% charge @ 175kW)	28 minutes (10% - 80% charge @ 175 kW)	28 minutes (10% - 80% charge @ 175 kW)
PERFORMANCE ³			
Top Track Speed (mph)	99 mph	99 mph	99 mph
Top Speed (km/h)	159 km/h	159 km/h	159 km/h
0-60 mph (sec.) Est.	6.3 sec	5.0 sec	5.0 sec
0-100 km/h (sec.) Est.	6.6 sec	5.3 sec	5.3 sec
BODY, CHASSIS & SUSPENSION			
Body Construction	Mixed steel/aluminum construction	Mixed steel/aluminum construction	Mixed steel/aluminum construction
Front Suspension	McPherson struts	McPherson struts	McPherson struts
Rear Suspension	4-link axle	4-link axle	4-link axle
Brake Construction	Diagonal Dual-Circuit Brake System with ESC/ABS/EBV Brake Booster, Hydraulic Brake Assist	Diagonal Dual-Circuit Brake System with ESC/ABS/EBV Brake Booster, Hydraulic Brake Assist	Diagonal Dual-Circuit Brake System with ESC/ABS/EBV Brake Booster, Hydraulic Brake Assist
Front Brakes	2 Piston Calipers with 380 mm (14.96") ventilated rotors	2 Piston Calipers with 380 mm (14.96") ventilated rotors	2 Piston Calipers with 380 mm (14.96") ventilated rotors
Rear Brakes	352 mm (13.85") drums	352 mm (13.85") drums	352 mm (13.85") drums
Anti-Lock Braking System	All Four Wheels with Electronic Brake Force Distribution	All Four Wheels with Electronic Brake Force Distribution	All Four Wheels with Electronic Brake Force Distribution
Stability Control	Electronic Stability Control (ESC)	Electronic Stability Control (ESC)	Electronic Stability Control (ESC)
Parking Brake	Electromechanical	Electromechanical	Electromechanical
Drag Coefficient (Cd)	0.30 Cd	0.31 Cd	0.30 Cd



2026 Audi Q4 e-tron

Technical Specifications

	Q4 45 e-tron (RWD)	Q4 55 e-tron quattro	Q4 Sportback 55 e-tron quattro
WHEELS & TIRES ⁴			
Wheels (Standard)	19" 5-W-spoke-aero design, graphite gray finish	19" 5-arm design	20" 5-V-spoke design, graphite gray finish
Wheels (Optional)	20" 10-spoke-star-aero design, bicolor finish	20" 5-V-spoke polygon design, titanium finish	21" 5-arm-rotor-evo design, titanium matte finish
Wheels (Optional)		21" 5-arm-rotor-evo design, titanium matte finish	21" Audi Sport 5-W-spoke design, platinum gray finish
Wheels (Optional)		21" Audi Sport 5-W-spoke design, platinum gray finish	
Tires (Standard)	F: 235/55 R19 105T XL All-Season R: 255/50 R19107T XL All-Season	F: 235/55 R19 105T XL All-Season R: 255/50 R19107T XL All-Season	F: 235/40 R20 104T XL All-Season R: 255/45 R20 105T XL All-Season
Tires (Optional)	F: 235/50 R20 104T XL All-Season R: 255/45 R20 104T XL All-Season	F: 235/40 R20 104T XL All-Season R: 255/45 R20 105T XL All-Season	F: 235/45 R21 101T XL All-Season R: 255/40 R21 102T XL All-Season
Tires (Optional)		F: 235/45 R21 101T XL All-Season R: 255/40 R21 102T XL All-Season	
DRIVETRAIN			
Configuration	Rear Motor	Front / Rear Motors	Front / Rear Motors
Driven Wheels	Rear-Wheel Drive	All-Wheel Drive	All-Wheel Drive
Transmission	Single-speed	Single-speed	Single-speed
Final Drive Ratio			
	Front	NA	11.3:1
	Rear	7.9:1	7.9:1
STEERING			
Type	Electromechanical steering with speed-dependent power assistance	Electromechanical steering with speed-dependent power assistance	Electromechanical steering with speed-dependent power assistance
Turning Circle (ft. Curb-to-Curb)	33.5 ft.	37.7 ft.	37.7 ft.
Ratio	15.6:1	15.6:1	15.6:1
EXTERIOR DIMENSIONS			
Wheelbase (in.)	108.7	108.7	108.7
Length (in.)	180.7	180.6	180.6
Height (in.)	64.7	64.2	63.5
Overall Width with Mirrors (in.)	83.0	83.0	83.0
Overall Width without Mirrors (in.)	73.4	73.4	73.4
Track, Front/Rear (in.)	62.3 / 61.5	62.3 / 61.5	62.3 / 61.5
Ground Clearance (in.)	5.8	5.8	5.8
Curb Weight (lb.)	4,674	4,850	4,850
TOWING CAPACITY ⁵			
Maximum Braked Trailer Mass (lb.)	2,200	2,650	2,650
Maximum Tongue Weight (lb.)	220	265	265
INTERIOR DIMENSIONS			
EPA Class	Compact SUV	Compact SUV	Compact SUV
Seating	5-Passenger	5-Passenger	5-Passenger
Headroom, Front (in.)	38.5	38.5	38.5
Headroom, Rear (in.)	38.3	38.3	37.0
Legroom, Front (in.)	41.2	41.2	41.2
Legroom, Rear (in.)	37.2	37.2	37.2
Shoulder Room, Front (in.)	56.7	56.7	56.7
Shoulder Room, Rear (in.)	55.1	55.1	55.1
Cargo Volume Trunk (cu. ft.) / With Seats Folded (cu. ft.)	24.8 / 53.1	24.8 / 53.1	26.1 / 54.4



2026 Audi Q4 e-tron

Technical Specifications

	Q4 45 e-tron (RWD)	Q4 55 e-tron quattro	Q4 Sportback 55 e-tron quattro
EFFICIENCY ⁶			
EPA Estimated Range (mi.)	288	258	258
EPA Estimated MPG/MPGe (City)	125	107	107
EPA Estimated MPG/MPGe (Highway)	104	92	92
EPA Estimated MPG/MPGe (Combined)	115	100	100
EPA Rating	ZEV	ZEV	ZEV
LIMITED WARRANTY ⁷			
New Vehicle	4 years / 50,000 Miles (whichever occurs first)	4 years / 50,000 Miles (whichever occurs first)	4 years / 50,000 Miles (whichever occurs first)
Powertrain	4 years / 50,000 Miles (whichever occurs first)	4 years / 50,000 Miles (whichever occurs first)	4 years / 50,000 Miles (whichever occurs first)
Hybrid / Drive Battery	8 Years / 100,000 Miles (whichever occurs first) 70% retention of battery capacity	8 Years / 100,000 Miles (whichever occurs first) 70% retention of battery capacity	8 Years / 100,000 Miles (whichever occurs first) 70% retention of battery capacity
PRICING ⁸			
Starting MSRP (USD)	\$50,600	\$56,000	\$59,000
Destination (USD)	\$1,395	\$1,395	\$1,395
Total Starting MSRP (USD)	\$51,995	\$57,395	\$60,395

ADDITIONAL NOTES:

Specifications, equipment, options, and prices are subject to change without notice.

¹Maximum HP calculated via peak performance of the electric motor(s) at peak battery power, and is only available under certain limited conditions, including, but not limited to, battery temperature and state of charge. Your results will vary. See Owner’s Manual for further details and limitations.

²Q4 e-tron equipped with fast charging capability maximum rate of 175 kW. Based on charging at a 175 kW or higher charger. Charging times will vary and depend on a variety of factors, including ambient temperature, charger type, battery condition and initial state of charge, vehicle condition and others. Frequent and consecutive fast charging can permanently decrease battery capacity.

³Always obey local speed and traffic laws.

⁴Low-profile tires may ride less comfortably, make more noise, and wear more quickly than other choices. To avoid tire, rim, or vehicle damage, it is important that inflation pressure is regularly checked and maintained at optimum levels. Tires are supplied and warranted by their manufacturer.

⁵Maximum tow rating when properly equipped with towing accessories. Vehicle load, other accessories and options may reduce maximum towing capacity. Towing reduces fuel efficiency and range. See vehicle Owner’s Manual for details.

⁶2026 Audi Q4 45 e-tron EPA Estimate Range is 288 Miles. 2026 Audi Q4 55 e-tron quattro® EPA estimated range is 258 miles. 2026 Audi Q4 55 Sportback e-tron quattro® EPA estimated range is 258 miles. Actual range will vary and depend on several factors including driving and charging habits, accessory use, temperature and topography, battery age, load, and vehicle condition. Battery capacity decreases with time and use. See owner’s manual for details.

⁷4 years/50,000 miles (whichever occurs first) New Vehicle Limited Warranty on all new MY26 e-tron GT vehicles. See owner’s literature or dealer for warranty exclusions and limitations. The high-voltage battery is warranted for 8 years or 100,000 miles, whichever occurs first, for defects in material and workmanship and for a capacity of at least 70%. The battery net capacity coverage includes any repairs needed to return battery net capacity to a level of 70%. Coverage may not return the high-voltage battery to an “as new” condition with 100% net capacity. See owner’s literature or dealer for warranty exclusions and limitations.

⁸Starting MSRP pricing excludes destination, taxes, title, other options and dealer charges. Dealer sets actual price.