# Cucumber Report

**Start : Sep 12, 6:45:15.044 PM**

**End : Sep 12, 6:47:17.482 PM**

**Duration : 2 m 2.438 s**

| Features | Scenarios | Steps |
|---|---|---|

| | | |
|---|---|---|
| PASSED - 0 | PASSED - 0 | PASSED - 0 |
| FAILED - 9 | FAILED - 83 | FAILED - 83 |
| SKIPPED - 0 | SKIPPED - 0 | SKIPPED - 166 |

9

83

249

Pass %

Pass %

Pass %

| Feature | | Scenario | | | | Step | | | |
| Name | Duration | T | P | F | S | T | P | F | S |
|---|---|---|---|---|---|---|---|---|---|
| Manage Attendence Page Verification | 8.473 s | 19 | 0 | 19 | 0 | 57 | 0 | 19 | 38 |
| Attendance details popup window verification | 26.983 s | 12 | 0 | 12 | 0 | 36 | 0 | 12 | 24 |
| AttendenceDetails popup window validation | 22.496 s | 10 | 0 | 10 | 0 | 30 | 0 | 10 | 20 |
| Add New Attendance | 15.538 s | 7 | 0 | 7 | 0 | 21 | 0 | 7 | 14 |
| Edit Attendance | 15.494 s | 7 | 0 | 7 | 0 | 21 | 0 | 7 | 14 |
| Delete Attendance Validation | 7.020 s | 5 | 0 | 5 | 0 | 15 | 0 | 5 | 10 |
| Delete Multiple Attendances | 11.462 s | 7 | 0 | 7 | 0 | 21 | 0 | 7 | 14 |
| Pagination in manage attendance | 1.656 s | 10 | 0 | 10 | 0 | 30 | 0 | 10 | 20 |
| Navigation function validation from manage attendance page to other pages | 13.234 s | 6 | 0 | 6 | 0 | 18 | 0 | 6 | 12 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Manage Attendence Page Verification | 19 | 0 | 19 | 0 | 8.473 s |
| 2 | Attendance details popup window verification | 12 | 0 | 12 | 0 | 26.983 s |
| 3 | AttendenceDetails popup window validation | 10 | 0 | 10 | 0 | 22.496 s |
| 4 | Add New Attendance | 7 | 0 | 7 | 0 | 15.538 s |
| 5 | Edit Attendance | 7 | 0 | 7 | 0 | 15.494 s |
| 6 | Delete Attendance Validation | 5 | 0 | 5 | 0 | 7.020 s |
| 7 | Delete Multiple Attendances | 7 | 0 | 7 | 0 | 11.462 s |
| 8 | Pagination in manage attendance | 10 | 0 | 10 | 0 | 1.656 s |
| 9 | Navigation function validation from manage attendance page to other pages | 6 | 0 | 6 | 0 | 13.234 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Manage Attendence Page Verification | Validate the header of the page | 3 | 0 | 1 | 2 | 4.379 s |
| 2 | Manage Attendence Page Verification | Validate response time from dashboard page to attendence page | 3 | 0 | 1 | 2 | 0.211 s |
| 3 | Manage Attendence Page Verification | Validate the broken link | 3 | 0 | 1 | 2 | 0.215 s |
| 4 | Manage Attendence Page Verification | Verify LMS title | 3 | 0 | 1 | 2 | 0.211 s |
| 5 | Manage Attendence Page Verification | Verify the alignment of the Manage attendence header | 3 | 0 | 1 | 2 | 0.165 s |
| 6 | Manage Attendence Page Verification | Validate text in manage attendence page | 3 | 0 | 1 | 2 | 0.202 s |
| 7 | Manage Attendence Page Verification | Verify delete icon below the header | 3 | 0 | 1 | 2 | 0.191 s |
| 8 | Manage Attendence Page Verification | Verify search bar on the attendence page | 3 | 0 | 1 | 2 | 0.196 s |
| 9 | Manage Attendence Page Verification | Verify add new Attendence button on | 3 | 0 | 1 | 2 | 0.186 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 10 | Manage Attendence Page Verification | Verify date table on the attendence page | 3 | 0 | 1 | 2 | 0.192 s |
| 11 | Manage Attendence Page Verification | Verify Edit icon in the data table | 3 | 0 | 1 | 2 | 0.174 s |
| 12 | Manage Attendence Page Verification | Verify edit icon when no data in the table | 3 | 0 | 1 | 2 | 0.172 s |
| 13 | Manage Attendence Page Verification | Verify delete icon in the data table | 3 | 0 | 1 | 2 | 0.154 s |
| 14 | Manage Attendence Page Verification | Verify delete icon when no data in the table | 3 | 0 | 1 | 2 | 0.155 s |
| 15 | Manage Attendence Page Verification | Verify sort icon the data table | 3 | 0 | 1 | 2 | 0.163 s |
| 16 | Manage Attendence Page Verification | Verify check box in the data table | 3 | 0 | 1 | 2 | 0.164 s |
| 17 | Manage Attendence Page Verification | Validate the number entries displaying | 3 | 0 | 1 | 2 | 0.153 s |
| 18 | Manage Attendence Page Verification | Verify Pagination control below the data | 3 | 0 | 1 | 2 | 0.163 s |
| 19 | Manage Attendence Page Verification | Validate footer text | 3 | 0 | 1 | 2 | 0.153 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 20 | Attendance details popup window verification | Verify all label text | 3 | 0 | 1 | 2 | 2.163 s |
| 21 | Attendance details popup window verification | Verify dropdown box is present | 3 | 0 | 1 | 2 | 2.244 s |
| 22 | Attendance details popup window verification | Verify close button in attendance details popup window | 3 | 0 | 1 | 2 | 2.204 s |
| 23 | Attendance details popup window verification | Verify the alignment of the close button | 3 | 0 | 1 | 2 | 2.197 s |
| 24 | Attendance details popup window verification | Verify the text on first dropdown select a program name | 3 | 0 | 1 | 2 | 2.233 s |
| 25 | Attendance details popup window verification | Verify the text on second dropdown select class  name | 3 | 0 | 1 | 2 | 2.151 s |
| 26 | Attendance details popup window verification | Verify the text on third dropdown select students | 3 | 0 | 1 | 2 | 2.230 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 27 | Attendance details popup window verification | Verify the text on fourth dropdown select attendance | 3 | 0 | 1 | 2 | 2.188 s |
| 28 | Attendance details popup window verification | Verify all the text inside the dropdown box is gray color | 3 | 0 | 1 | 2 | 2.268 s |
| 29 | Attendance details popup window verification | Verify save button is present | 3 | 0 | 1 | 2 | 2.231 s |
| 30 | Attendance details popup window verification | Verify cancel button is present | 3 | 0 | 1 | 2 | 2.213 s |
| 31 | Attendance details popup window verification | Verify order of the label in attendance details page | 3 | 0 | 1 | 2 | 2.229 s |
| 32 | AttendenceDetails popup window validation | Validate all program name is reflecting in the dropdown | 3 | 0 | 1 | 2 | 2.224 s |
| 33 | AttendenceDetails popup window validation | Validate all class name  is reflecting in the dropdown | 3 | 0 | 1 | 2 | 2.296 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 34 | AttendenceDetails popup window validation | Validate attendance field dropdown all mandatory keywords | 3 | 0 | 1 | 2 | 2.214 s |
| 35 | AttendenceDetails popup window validation | Verify spellings in the attendance field drop down | 3 | 0 | 1 | 2 | 2.220 s |
| 36 | AttendenceDetails popup window validation | Validate date picker | 3 | 0 | 1 | 2 | 2.210 s |
| 37 | AttendenceDetails popup window validation | validate date picker should be correct format | 3 | 0 | 1 | 2 | 2.198 s |
| 38 | AttendenceDetails popup window validation | Validate right arrow in data picker to navigate to next month | 3 | 0 | 1 | 2 | 2.219 s |
| 39 | AttendenceDetails popup window validation | Validate left arrow in data picker to navigate to previous month | 3 | 0 | 1 | 2 | 2.211 s |
| 40 | AttendenceDetails popup window validation | Validate current date is highlighted in the date picker | 3 | 0 | 1 | 2 | 2.219 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 41 | AttendenceDetails popup window validation | Validate selected date is highlighted in the date picker | 3 | 0 | 1 | 2 | 2.228 s |
| 42 | Add New Attendance | Validate admin able to create new attendance data | 3 | 0 | 1 | 2 | 2.244 s |
| 43 | Add New Attendance | Validate admin able to create new attendance data without program name | 3 | 0 | 1 | 2 | 2.198 s |
| 44 | Add New Attendance | Validate admin able to create new attendance data without class name | 3 | 0 | 1 | 2 | 2.246 s |
| 45 | Add New Attendance | Validate admin able to create new attendance data without student name | 3 | 0 | 1 | 2 | 2.172 s |
| 46 | Add New Attendance | Validate admin able to create new attendance data without attendances | 3 | 0 | 1 | 2 | 2.180 s |
| 47 | Add New Attendance | Validate admin able to create new attendance data without attendance date | 3 | 0 | 1 | 2 | 2.234 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 48 | Add New Attendance | Validate admin able to create new attendance by selecting future date | 3 | 0 | 1 | 2 | 2.220 s |
| 49 | Edit Attendance | Validate admin able to update new attendance data | 3 | 0 | 1 | 2 | 2.229 s |
| 50 | Edit Attendance | Validate admin able to update new attendance data without program name | 3 | 0 | 1 | 2 | 2.170 s |
| 51 | Edit Attendance | Validate admin able to update new attendance data without class name | 3 | 0 | 1 | 2 | 2.204 s |
| 52 | Edit Attendance | Validate admin able to update new attendance data without student name | 3 | 0 | 1 | 2 | 2.209 s |
| 53 | Edit Attendance | Validate admin able to update new attendance data without attendances | 3 | 0 | 1 | 2 | 2.206 s |
| 54 | Edit Attendance | Validate admin able to update new attendance data without attendance date | 3 | 0 | 1 | 2 | 2.237 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 55 | Edit Attendance | Validate admin able to update new attendance by selecting future date | 3 | 0 | 1 | 2 | 2.206 s |
| 56 | Delete Attendance Validation | Verify Delete attendance alert | 3 | 0 | 1 | 2 | 2.190 s |
| 57 | Delete Attendance Validation | Verify accept enabled in alert | 3 | 0 | 1 | 2 | 2.224 s |
| 58 | Delete Attendance Validation | Verify reject enabled in alert | 3 | 0 | 1 | 2 | 2.239 s |
| 59 | Delete Attendance Validation | Validate accept in alert | 3 | 0 | 1 | 2 | 0.175 s |
| 60 | Delete Attendance Validation | Validate reject in alert | 3 | 0 | 1 | 2 | 0.165 s |
| 61 | Delete Multiple Attendances | Verify delete multiple class  button is enabled | 3 | 0 | 1 | 2 | 2.216 s |
| 62 | Delete Multiple Attendances | verify tick mark is visible after clicking on check box for single data | 3 | 0 | 1 | 2 | 2.181 s |
| 63 | Delete Multiple Attendances | verify admin able to click multiple check box | 3 | 0 | 1 | 2 | 2.212 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 64 | Delete Multiple Attendances | Verify accept alert in delete multiple attendance by selecting single checkbox | 3 | 0 | 1 | 2 | 2.213 s |
| 65 | Delete Multiple Attendances | Verify reject alert in delete multiple attendance by selecting single checkbox | 3 | 0 | 1 | 2 | 2.237 s |
| 66 | Delete Multiple Attendances | Verify accept alert in delete multiple attendance by selecting multiple checkbox | 3 | 0 | 1 | 2 | 0.188 s |
| 67 | Delete Multiple Attendances | Verify reject alert in delete multiple attendance by selecting multiple checkbox | 3 | 0 | 1 | 2 | 0.170 s |
| 68 | Pagination in manage attendance | Verify sheet one is displayed on default in data table | 3 | 0 | 1 | 2 | 0.146 s |
| 69 | Pagination in manage attendance | Verify  right arrow is enable when sheet one is displayed in data table | 3 | 0 | 1 | 2 | 0.187 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 70 | Pagination in manage attendance | Verify left arrow is disable when sheet one is displayed in data table | 3 | 0 | 1 | 2 | 0.152 s |
| 71 | Pagination in manage attendance | Verify right arrow is enable when sheet two is displayed in data table | 3 | 0 | 1 | 2 | 0.157 s |
| 72 | Pagination in manage attendance | Verify left arrow is enable when sheet two is displayed in data table | 3 | 0 | 1 | 2 | 0.150 s |
| 73 | Pagination in manage attendance | Verify right arrow is disable when sheet two is displayed in data table when entries are less than 10 | 3 | 0 | 1 | 2 | 0.152 s |
| 74 | Pagination in manage attendance | Verify pagination controls enabled | 3 | 0 | 1 | 2 | 0.162 s |
| 75 | Pagination in manage attendance | Verify pagination controls enabled | 3 | 0 | 1 | 2 | 0.152 s |
| 76 | Pagination in manage attendance | Verify next page is enabled | 3 | 0 | 1 | 2 | 0.173 s |
| 77 | Pagination in manage attendance | Verify next page is enabled | 3 | 0 | 1 | 2 | 0.166 s |

*The feature name and/or scenario name has been cropped to fit in the available space.*

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 78 | Navigation function validation from manage attendance page to other * | Verify admin is able to navigate from manage attendance to student page | 3 | 0 | 1 | 2 | 2.261 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 79 | Navigation function validation from manage attendance page to other * | Verify admin is able to navigate from manage attendance to program page | 3 | 0 | 1 | 2 | 2.217 s |
| 80 | Navigation function validation from manage attendance page to other * | Verify admin is able to navigate from manage attendance to batch page | 3 | 0 | 1 | 2 | 2.172 s |
| 81 | Navigation function validation from manage attendance page to other * | Verify admin is able to navigate from manage attendance to assignment page | 3 | 0 | 1 | 2 | 2.173 s |
| 82 | Navigation function validation from manage attendance page to other * | Verify admin is able to navigate from manage attendance to class page | 3 | 0 | 1 | 2 | 2.183 s |
| 83 | Navigation function validation from manage attendance page to other * | Verify admin should able to do logout function from manage attendance | 3 | 0 | 1 | 2 | 2.194 s |

* The feature name and/or scenario name has been cropped to fit in the available space.

# Manage Attendence Page Verification

| FAILED | DURATION - 8.473 s | | Scenarios<br>Total - 19<br>Pass - 0<br>Fail - 19<br>Skip - 0 | Steps<br>Total - 57<br>Pass - 0<br>Fail - 19<br>Skip - 38 | |
|---|---|---|---|---|---|
| | / 6:45:15.044 PM // 6:45:23.517 PM / | | | | |

## Validate the header of the page

| FAILED | DURATION - 4.379 s | | Steps<br>Total - 3<br>Pass - 0<br>Fail - 1<br>Skip - 2 | |
|---|---|---|---|---|
| | / 6:45:15.053 PM // 6:45:19.432 PM / | | | |
| | Manage Attendence Page Verification | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.030 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>    at com.Utils.Helper.openPage(Helper.java:41)<br>    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.184 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded1.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.001 s |
| 3 | Then Admin should see the Manage attendence in header | SKIPPED | 0.000 s |

## Validate response time from dashboard page to attendence page

| FAILED | DURATION - 0.211 s |
|---|---|
| / 6:45:19.747 PM // 6:45:19.958 PM / | |
| Manage Attendence Page Verification | |



Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.014 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>at com.Utils.Helper.openPage(Helper.java:41)<br>at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.182 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded2.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Maximum navigation time in milliseconds,default to 30 seconds | SKIPPED | 0.000 s |

## Validate the broken link

| FAILED | DURATION - 0.215 s |
|---|---|
| / 6:45:19.982 PM // 6:45:20.197 PM / | |
| Manage Attendence Page Verification | |



Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.011 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>    at com.Utils.Helper.openPage(Helper.java:41)<br>    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/<br>./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.188 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded3.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>    at java.base/java.nio.file.Path.of(Path.java:147)<br>    at java.base/java.nio.file.Paths.get(Paths.java:69)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>    at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>    at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.005 s |
| 3 | Then HTTP response>=400.Then the link is broken | SKIPPED | 0.000 s |

### Verify LMS title

| FAILED | DURATION - 0.211 s |
|---|---|
| / 6:45:20.216 PM // 6:45:20.427 PM / | |
| Manage Attendence Page Verification | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.012 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>    at com.Utils.Helper.openPage(Helper.java:41)<br>    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.188 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded4.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.001 s |
| 3 | Then Admin should see LMS-Learning management system as title | SKIPPED | 0.000 s |

### Verify the alignment of the Manage attendence header

| FAILED | DURATION - 0.165 s |
|---|---|
| / 6:45:20.487 PM // 6:45:20.652 PM / | |
| Manage Attendence Page Verification | |

**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.010 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>at com.Utils.Helper.openPage(Helper.java:41)<br>at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.148 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded5.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Manage attendence header should be in left side of page | SKIPPED | 0.001 s |

**Validate text in manage attendence page**

| FAILED | DURATION - 0.202 s |
| --- | --- |

/ 6:45:20.663 PM // 6:45:20.865 PM /

Manage Attendence Page Verification

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
| --- | --- | --- | --- |
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.008 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>    at com.Utils.Helper.openPage(Helper.java:41)<br>    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.187 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded6.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>    at java.base/java.nio.file.Path.of(Path.java:147)<br>    at java.base/java.nio.file.Paths.get(Paths.java:69)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>    at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>    at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should see correct spelling for the all the fields | SKIPPED | 0.001 s |

## Verify delete icon below the header

| FAILED | DURATION - 0.191 s |
|---|---|
| / 6:45:20.880 PM // 6:45:21.071 PM / | |
| Manage Attendence Page Verification | |



Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.011 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>    at com.Utils.Helper.openPage(Helper.java:41)<br>    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.171 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded7.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should see disabled delete icon below the "Manage Attendance" | SKIPPED | 0.001 s |

### Verify search bar on the attendence page

| FAILED | DURATION - 0.196 s | | |
|---|---|---|---|
| / 6:45:21.085 PM // 6:45:21.281 PM / | | | |
| Manage Attendence Page Verification | | | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.012 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>at com.Utils.Helper.openPage(Helper.java:41)<br>at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/<br>./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.173 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded8.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should see search bar on the attendance page | SKIPPED | 0.000 s |

**Verify add new Attendence button on**

| FAILED | DURATION - 0.186 s |
|---|---|

*/ 6:45:21.511 PM // 6:45:21.697 PM /*

*Manage Attendence Page Verification*

**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.010 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>    at com.Utils.Helper.openPage(Helper.java:41)<br>    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/<br>./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.168 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded9.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>    at java.base/java.nio.file.Path.of(Path.java:147)<br>    at java.base/java.nio.file.Paths.get(Paths.java:69)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>    at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>    at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should see +Add New Attendance button on the attendance page | SKIPPED | 0.000 s |

## Verify date table on the attendence page

| FAILED | DURATION - 0.192 s |
|---|---|
| / 6:45:21.764 PM // 6:45:21.956 PM / | |
| Manage Attendence Page Verification | |



Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.011 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>   at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>   at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>   at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>   at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>   at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>   at com.Utils.Helper.openPage(Helper.java:41)<br>   at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>   at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.176 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded10.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.001 s |
| 3 | Then Admin should see data table on the Manage Attendance Page With column headers | SKIPPED | 0.000 s |

### Verify Edit icon in the data table

| FAILED | DURATION - 0.174 s | | Steps |
|---|---|---|---|
| / 6:45:21.967 PM // 6:45:22.141 PM / | | | Total - 3 |
| | | | Pass - 0 |
| Manage Attendence Page Verification | | | Fail - 1 |
| | | | Skip - 2 |



| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.009 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>at com.Utils.Helper.openPage(Helper.java:41)<br>at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/<br>./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.157 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded11.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Edit Icon in each row of data table only  when entries are available | SKIPPED | 0.000 s |

**Verify edit icon when no data in the table**

| FAILED | DURATION - 0.172 s |
|---|---|

/ 6:45:22.151 PM // 6:45:22.323 PM /

Manage Attendence Page Verification

**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.008 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>   at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>   at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>   at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>   at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>   at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>   at com.Utils.Helper.openPage(Helper.java:41)<br>   at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>   at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.157 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded12.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>   at java.base/java.nio.file.Path.of(Path.java:147)<br>   at java.base/java.nio.file.Paths.get(Paths.java:69)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>   at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>   at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.001 s |
| 3 | Then Edit Icon will not be present in data table | SKIPPED | 0.001 s |

### Verify delete icon in the data table

| FAILED | DURATION - 0.154 s |
|---|---|
| / 6:45:22.335 PM // 6:45:22.489 PM / | |
| Manage Attendence Page Verification | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2



| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.009 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>    at com.Utils.Helper.openPage(Helper.java:41)<br>    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.140 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded13.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.001 s |
| 3 | Then Delete Icon in each row of data table only  when entries are available | SKIPPED | 0.000 s |

### Verify delete icon when no data in the table

| FAILED | DURATION - 0.155 s |
|--------|--------------------|
| / 6:45:22.496 PM // 6:45:22.651 PM / | |
| Manage Attendence Page Verification | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2



| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.008 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>at com.Utils.Helper.openPage(Helper.java:41)<br>at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.142 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded14.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin cant see delete  Icon in data table | SKIPPED | 0.000 s |

## Verify sort icon the data table

| FAILED | DURATION - 0.163 s |
| --- | --- |

/ 6:45:22.688 PM // 6:45:22.851 PM /

Manage Attendence Page Verification

**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
| --- | --- | --- | --- |
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.008 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>   at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>   at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>   at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>   at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>   at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>   at com.Utils.Helper.openPage(Helper.java:41)<br>   at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>   at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.151 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded15.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>   at java.base/java.nio.file.Path.of(Path.java:147)<br>   at java.base/java.nio.file.Paths.get(Paths.java:69)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>   at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>   at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should see sort icon near the column headers except for Edit and Delete | SKIPPED | 0.000 s |

## Verify check box in the data table

| FAILED | DURATION - 0.164 s | | |
|---|---|---|---|
| / 6:45:22.859 PM // 6:45:23.023 PM / | | | |
| Manage Attendence Page Verification | | | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.007 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>    at com.Utils.Helper.openPage(Helper.java:41)<br>    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.149 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded16.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should see check box in the all rows  of data table | SKIPPED | 0.001 s |

### Validate the number entries displaying

| FAILED | DURATION - 0.153 s | | Steps |
|---|---|---|---|
| / 6:45:23.033 PM // 6:45:23.186 PM / | | | Total - 3<br>Pass - 0<br>Fail - 1<br>Skip - 2 |
| Manage Attendence Page Verification | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.010 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>at com.Utils.Helper.openPage(Helper.java:41)<br>at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.139 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded17.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Above the footer Admin should see the text as "Showing x to y of z entries" below the table, x- starting record number on that page,y-ending record number on that page,z-Total number of records  Note: with or without entries | SKIPPED | 0.000 s |

**Verify Pagination control below the data**

| FAILED | DURATION - 0.163 s |
| :--- | :--- |

/ 6:45:23.193 PM // 6:45:23.356 PM /

Manage Attendence Page Verification

**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
| :--- | :--- | :--- | :--- |
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.006 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>    at com.Utils.Helper.openPage(Helper.java:41)<br>    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/<br>./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.152 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded18.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>    at java.base/java.nio.file.Path.of(Path.java:147)<br>    at java.base/java.nio.file.Paths.get(Paths.java:69)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>    at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>    at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should see the pagination controls under the data table | SKIPPED | 0.000 s |

### Validate footer text

| FAILED | DURATION - 0.153 s |
|---|---|
| / 6:45:23.364 PM // 6:45:23.517 PM / | |
| Manage Attendence Page Verification | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.007 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>    at com.Utils.Helper.openPage(Helper.java:41)<br>    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.141 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded19.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks Attendence on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should see the text with total number classes in the data table. ( " In total there are number of classes") | SKIPPED | 0.000 s |

## Attendance details popup window verification

| FAILED | DURATION - 26.983 s | | | | |
|---|---|---|---|---|---|
| / 6:45:23.535 PM // 6:45:50.518 PM / | | Scenarios<br>Total - 12<br>Pass - 0<br>Fail - 12<br>Skip - 0 | 12 | Steps<br>Total - 36<br>Pass - 0<br>Fail - 12<br>Skip - 24 | 36 |

### Verify all label text

| FAILED | DURATION - 2.163 s | | | |
|---|---|---|---|---|
| / 6:45:23.535 PM // 6:45:25.698 PM / | | | Steps<br>Total - 3<br>Pass - 0<br>Fail - 1<br>Skip - 2 | 3 |
| Attendance details popup window verification | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given Admin is in manage attendance page | FAILED | 2.021 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>   at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>   at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>   at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.138 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded20.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) <br> at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) <br> at java.base/java.nio.file.Path.of(Path.java:147) <br> at java.base/java.nio.file.Paths.get(Paths.java:69) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) <br> at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) <br> at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) <br> at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) <br> at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) <br> at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) <br> at io.cucumber.java.Scenario.attach(Scenario.java:78) <br> at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks + a new attendance | SKIPPED | 0.001 s |
| 3 | Then Admin should dee correct spellings in the label | SKIPPED | 0.000 s |

### Verify dropdown box is present

| FAILED | DURATION - 2.244 s |
|---|---|
| / 6:45:25.708 PM // 6:45:27.952 PM / | |
| Attendance details popup window verification | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.064 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>  at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>  at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>  at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>  at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.175 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded21.png<br>  at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>  at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>  at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>  at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>  at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>  at java.base/java.nio.file.Path.of(Path.java:147)<br>  at java.base/java.nio.file.Paths.get(Paths.java:69)<br>  at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>  at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>  at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks + a new attendance | SKIPPED | 0.001 s |
| 3 | Then 4 dropdown should be preasent | SKIPPED | 0.000 s |

## Verify close button in attendance details popup window

| FAILED | DURATION - 2.204 s | | Steps | |
|---|---|---|---|---|
| / 6:45:27.960 PM // 6:45:30.164 PM / | | | Total - 3 | |
| Attendance details popup window verification | | | Pass - 0<br>Fail - 1<br>Skip - 2 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.010 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.189 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded22.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.java.Scenario.attach(Scenario.java:78) <br> at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks + a new attendance | SKIPPED | 0.000 s |
| 3 | Then Admin should see close button on attendance details pop up window | SKIPPED | 0.000 s |

### Verify the alignment of the close button

| FAILED | DURATION - 2.197 s |
|---|---|
| / 6:45:30.173 PM // 6:45:32.370 PM / | |
| Attendance details popup window verification | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.042 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9 <br> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) <br> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) <br> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) <br> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) <br> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) <br> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) <br> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) <br> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) <br> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) <br> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.150 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded23.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks + a new attendance | SKIPPED | 0.000 s |
| 3 | Then Close button should on the top right corner | SKIPPED | 0.001 s |

## Verify the text on first dropdown select a program name

| FAILED | DURATION - 2.233 s |
| --- | --- |

/ 6:45:32.378 PM // 6:45:34.611 PM /

Attendance details popup window verification

**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
| --- | --- | --- | --- |
| 1 | Given Admin is in manage attendance page | FAILED | 2.073 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br><br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.154 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded24.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks + a new attendance | SKIPPED | 0.000 s |
| 3 | Then First dropdown box "select a program name" text  should be present | SKIPPED | 0.000 s |

### Verify the text on second dropdown select class  name

| FAILED | DURATION - 2.151 s |
|---|---|
| / 6:45:34.618 PM // 6:45:36.769 PM / | |
| Attendance details popup window verification | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.014 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>    at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>    at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>    at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.133 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded25.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks + a new attendance | SKIPPED | 0.000 s |
| 3 | Then Second dropdown box "select class name" text  should be present | SKIPPED | 0.000 s |

### Verify the text on third dropdown select students

| FAILED | DURATION - 2.230 s | | Steps | |
|---|---|---|---|---|
| / 6:45:36.777 PM // 6:45:39.007 PM / | | | Total - 3 | |
| | | | Pass - 0 | 3 |
| Attendance details popup window verification | | | Fail - 1 | |
| | | | Skip - 2 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.046 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br><br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>   at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>   at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>   at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/ test/resources/Features/9_2_1.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.179 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded26.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>   at java.base/java.nio.file.Path.of(Path.java:147)<br>   at java.base/java.nio.file.Paths.get(Paths.java:69)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks + a new attendance | SKIPPED | 0.000 s |
| 3 | Then Third dropdown box "select students" text  should be present | SKIPPED | 0.000 s |

## Verify the text on fourth dropdown select attendance

| FAILED | DURATION - 2.188 s |
|---|---|
| / 6:45:39.015 PM // 6:45:41.203 PM / | |
| Attendance details popup window verification | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.029 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.155 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded27.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.java.Scenario.attach(Scenario.java:78) <br> at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks + a new attendance | SKIPPED | 0.001 s |
| 3 | Then Fourth dropdown box "select attendance" text should be present | SKIPPED | 0.000 s |

### Verify all the text inside the dropdown box is gray color

| FAILED | DURATION - 2.268 s |
|---|---|
| / 6:45:41.210 PM // 6:45:43.478 PM / | |
| Attendance details popup window verification | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.037 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9 <br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) <br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) <br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) <br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) <br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) <br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) <br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) <br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) <br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) <br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) <br> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) <br> at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) <br> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) <br> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) <br> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) <br> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) <br> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) <br> at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) <br> at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99) <br> at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) <br> at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4) <br> * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.227 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded28.png <br> at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) <br> at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) <br> at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) <br> at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) <br> at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) <br> at java.base/java.nio.file.Path.of(Path.java:147) <br> at java.base/java.nio.file.Paths.get(Paths.java:69) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) <br> at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) <br> at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) <br> at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) <br> at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) <br> at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) <br> at io.cucumber.java.Scenario.attach(Scenario.java:78) <br> at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks + a new attendance | SKIPPED | 0.000 s |
| 3 | Then Admin  should text in gray color | SKIPPED | 0.000 s |

## Verify save button is present

| FAILED | DURATION - 2.231 s |
| --- | --- |

/ 6:45:43.826 PM // 6:45:46.057 PM /

Attendance details popup window verification

**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
| --- | --- | --- | --- |
| 1 | Given Admin is in manage attendance page | FAILED | 2.049 s |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) |  |  |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.177 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded29.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks + a new attendance | SKIPPED | 0.001 s |
| 3 | Then Admin should see  save button in the class detail popup window | SKIPPED | 0.000 s |

### Verify cancel button is present

| FAILED | DURATION - 2.213 s | | Steps |
|---|---|---|---|
| / 6:45:46.065 PM // 6:45:48.278 PM / | | | Total - 3 |
| | | | Pass - 0 |
| Attendance details popup window verification | | | Fail - 1 |
| | | | Skip - 2 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.057 s |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>   at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>   at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>   at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.150 s |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded30.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) <br> at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) <br> at java.base/java.nio.file.Path.of(Path.java:147) <br> at java.base/java.nio.file.Paths.get(Paths.java:69) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) <br> at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) <br> at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) <br> at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) <br> at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) <br> at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) <br> at io.cucumber.java.Scenario.attach(Scenario.java:78) <br> at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks + a new attendance | SKIPPED | 0.000 s |
| 3 | Then Admin should see  cancel button in the class detail popup window | SKIPPED | 0.001 s |

### Verify order of the label in attendance details page

| FAILED | DURATION - 2.229 s |
|---|---|
| / 6:45:48.289 PM // 6:45:50.518 PM / | |
| Attendance details popup window verification | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2



| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.073 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>    at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendance.java:99)<br>    at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>    at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.151 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded31.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>    at java.base/java.nio.file.Path.of(Path.java:147)<br>    at java.base/java.nio.file.Paths.get(Paths.java:69)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks + a new attendance | SKIPPED | 0.000 s |
| 3 | Then Order of the label should be Program name, Class Name, Student Name, Attendance, Attendance Date | SKIPPED | 0.001 s |

## AttendenceDetails popup window validation

| FAILED | DURATION - 22.496 s | Scenarios | Steps |
|---|---|---|---|
| | | Total - 10 | Total - 30 |
| / 6:45:50.529 PM // 6:46:13.025 PM / | | Pass - 0 | Pass - 0 |
| | | Fail - 10 | Fail - 10 |
| | | Skip - 0 | Skip - 20 |

Scenarios: 10

Steps: 30

### Validate all program name is reflecting in the dropdown

| FAILED | DURATION - 2.224 s | | Steps |
|---|---|---|---|
| / 6:45:50.529 PM // 6:45:52.753 PM / | | | Total - 3 |
| | | | Pass - 0 |
| AttendenceDetails popup window validation | | | Fail - 1 |
| | | | Skip - 2 |

Steps: 3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.053 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>    at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>    at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>    at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.166 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded32.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>    at java.base/java.nio.file.Path.of(Path.java:147)<br>    at java.base/java.nio.file.Paths.get(Paths.java:69)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks  program name dropdown | SKIPPED | 0.000 s |
| 3 | Then Program Name in the drop down should match with  program name in  manage program page table | SKIPPED | 0.000 s |

## Validate all class name  is reflecting in the dropdown

| FAILED | DURATION - 2.296 s |
|---|---|
| / 6:45:52.761 PM // 6:45:55.057 PM / | |
| *AttendenceDetails popup window validation* | |

**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.083 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/<br>Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.207 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded33.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks class name dropdown | SKIPPED | 0.000 s |
| 3 | Then Class Name in the drop down should match with  class name in  manage class page table | SKIPPED | 0.000 s |

### Validate attendance field dropdown all mandatory keywords

| FAILED | DURATION - 2.214 s |
|---|---|

*/ 6:45:55.063 PM // 6:45:57.277 PM /*

*AttendenceDetails popup window validation*

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.052 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/<br>Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.157 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded34.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks attendance dropdown | SKIPPED | 0.000 s |
| 3 | Then Attendance field should have keywords such as - present, absent, late, excused | SKIPPED | 0.000 s |

### Verify spellings in the attendance field drop down

| FAILED | DURATION - 2.220 s |
|---|---|
| / 6:45:57.284 PM // 6:45:59.504 PM / | |
| *AttendenceDetails popup window validation* | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.048 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.168 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded35.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks attendance dropdown | SKIPPED | 0.000 s |
| 3 | Then Admin should see correct spellings in dropdown text | SKIPPED | 0.000 s |

## Validate date picker

| FAILED | DURATION - 2.210 s |
|---|---|
| / 6:45:59.521 PM // 6:46:01.731 PM / | |
| AttendenceDetails popup window validation | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.054 s |

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9

   at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.152 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded36.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks date from date picker | SKIPPED | 0.000 s |
| 3 | Then selected date should be their in class date text box | SKIPPED | 0.000 s |

### validate date picker should be correct format

| FAILED     DURATION - 2.198 s | | Steps |
|---|---|---|
| / 6:46:01.743 PM // 6:46:03.941 PM / | | Total - 3 |
| | | Pass - 0 |
| *AttendenceDetails popup window validation* | | Fail - 1 |
| | | Skip - 2 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.031 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>   at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>   at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>   at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cumber.java.Scenario) | FAILED | 0.158 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded37.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks date from date picker | SKIPPED | 0.000 s |
| 3 | Then selected date should be in  mm/dd/yyyy format | SKIPPED | 0.000 s |

### Validate right arrow in data picker to navigate to next month

| FAILED | DURATION - 2.219 s | | Steps |
|---|---|---|---|
| / 6:46:04.128 PM // 6:46:06.347 PM / | | | Total - 3 |
| | | | Pass - 0 |
| AttendenceDetails popup window validation | | | Fail - 1 |
| | | | Skip - 2 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.060 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>   at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>   at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>   at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4)<br>\* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.154 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded38.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>   at java.base/java.nio.file.Path.of(Path.java:147)<br>   at java.base/java.nio.file.Paths.get(Paths.java:69)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks right arrow in the date picker near month | SKIPPED | 0.000 s |
| 3 | Then Next month calender should visible | SKIPPED | 0.000 s |

### Validate left arrow in data picker to navigate to previous month

| FAILED | DURATION - 2.211 s |
|---|---|
| / 6:46:06.354 PM // 6:46:08.565 PM / | |
| AttendenceDetails popup window validation | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.024 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9 at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/<br>Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.181 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded39.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks left arrow in the date picker near month | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 3 | Then previous month calender should visible | SKIPPED | 0.000 s |

### Validate current date is highlighted in the date picker

| FAILED | DURATION - 2.219 s | | Steps |
|--------|--------------------|--|-------|
| / 6:46:08.572 PM // 6:46:10.791 PM / | | | Total - 3 |
| | | | Pass - 0 |
| AttendenceDetails popup window validation | | | Fail - 1 |
| | | | Skip - 2 |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.028 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>  at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/<br>Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.187 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded40.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks date picker button | SKIPPED | 0.000 s |
| 3 | Then Admin should see current date is highled in the date picker | SKIPPED | 0.000 s |

**Validate selected date is highlighted in the date picker**

| FAILED | DURATION - 2.228 s |
|--------|--------------------|
| / 6:46:10.797 PM // 6:46:13.025 PM / | |
| AttendenceDetails popup window validation | |

**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.044 s |

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9

    at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
    at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.180 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded41.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks date picker button | SKIPPED | 0.001 s |
| 3 | Then Admin should see selected date is highled in the date picker | SKIPPED | 0.000 s |

## Add New Attendance

| FAILED | DURATION - 15.538 s | Scenarios<br>Total - 7<br>Pass - 0<br>Fail - 7<br>Skip - 0 | 7 | Steps<br>Total - 21<br>Pass - 0<br>Fail - 7<br>Skip - 14 | 21 |
|---|---|---|---|---|---|
| / 6:46:13.034 PM // 6:46:28.572 PM / | | | | | |

## Validate admin able to create new attendance data

| FAILED | DURATION - 2.244 s |
|--------|---------------------|
| / 6:46:13.034 PM // 6:46:15.278 PM / | |
| Add New Attendance | |

**Steps**

Total - 3

Pass - 0

Fail - 1

Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.064 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>   at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_3.AddNewAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.176 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded42.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin fills all the values and click save | SKIPPED | 0.000 s |
| 3 | Then Admin should see success message in popup window and sees new attendance details in manage attendance details DB | SKIPPED | 0.001 s |

## Validate admin able to create new attendance data without program name

| FAILED | DURATION - 2.198 s | | Steps |
|---|---|---|---|
| / 6:46:15.284 PM // 6:46:17.482 PM / | | | Total - 3 |
| | | | Pass - 0 |
| Add New Attendance | | | Fail - 1 |
| | | | Skip - 2 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.063 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br><br>    at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>    at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>    at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>    at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_3.AddNewAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.131 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded43.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin fills values missing program name and click save | SKIPPED | 0.000 s |
| 3 | Then Program name is missing | SKIPPED | 0.001 s |

### Validate admin able to create new attendance data without class name

| FAILED | DURATION - 2.246 s | | Steps |
|---|---|---|---|
| / 6:46:17.493 PM // 6:46:19.739 PM / | | | Total - 3 |
| | | | Pass - 0 |
| Add New Attendance | | | Fail - 1 |
| | | | Skip - 2 |

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.040 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>   at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>   at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>   at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_3.AddNewAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.202 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded44.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>   at java.base/java.nio.file.Path.of(Path.java:147)<br>   at java.base/java.nio.file.Paths.get(Paths.java:69)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) <br> at io.cumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) <br> at io.cumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) <br> at io.cumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) <br> at io.cumber.core.runner.TestCaseState.attach(TestCaseState.java:74) <br> at io.cumber.java.Scenario.attach(Scenario.java:78) <br> at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin fills values missing class name and click save | SKIPPED | 0.000 s |
| 3 | Then class name is missing | SKIPPED | 0.000 s |

### Validate admin able to create new attendance data without student name

| FAILED | DURATION - 2.172 s |
|---|---|
| / 6:46:19.746 PM // 6:46:21.918 PM / | |
| Add New Attendance | |



**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.026 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9 <br> at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) <br> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) <br> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) <br> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) <br> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| | at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) | | |
| | at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76) | | |
| | at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27) | | |
| | at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_3.AddNewAttendance.feature:4) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.142 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded45.png | | |
| | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) | | |
| | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) | | |
| | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) | | |
| | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) | | |
| | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) | | |
| | at java.base/java.nio.file.Path.of(Path.java:147) | | |
| | at java.base/java.nio.file.Paths.get(Paths.java:69) | | |
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) | | |
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) | | |
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) | | |
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) | | |
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) | | |
| | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) | | |
| | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) | | |
| | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) | | |
| | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) | | |
| | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) | | |
| | at io.cucumber.java.Scenario.attach(Scenario.java:78) | | |
| | at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin fills values missing student name and click save | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | Then student name is missing | SKIPPED | 0.000 s |

### Validate admin able to create new attendance data without attendances

| FAILED | DURATION - 2.180 s | | Steps |
|---|---|---|---|
| | / 6:46:21.925 PM // 6:46:24.105 PM / | | Total - 3 |
| | | | Pass - 0 |
| | Add New Attendance | | Fail - 1 |
| | | | Skip - 2 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.026 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>    at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/<br>Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_3.AddNewAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.150 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded46.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin fills values missing attendance and click save | SKIPPED | 0.000 s |
| 3 | Then Attendance is missing | SKIPPED | 0.000 s |

**Validate admin able to create new attendance data without attendance date**

| FAILED | DURATION - 2.234 s |
|--------|--------------------|

/ 6:46:24.111 PM // 6:46:26.345 PM /

Add New Attendance

**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.028 s |

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9
   at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_3.AddNewAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.202 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded47.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>    at java.base/java.nio.file.Path.of(Path.java:147)<br>    at java.base/java.nio.file.Paths.get(Paths.java:69)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>    at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>    at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>    at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>    at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>    at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>    at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>    at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin fills values missing attendance date  and click save | SKIPPED | 0.000 s |
| 3 | Then Attendance date is missing | SKIPPED | 0.000 s |

### Validate admin able to create new attendance by selecting future date

| FAILED    DURATION - 2.220 s | | Steps |
|---|---|---|
| / 6:46:26.352 PM // 6:46:28.572 PM / | | Total - 3 |
| | | Pass - 0 |
| Add New Attendance | | Fail - 1 |
| | | Skip - 2 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.038 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>    at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>    at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>    at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>    at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_3.AddNewAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.177 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded48.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin fills values with future date  and click save | SKIPPED | 0.000 s |
| 3 | Then Invalidate attendance date | SKIPPED | 0.000 s |

## Edit Attendance

| FAILED | DURATION - 15.494 s | Scenarios<br>Total - 7<br>Pass - 0<br>Fail - 7<br>Skip - 0 | 7 | Steps<br>Total - 21<br>Pass - 0<br>Fail - 7<br>Skip - 14 | 21 |
|---|---|---|---|---|---|
| / 6:46:28.582 PM // 6:46:44.076 PM / | | | | | |

### Validate admin able to update new attendance data

| FAILED | DURATION - 2.229 s | | Steps<br>Total - 3<br>Pass - 0<br>Fail - 1<br>Skip - 2 | 3 |
|---|---|---|---|---|
| / 6:46:28.582 PM // 6:46:30.811 PM / | | | | |
| *Edit Attendance* | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.058 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>   at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>   at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>   at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_4.EditAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.166 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded49.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin fills all the values and click save to update | SKIPPED | 0.000 s |
| 3 | Then Admin should see success message in popup window and sees updated attendance details in manage attendance details DB | SKIPPED | 0.001 s |

### Validate admin able to update new attendance data without program name

| FAILED | DURATION - 2.170 s |
|---|---|
| / 6:46:30.816 PM // 6:46:32.986 PM / | |
| Edit Attendance | |



Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.027 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>   at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>   at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>   at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_4.EditAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.139 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded50.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>   at java.base/java.nio.file.Path.of(Path.java:147)<br>   at java.base/java.nio.file.Paths.get(Paths.java:69)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin fills values missing program name and click save to update | SKIPPED | 0.000 s |
| 3 | Then Program name is missing | SKIPPED | 0.001 s |

### Validate admin able to update new attendance data without class name

| FAILED | DURATION - 2.204 s |
|--------|--------------------|
| / 6:46:32.991 PM // 6:46:35.195 PM / | |
| Edit Attendance | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.048 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>　at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/<br>Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_4.EditAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.151 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded51.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 2 | When Admin fills values missing class name and click save to update | SKIPPED | 0.000 s |
| 3 | Then class name is missing | SKIPPED | 0.000 s |

### Validate admin able to update new attendance data without student name

| FAILED | DURATION - 2.209 s |
|---|---|
| / 6:46:35.201 PM // 6:46:37.410 PM / | |
| Edit Attendance | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.064 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9 at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/<br>Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_4.EditAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.142 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded52.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin fills values missing student name and click save to update | SKIPPED | 0.000 s |
| 3 | Then student name is missing | SKIPPED | 0.001 s |

**Validate admin able to update new attendance data without attendances**

| FAILED | DURATION - 2.206 s |
|---|---|
| / 6:46:37.415 PM // 6:46:39.621 PM / | |
| Edit Attendance | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.020 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br><br>at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_4.EditAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.181 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded53.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin fills values missing attendance and click save to update | SKIPPED | 0.001 s |
| 3 | Then Attendance is missing | SKIPPED | 0.000 s |

### Validate admin able to update new attendance data without attendance date

| FAILED | DURATION - 2.237 s | | Steps |
|---|---|---|---|
| / 6:46:39.628 PM // 6:46:41.865 PM / | | | Total - 3 |
| | | | Pass - 0 |
| Edit Attendance | | | Fail - 1 |
| | | | Skip - 2 |

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.050 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>   at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>   at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>   at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_4.EditAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.180 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded54.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin fills values missing attendance date  and click save to update | SKIPPED | 0.000 s |
| 3 | Then Attendance date is missing | SKIPPED | 0.000 s |

## Validate admin able to update new attendance by selecting future date

| FAILED    DURATION - 2.206 s | | Steps |
|---|---|---|
| / 6:46:41.870 PM // 6:46:44.076 PM / | | Total - 3<br>Pass - 0<br>Fail - 1<br>Skip - 2 |
| Edit Attendance | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in  attendance details popup window | FAILED | 2.054 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>   at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)<br>   at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)<br>   at ?.Admin is in  attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_4.EditAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.148 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded55.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>   at java.base/java.nio.file.Path.of(Path.java:147)<br>   at java.base/java.nio.file.Paths.get(Paths.java:69)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
|  | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) |  |  |
| 2 | When Admin fills values with future date  and click save to update | SKIPPED | 0.000 s |
| 3 | Then Invalidate attendance date | SKIPPED | 0.000 s |

## Delete Attendance Validation

| FAILED | DURATION - 7.020 s | Scenarios<br>Total - 5<br>Pass - 0<br>Fail - 5<br>Skip - 0 | 5 | Steps<br>Total - 15<br>Pass - 0<br>Fail - 5<br>Skip - 10 | 15 |
|---|---|---|---|---|---|
| / 6:46:44.083 PM // 6:46:51.103 PM / |  |  |  |  |  |

### Verify Delete attendance alert

| FAILED | DURATION - 2.190 s |  | Steps<br>Total - 3<br>Pass - 0<br>Fail - 1<br>Skip - 2 | 3 |
|---|---|---|---|---|
| / 6:46:44.083 PM // 6:46:46.273 PM / |  |  |  |  |
| *Delete Attendance Validation* |  |  |  |  |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.047 s |
|  | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, |  |  |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br><br>   at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>   at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>   at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>   at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_5.DeleteAttendance.feature:6)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.140 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded56.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>   at java.base/java.nio.file.Path.of(Path.java:147)<br>   at java.base/java.nio.file.Paths.get(Paths.java:69)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) <br> at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) <br> at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) <br> at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) <br> at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) <br> at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) <br> at io.cucumber.java.Scenario.attach(Scenario.java:78) <br> at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks delete button in data table row level | SKIPPED | 0.000 s |
| 3 | Then Admin should see alert | SKIPPED | 0.000 s |

## Verify accept enabled in alert

| FAILED | DURATION - 2.224 s |
|---|---|
| / 6:46:46.282 PM // 6:46:48.506 PM / | |
| Delete Attendance Validation | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.024 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9 <br> at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) <br> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) <br> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) <br> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) <br> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) <br> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) <br> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) <br> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) <br> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) <br> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) <br> at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) <br> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) <br> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) <br> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) <br> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) <br> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) <br> at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) <br> at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99) <br> at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) <br> at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_5.DeleteAttendance.feature:11) <br> * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.195 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded57.png <br> at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) <br> at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) <br> at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) <br> at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) <br> at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) <br> at java.base/java.nio.file.Path.of(Path.java:147) <br> at java.base/java.nio.file.Paths.get(Paths.java:69) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) <br> at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) <br> at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) <br> at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) <br> at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) <br> at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) <br> at io.cucumber.java.Scenario.attach(Scenario.java:78) | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
|   | at appHooks.Hooks.afterstep(Hooks.java:52) |  |  |
| 2 | When Admin clicks delete button in data table row level | SKIPPED | 0.000 s |
| 3 | Then Alert should have "yes" button to accept | SKIPPED | 0.000 s |

### Verify reject enabled in alert

| FAILED | DURATION - 2.239 s |
|--------|--------------------|
| / 6:46:48.513 PM // 6:46:50.752 PM / | |
| Delete Attendance Validation | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given Admin is in manage attendance page | FAILED | 2.060 s |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9 |  |  |
|   | at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) |  |  |
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) |  |  |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) |  |  |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) |  |  |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) |  |  |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) |  |  |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) |  |  |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) |  |  |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) |  |  |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) |  |  |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) |  |  |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_5.DeleteAttendance.feature:16)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.175 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded58.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks delete button in data table row level | SKIPPED | 0.000 s |
| 3 | Then Alert should have "No" button to accept | SKIPPED | 0.000 s |

## Validate accept in alert

| FAILED | DURATION - 0.175 s |
|---|---|
| / 6:46:50.758 PM // 6:46:50.933 PM / | |
| Delete Attendance Validation | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in delete alert after clicking row level delete button | FAILED | 0.020 s |

java.lang.ExceptionInInitializerError
   at com.PageObjects.DeleteAttendance.DisplayAlert(DeleteAttendance.java:42)
   at com.StepDefinitions.DeleteAttendanceStepDef.
admin_is_in_delete_alert_after_clicking_row_level_delete_button(DeleteAttendanceStepDef.java:45)
   at ?.Admin is in delete alert after clicking row level delete button(file:///C:/Users/Ashrith/eclipse-workspace/
Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_5.DeleteAttendance.feature:21)
Caused by: java.lang.RuntimeException: Excel file path not specified in the Configuration.properties file.
   at com.Utils.ConfigReader.getexcelfilepath(ConfigReader.java:63)
   at com.Utils.Utils.<clinit>(Utils.java:26)
   at com.PageObjects.DeleteAttendance.DisplayAlert(DeleteAttendance.java:42)
   at com.StepDefinitions.DeleteAttendanceStepDef.
admin_is_in_delete_alert_after_clicking_row_level_delete_button(DeleteAttendanceStepDef.java:45)
   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
   at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
   at io.cucumber.java.Invoker.invoke(Invoker.java:24)
   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
   at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
   at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
   at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambda$run$0(PickleRunners.java:151)

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)<br>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)<br>at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)<br>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)<br>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)<br>at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)<br>at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)<br>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)<br>at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)<br>at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)<br>at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)<br>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)<br>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)<br>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)<br>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)<br>at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)<br>at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)<br>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)<br>at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)<br>at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)<br>at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)<br>at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)<br>at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)<br>at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)<br>at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)<br>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)<br>at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)<br>at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.150 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded59.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks yes button | SKIPPED | 0.000 s |
| 3 | Then Success message and selected attendance details are deleted from the data table | SKIPPED | 0.000 s |

### Validate reject in alert

| FAILED | DURATION - 0.165 s |
|---|---|
| / 6:46:50.938 PM // 6:46:51.103 PM / | |
| Delete Attendance Validation | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2



| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in delete alert after clicking row level delete button | FAILED | 0.017 s |
| | java.lang.NoClassDefFoundError: Could not initialize class com.Utils.Utils<br>    at com.PageObjects.DeleteAttendance.DisplayAlert(DeleteAttendance.java:42)<br>    at com.StepDefinitions.DeleteAttendanceStepDef.<br>admin_is_in_delete_alert_after_clicking_row_level_delete_button(DeleteAttendanceStepDef.java:45)<br>    at ?.Admin is in delete alert after clicking row level delete button(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_5.DeleteAttendance.feature:26)<br>Caused by: java.lang.ExceptionInInitializerError: Exception java.lang.RuntimeException: Excel file path not specified in the Configuration.<br>properties file. [in thread "main"] | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.Utils.ConfigReader.getexcelfilepath(ConfigReader.java:63) | | |
| | at com.Utils.Utils.<clinit>(Utils.java:26) | | |
| | at com.PageObjects.DeleteAttendance.DisplayAlert(DeleteAttendance.java:42) | | |
| | at com.StepDefinitions.DeleteAttendanceStepDef. admin_is_in_delete_alert_after_clicking_row_level_delete_button(DeleteAttendanceStepDef.java:45) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambda$run$0(PickleRunners.java:151) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) | | |
| | at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) | | |
| | at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) | | |
| | at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) | | |
| | at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)<br>at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)<br>at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)<br>at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)<br>at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)<br>at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)<br>at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)<br>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)<br>at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)<br>at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.144 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded60.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks no button | SKIPPED | 0.000 s |
| 3 | Then Redirected attendance page and selected attendance details are not deleted from the data table | SKIPPED | 0.000 s |

## Delete Multiple Attendances

| FAILED | DURATION - 11.462 s | Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0 | 7 | Steps Total - 21 Pass - 0 Fail - 7 Skip - 14 | 21 |
|---|---|---|---|---|---|
| / 6:46:51.111 PM // 6:47:02.573 PM / | | | | | |

## Verify delete multiple class  button is enabled

| FAILED | DURATION - 2.216 s | | Steps Total - 3 Pass - 0 Fail - 1 Skip - 2 | 3 |
|---|---|---|---|---|
| / 6:46:51.111 PM // 6:46:53.327 PM / | | | | |
| Delete Multiple Attendances | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.047 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}  (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>        at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>        at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>        at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>        at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/ test/resources/Features/9_6.DeleteMultipleAttendance.feature:6)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.164 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded61.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks single  row level check box in the data table | SKIPPED | 0.000 s |
| 3 | Then Admin should see delete icon below the header is enabled | SKIPPED | 0.000 s |

### verify tick mark is visible after clicking on check box for single data

| FAILED | DURATION - 2.181 s |
|---|---|
| / 6:46:53.334 PM // 6:46:55.515 PM / | |
| *Delete Multiple Attendances* | |

**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.033 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br><br>at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) <br> at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99) <br> at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) <br> at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:11) <br> * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.144 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded62.png <br> at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) <br> at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) <br> at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) <br> at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) <br> at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) <br> at java.base/java.nio.file.Path.of(Path.java:147) <br> at java.base/java.nio.file.Paths.get(Paths.java:69) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) <br> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) <br> at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) <br> at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) <br> at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) <br> at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) <br> at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) <br> at io.cucumber.java.Scenario.attach(Scenario.java:78) <br> at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks single  row level check box in the data table | SKIPPED | 0.000 s |
| 3 | Then Admin should see tick mark in check box | SKIPPED | 0.000 s |

**verify admin able to click multiple check box**

| FAILED | DURATION - 2.212 s |
|---|---|
| / 6:46:55.525 PM // 6:46:57.737 PM / | |
| Delete Multiple Attendances | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.034 s |

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9
  at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
  at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)
  at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:16)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.175 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded63.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks multiple row level check box in the data table | SKIPPED | 0.000 s |
| 3 | Then Admin should see tick mark in check box of the selected rows | SKIPPED | 0.000 s |

## Verify accept alert in delete multiple attendance by selecting single checkbox

| FAILED | DURATION - 2.213 s | | Steps |
|---|---|---|---|
| / 6:46:57.744 PM // 6:46:59.957 PM / | | | Total - 3<br>Pass - 0<br>Fail - 1<br>Skip - 2 |
| Delete Multiple Attendances | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in alert after Admin clicks delete button under header after selecting the check box in the data | FAILED | 2.057 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id = 'content']/div[1]/div[2]/button[@id = 'delete']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//*[@id = 'content']/div[1]/div[2]/button[@id = 'delete']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>    at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>    at com.PageObjects.DeleteMultipleAttendance.Alertbox(DeleteMultipleAttendance.java:61)<br>    at com.StepDefinitions.DeleteMultipleAttendanceStepDef.admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_check_box_in_the_data(DeleteMultipleAttendanceStepDef.java:59)<br>    at ?.Admin is in alert after Admin clicks delete button under header after selecting the check box in the data(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:21)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.151 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded64.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) | | |
| | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) | | |
| | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) | | |
| | at java.base/java.nio.file.Path.of(Path.java:147) | | |
| | at java.base/java.nio.file.Paths.get(Paths.java:69) | | |
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) | | |
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) | | |
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) | | |
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) | | |
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) | | |
| | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) | | |
| | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) | | |
| | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) | | |
| | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) | | |
| | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) | | |
| | at io.cucumber.java.Scenario.attach(Scenario.java:78) | | |
| | at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks yes button | SKIPPED | 0.000 s |
| 3 | Then Success message and selected attendance detail are deleted from the data table | SKIPPED | 0.000 s |

## Verify reject alert in delete multiple attendance by selecting single checkbox

| FAILED | DURATION - 2.237 s |
|---|---|
| / 6:46:59.963 PM // 6:47:02.200 PM / | |
| Delete Multiple Attendances | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in alert after Admin clicks delete button under header after selecting the check box in the data | FAILED | 2.055 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id = 'content']/div[1]/div[2]/button[@id = 'delete']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os. arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//*[@id = 'content']/div[1]/div[2]/button[@id = 'delete']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo. .., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>    at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)<br>    at com.PageObjects.DeleteMultipleAttendance.Alertbox(DeleteMultipleAttendance.java:61)<br>    at com.StepDefinitions.DeleteMultipleAttendanceStepDef. admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_check_box_in_the_data(DeleteMultipleAttendanceStepDef.java:59)<br>    at ?.Admin is in alert after Admin clicks delete button under header after selecting the check box in the data(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:26)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.177 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded65.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>    at java.base/java.nio.file.Path.of(Path.java:147)<br>    at java.base/java.nio.file.Paths.get(Paths.java:69)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks yes button | SKIPPED | 0.001 s |
| 3 | Then Redirected to attendance page and selected attendance details are not deleted from the data table | SKIPPED | 0.000 s |

## Verify accept alert in delete multiple attendance by selecting multiple checkbox

| FAILED | DURATION - 0.188 s |
|---|---|
| / 6:47:02.208 PM // 6:47:02.396 PM / | |
| *Delete Multiple Attendances* | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table | FAILED | 0.032 s |
| | org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a/table/ tr/[@id = 'checkbox'][i] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a/table/ tr/[@id = 'checkbox'][i]' is not a valid XPath expression.   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a/table/ tr/[@id = 'checkbox'][i]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at com.PageObjects.DeleteMultipleAttendance.AlertMultipleCheckBox(DeleteMultipleAttendance.java:88)<br>at com.StepDefinitions.DeleteMultipleAttendanceStepDef.admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_multiple_check_box_in_the_data_table(DeleteMultipleAttendanceStepDef.java:75)<br>at ?.Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:31)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.153 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded66.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks yes button | SKIPPED | 0.001 s |
| 3 | Then Success message and validate particular attendance details are deleted from the data table | SKIPPED | 0.000 s |

### Verify reject alert in delete multiple attendance by selecting multiple checkbox

| FAILED | DURATION - 0.170 s |
|---|---|
| / 6:47:02.403 PM // 6:47:02.573 PM / | |
| Delete Multiple Attendances | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table | FAILED | 0.023 s |
| | org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a/table/ tr/[@id = 'checkbox'][i] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a/table/ tr/[@id = 'checkbox'][i]' is not a valid XPath expression.   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//a/table/ tr/[@id = 'checkbox'][i]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at com.PageObjects.DeleteMultipleAttendance.AlertMultipleCheckBox(DeleteMultipleAttendance.java:88)<br>at com.StepDefinitions.DeleteMultipleAttendanceStepDef.<br>admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_multiple_check_box_in_the_data_table(DeleteMultipleAttendanceStepDef.java:75)<br>at ?.Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:36)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.143 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded67.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks no button | SKIPPED | 0.000 s |
| 3 | Then Redirected to attendance page and selected attendance details are not deleted from the data table | SKIPPED | 0.000 s |

## Pagination in manage attendance

| FAILED | DURATION - 1.656 s | | Scenarios<br>Total - 10<br>Pass - 0<br>Fail - 10<br>Skip - 0 | 10 | Steps<br>Total - 30<br>Pass - 0<br>Fail - 10<br>Skip - 20 | 30 |
|---|---|---|---|---|---|---|
| / 6:47:02.584 PM // 6:47:04.240 PM / | | | | | | |

## Verify sheet one is displayed on default in data table

| FAILED | DURATION - 0.146 s | | | Steps<br>Total - 3<br>Pass - 0<br>Fail - 1<br>Skip - 2 | 3 |
|---|---|---|---|---|---|
| / 6:47:02.584 PM // 6:47:02.730 PM / | | | | | |
| Pagination in manage attendance | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.006 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>   at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>   at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>   at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>   at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>   at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>   at com.Utils.Helper.openPage(Helper.java:41)<br>   at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>   at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_7.Pagination.feature:6)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.135 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded68.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks "attendance" button on the navigation bar | SKIPPED | 0.001 s |
| 3 | Then Data table should display first page when entries available | SKIPPED | 0.000 s |

### Verify  right arrow is enable when sheet one is displayed in data table

| FAILED | DURATION - 0.187 s |
|---|---|
| / 6:47:02.739 PM // 6:47:02.926 PM / | |
| Pagination in manage attendance | |



Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.005 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
|  | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>at com.Utils.Helper.openPage(Helper.java:41)<br>at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/<br>./src/test/resources/Features/9_7.Pagination.feature:11)<br>* Not displayable characters are replaced by '?'. |  |  |
|  | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.179 s |
|  | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded69.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) |  |  |
| 2 | When Admin clicks "attendance" button on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Right arrow should be enabled in page one  when entries are more than 5 available | SKIPPED | 0.000 s |

**Verify left arrow is disable when sheet one is displayed in data table**

| FAILED | DURATION - 0.152 s |
|---|---|

/ 6:47:02.933 PM // 6:47:03.085 PM /

Pagination in manage attendance

**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | **Given Admin is on dashboard page after Login** | FAILED | 0.005 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>   at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>   at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>   at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>   at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>   at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>   at com.Utils.Helper.openPage(Helper.java:41)<br>   at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>   at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_7.Pagination.feature:16)<br>* Not displayable characters are replaced by '?'. | | |
| | **AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)** | FAILED | 0.143 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded70.png<br>   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>   at java.base/java.nio.file.Path.of(Path.java:147)<br>   at java.base/java.nio.file.Paths.get(Paths.java:69)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>   at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>   at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks "attendance" button on the navigation bar | SKIPPED | 0.001 s |
| 3 | Then Left arrow should be disabled in page one  when entries are more than 5 available | SKIPPED | 0.000 s |

### Verify  right arrow is enable when sheet two is displayed in data table

| FAILED | DURATION - 0.157 s |
|---|---|

/ 6:47:03.092 PM // 6:47:03.249 PM /

*Pagination in manage attendance*



Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.005 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>    at com.Utils.Helper.openPage(Helper.java:41)<br>    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_7.Pagination.feature:21)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.148 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded71.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks "attendance" button on the navigation bar | SKIPPED | 0.001 s |
| 3 | Then Right arrow should be enabled in page two when entries are more than 10 available | SKIPPED | 0.000 s |

### Verify  left arrow is enable when sheet two is displayed in data table

| FAILED | DURATION - 0.150 s |
|---|---|
| / 6:47:03.255 PM // 6:47:03.405 PM / | |
| Pagination in manage attendance | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2



| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.005 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | <span style="color:red">at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>at com.Utils.Helper.openPage(Helper.java:41)<br>at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_7.Pagination.feature:26)<br>* Not displayable characters are replaced by '?'.</span> | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | <span style="color:red">FAILED</span> | 0.143 s |
| | <span style="color:red">java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded72.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52)</span> | | |
| 2 | When Admin clicks "attendance" button on the navigation bar | <span style="color:#d4a017">SKIPPED</span> | 0.000 s |
| 3 | Then Left arrow should be enabled in page two when entries are more than 10 available | <span style="color:#d4a017">SKIPPED</span> | 0.000 s |

**<span style="color:red">Verify  right arrow is disable when sheet two is displayed in data table when entries are less than 10</span>**

| FAILED | DURATION - 0.152 s |
|---|---|

*/ 6:47:03.411 PM // 6:47:03.563 PM /*

*Pagination in manage attendance*

**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.006 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>    at com.Utils.Helper.openPage(Helper.java:41)<br>    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/<br>./src/test/resources/Features/9_7.Pagination.feature:32)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.142 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded73.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>    at java.base/java.nio.file.Path.of(Path.java:147)<br>    at java.base/java.nio.file.Paths.get(Paths.java:69)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>    at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>    at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks "attendance" button on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Data table should display  page one when entries available | SKIPPED | 0.000 s |

## Verify pagination controls enabled

| FAILED | DURATION - 0.162 s |
|--------|--------------------|
| / 6:47:03.569 PM // 6:47:03.731 PM / | |
| Pagination in manage attendance | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.010 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)<br>    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>    at com.Utils.Helper.openPage(Helper.java:41)<br>    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_7.Pagination.feature:37)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.147 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded74.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks "attendance" button on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then when entries are more than 5 in data table pagination controls enabled | SKIPPED | 0.001 s |

### Verify pagination controls enabled

| FAILED | DURATION - 0.152 s |
|---|---|
| / 6:47:03.736 PM // 6:47:03.888 PM / | |
| Pagination in manage attendance | |



Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboard page after Login | FAILED | 0.005 s |
| | java.lang.NullPointerException: null value in entry: url=null<br>    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)<br>    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)<br>    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)<br>    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)<br>    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>at com.Utils.Helper.openPage(Helper.java:41)<br>at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)<br>at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_7.Pagination.feature:42)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.145 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded75.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks "attendance" button on the navigation bar | SKIPPED | 0.000 s |
| 3 | Then when entries are less than 5 in data table pagination controls disabled | SKIPPED | 0.000 s |

**Verify next page is enabled**

| FAILED | DURATION - 0.173 s |
| --- | --- |

/ 6:47:03.894 PM // 6:47:04.067 PM /

Pagination in manage attendance

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
| --- | --- | --- | --- |
| 1 | Given Admin is in attendance details pop up after clicking +Add New attendance | FAILED | 0.022 s |
| | io.cucumber.core.exception.CucumberException: Failed to instantiate class com.StepDefinitions.PaginationAttendanceStepDef<br>  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)<br>  at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)<br>  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)<br>  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)<br>  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)<br>  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)<br>  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br>  at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambda$run$0(PickleRunners.java:151)<br>  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)<br>  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)<br>  at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)<br>  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)<br>  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)<br>  at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)<br>  at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)<br>  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)<br>  at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)<br>  at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)<br>  at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)<br>  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)<br>  at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)<br>  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cumber.junit.Cucumber.runChild(Cucumber.java:89) | | |
| | at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) | | |
| | at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266) | | |
| | at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281) | | |
| | at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233) | | |
| | at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248) | | |
| | at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) | | |
| | at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) | | |
| | Caused by: java.lang.reflect.InvocationTargetException | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) | | |
| | ... 45 more Caused by: org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression .//8[@id ='leftcontainer']/table/tbody/tr/td[1] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string './/8[@id ='leftcontainer']/table/tbody/tr/td[1]' is not a valid XPath expression.   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElements {using=xpath, value=.//8[@id ='leftcontainer']/table/ tbody/tr/td[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9 | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElements(ElementLocation.java:179)<br>at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:102)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:367)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:359)<br>at com.PageObjects.PaginationAttendance.<init>(PaginationAttendance.java:43)<br>at com.StepDefinitions.PaginationAttendanceStepDef.<init>(PaginationAttendanceStepDef.java:18) | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.147 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded76.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin creates 6 new attendance | SKIPPED | 0.000 s |
| 3 | Then when total attendance entries above 5 next page is enabled ( On multiples of 5 new page will be enabled) | SKIPPED | 0.001 s |

**Verify next page is enabled**

| FAILED | DURATION - 0.166 s |
|---|---|

/ 6:47:04.074 PM // 6:47:04.240 PM /

Pagination in manage attendance

**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in attendance details pop up after clicking +Add New attendance | FAILED | 0.010 s |
| | io.cucumber.core.exception.CucumberException: Failed to instantiate class com.StepDefinitions.PaginationAttendanceStepDef<br>  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)<br>  at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)<br>  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)<br>  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)<br>  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)<br>  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)<br>  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br>  at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambda$run$0(PickleRunners.java:151)<br>  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)<br>  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)<br>  at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)<br>  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)<br>  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)<br>  at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)<br>  at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)<br>  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)<br>  at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)<br>  at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)<br>  at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)<br>  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)<br>  at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)<br>  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) | | |
| | at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) | | |
| | at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266) | | |
| | at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281) | | |
| | at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233) | | |
| | at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248) | | |
| | at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) | | |
| | at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) | | |
| | Caused by: java.lang.reflect.InvocationTargetException | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) | | |
| | ... 45 more Caused by: org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression .//8[@id ='leftcontainer']/table/tbody/tr/td[1] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string './/8[@id ='leftcontainer']/table/tbody/tr/td[1]' is not a valid XPath expression.   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElements {using=xpath, value=.//8[@id ='leftcontainer']/table/tbody/tr/td[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9 | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElements(ElementLocation.java:179)<br>at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:102)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:367)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:359)<br>at com.PageObjects.PaginationAttendance.<init>(PaginationAttendance.java:43)<br>at com.StepDefinitions.PaginationAttendanceStepDef.<init>(PaginationAttendanceStepDef.java:18) | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.151 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded77.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin creates less than or equal to 5 new attendance | SKIPPED | 0.000 s |
| 3 | Then when total attendance entries  5 or below next page is disabled | SKIPPED | 0.000 s |

# Navigation function validation from manage attendance page to other pages

| FAILED | DURATION - 13.234 s | | Scenarios | | Steps | |
|---|---|---|---|---|---|---|
| / 6:47:04.248 PM // 6:47:17.482 PM / | | | Total - 6<br>Pass - 0<br>Fail - 6<br>Skip - 0 | 6 | Total - 18<br>Pass - 0<br>Fail - 6<br>Skip - 12 | 18 |

## Verify admin is able to navigate from manage attendance to student page

| FAILED | DURATION - 2.261 s | | | Steps | |
|---|---|---|---|---|---|
| / 6:47:04.248 PM // 6:47:06.509 PM / | | | | Total - 3 | |
| *Navigation function validation from manage attendance page to other pages* | | | | Pass - 0<br>Fail - 1<br>Skip - 2 | 3 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.072 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}  (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>   at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_8.NavigationAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.183 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded78.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks " Student" button in the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should able to land on student page | SKIPPED | 0.000 s |

**Verify admin is able to navigate from manage attendance to program page**

| FAILED | DURATION - 2.217 s |
|---|---|
| / 6:47:06.516 PM // 6:47:08.733 PM / | |
| Navigation function validation from manage attendance page to other pages | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.050 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>    at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>    at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/ test/resources/Features/9_8.NavigationAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.164 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded79.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks " Program" button in the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should able to land on program page | SKIPPED | 0.000 s |

## Verify admin is able to navigate from manage attendance to batch page

| FAILED | DURATION - 2.172 s | | Steps | |
|---|---|---|---|---|
| / 6:47:08.740 PM // 6:47:10.912 PM / | | | Total - 3 | |
| Navigation function validation from manage attendance page to other pages | | | Pass - 0<br>Fail - 1<br>Skip - 2 | 3 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.026 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>    at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>    at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>    at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>    at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/ test/resources/Features/9_8.NavigationAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.142 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded80.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks " Batch" button in the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should able to land on batch page | SKIPPED | 0.000 s |

## Verify admin is able to navigate from manage attendance to assignment page

| FAILED | DURATION - 2.173 s |
|---|---|
| / 6:47:10.918 PM // 6:47:13.091 PM / | |
| Navigation function validation from manage attendance page to other pages | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.023 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br>    at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>    at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>    at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>    at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_8.NavigationAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.147 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded81.png<br>    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>    at java.base/java.nio.file.Path.of(Path.java:147)<br>    at java.base/java.nio.file.Paths.get(Paths.java:69)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) | | |
| | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) | | |
| | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) | | |
| | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) | | |
| | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) | | |
| | at io.cucumber.java.Scenario.attach(Scenario.java:78) | | |
| | at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks " Assignment" button in the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should able to land on Assignment page | SKIPPED | 0.000 s |

## Verify admin is able to navigate from manage attendance to class page

| FAILED | DURATION - 2.183 s |
|---|---|
| / 6:47:13.098 PM // 6:47:15.281 PM / | |
| Navigation function validation from manage attendance page to other pages | |

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.020 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9<br><br>  at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_8.NavigationAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.159 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded82.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks " Class" button in the navigation bar | SKIPPED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | Then Admin should able to land on class page | SKIPPED | 0.000 s |

## Verify admin should able to do logout function from manage attendance

| FAILED | DURATION - 2.194 s |
|---|---|
| / 6:47:15.288 PM // 6:47:17.482 PM / | |
| Navigation function validation from manage attendance page to other pages | |



**Steps**
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is in manage attendance page | FAILED | 2.046 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b34f86b64054bb8b81adbb80ef82c5a9, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b34f86b64054bb8b81adbb80ef82c5a9

  at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)<br>at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)<br>at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)<br>at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_8.NavigationAttendance.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.144 s |
| | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 18-45-13//screenshots/ \embedded83.png<br>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)<br>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)<br>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)<br>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)<br>at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)<br>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)<br>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)<br>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)<br>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)<br>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)<br>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:52) | | |
| 2 | When Admin clicks "Logout" button in the navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should able to land on login page | SKIPPED | 0.000 s |