



| Feature   |              | Scenario |   |    |   | Step |    |    |    |  |  |
|---|--------------|----------|---|----|---|------|----|----|----|--|--|
| Name  | Duration     | T        | P | F  | S | T    | P  | F  | S  |  |  |
| Manage Attendence Page Verification                                       | 1 m 38.016 s | 19       | 0 | 19 | 0 | 57   | 19 | 19 | 19 |  |  |
| Attendance details popup window verification                              | 2.837 s      | 12       | 0 | 12 | 0 | 36   | 0  | 12 | 24 |  |  |
| AttendenceDetails popup window validation                                 | 2.407 s      | 10       | 0 | 10 | 0 | 30   | 0  | 10 | 20 |  |  |
| Add New Attendance  | 1.641 s      | 7        | 0 | 7  | 0 | 21   | 0  | 7  | 14 |  |  |
| Edit Attendance   | 1.654 s      | 7        | 0 | 7  | 0 | 21   | 0  | 7  | 14 |  |  |
| Delete Attendance Validation  | 1.227 s      | 5        | 0 | 5  | 0 | 15   | 0  | 5  | 10 |  |  |
| Delete Multiple Attendances   | 1.765 s      | 7        | 0 | 7  | 0 | 21   | 0  | 7  | 14 |  |  |
| Pagination in manage attendance   | 0.577 s      | 10       | 0 | 10 | 0 | 30   | 0  | 10 | 20 |  |  |
| Navigation function validation from manage attendance page to other pages | 1.467 s      | 6        | 0 | 6  | 0 | 18   | 0  | 6  | 12 |  |  |

FEATURES SUMMARY -- 3 --




| # | Feature Name  | T  | P | F  | S | Duration     |
|---|---|----|---|----|---|--------------|
| 1 | Manage Attendence Page Verification                                       | 19 | 0 | 19 | 0 | 1 m 38.016 s |
| 2 | Attendance details popup window verification                              | 12 | 0 | 12 | 0 | 2.837 s      |
| 3 | AttendenceDetails popup window validation                                 | 10 | 0 | 10 | 0 | 2.407 s      |
| 4 | Add New Attendance  | 7  | 0 | 7  | 0 | 1.641 s      |
| 5 | Edit Attendance   | 7  | 0 | 7  | 0 | 1.654 s      |
| 6 | Delete Attendance Validation  | 5  | 0 | 5  | 0 | 1.227 s      |
| 7 | Delete Multiple Attendances   | 7  | 0 | 7  | 0 | 1.765 s      |
| 8 | Pagination in manage attendance   | 10 | 0 | 10 | 0 | 0.577 s      |
| 9 | Navigation function validation from manage attendance page to other pages | 6  | 0 | 6  | 0 | 1.467 s      |

SCENARIOS SUMMARY -- 4 --




| # | Feature Name                        | Scenario Name   | T | P | F | S | Duration |
|---|-------------------------------------|---|---|---|---|---|----------|
| 1 | Manage Attendence Page Verification | Validate the header of the page                               | 3 | 1 | 1 | 1 | 11.078 s |
| 2 | Manage Attendence Page Verification | Validate response time from dashboard page to attendence page | 3 | 1 | 1 | 1 | 4.666 s  |
| 3 | Manage Attendence Page Verification | Validate the broken link                                      | 3 | 1 | 1 | 1 | 4.803 s  |
| 4 | Manage Attendence Page Verification | Verify LMS title  | 3 | 1 | 1 | 1 | 4.728 s  |
| 5 | Manage Attendence Page Verification | Verify the alignment of the Manage attendence header          | 3 | 1 | 1 | 1 | 5.886 s  |
| 6 | Manage Attendence Page Verification | Validate text in manage attendence page                       | 3 | 1 | 1 | 1 | 5.927 s  |
| 7 | Manage Attendence Page Verification | Verify delete icon below the header                           | 3 | 1 | 1 | 1 | 4.652 s  |
| 8 | Manage Attendence Page Verification | Verify search bar on the attendence page                      | 3 | 1 | 1 | 1 | 4.674 s  |
| 9 | Manage Attendence Page Verification | Verify add new Attendence button on                           | 3 | 1 | 1 | 1 | 4.704 s  |

SCENARIOS SUMMARY -- 5 --




| #  | Feature Name                        | Scenario Name                                | T | P | F | S | Duration |
|----|-------------------------------------|--|---|---|---|---|----------|
| 10 | Manage Attendence Page Verification | Verify date table on the attendence page     | 3 | 1 | 1 | 1 | 4.630 s  |
| 11 | Manage Attendence Page Verification | Verify Edit icon in the data table           | 3 | 1 | 1 | 1 | 4.649 s  |
| 12 | Manage Attendence Page Verification | Verify edit icon when no data in the table   | 3 | 1 | 1 | 1 | 4.608 s  |
| 13 | Manage Attendence Page Verification | Verify delete icon in the data table         | 3 | 1 | 1 | 1 | 4.734 s  |
| 14 | Manage Attendence Page Verification | Verify delete icon when no data in the table | 3 | 1 | 1 | 1 | 4.610 s  |
| 15 | Manage Attendence Page Verification | Verify sort icon the data table              | 3 | 1 | 1 | 1 | 4.702 s  |
| 16 | Manage Attendence Page Verification | Verify check box in the data table           | 3 | 1 | 1 | 1 | 4.646 s  |
| 17 | Manage Attendence Page Verification | Validate the number entries displaying       | 3 | 1 | 1 | 1 | 4.628 s  |
| 18 | Manage Attendence Page Verification | Verify Pagination control below the data     | 3 | 1 | 1 | 1 | 4.739 s  |
| 19 | Manage Attendence Page Verification | Validate footer text                         | 3 | 1 | 1 | 1 | 4.686 s  |

SCENARIOS SUMMARY -- 6 --




| #  | Feature Name                                 | Scenario Name   | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 20 | Attendance details popup window verification | Verify all label text                                   | 3 | 0 | 1 | 2 | 0.251 s  |
| 21 | Attendance details popup window verification | Verify dropdown box is present                          | 3 | 0 | 1 | 2 | 0.222 s  |
| 22 | Attendance details popup window verification | Verify close button in attendance details popup window  | 3 | 0 | 1 | 2 | 0.256 s  |
| 23 | Attendance details popup window verification | Verify the alignment of the close button                | 3 | 0 | 1 | 2 | 0.241 s  |
| 24 | Attendance details popup window verification | Verify the text on first dropdown select a program name | 3 | 0 | 1 | 2 | 0.247 s  |
| 25 | Attendance details popup window verification | Verify the text on second dropdown select class name    | 3 | 0 | 1 | 2 | 0.238 s  |
| 26 | Attendance details popup window verification | Verify the text on third dropdown select students       | 3 | 0 | 1 | 2 | 0.208 s  |

SCENARIOS SUMMARY -- 7 -




| #  | Feature Name                                 | Scenario Name   | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 27 | Attendance details popup window verification | Verify the text on fourth dropdown select attendance      | 3 | 0 | 1 | 2 | 0.212 s  |
| 28 | Attendance details popup window verification | Verify all the text inside the dropdown box is gray color | 3 | 0 | 1 | 2 | 0.219 s  |
| 29 | Attendance details popup window verification | Verify save button is present                             | 3 | 0 | 1 | 2 | 0.215 s  |
| 30 | Attendance details popup window verification | Verify cancel button is present                           | 3 | 0 | 1 | 2 | 0.225 s  |
| 31 | Attendance details popup window verification | Verify order of the label in attendance details page      | 3 | 0 | 1 | 2 | 0.224 s  |
| 32 | AttendenceDetails popup window validation    | Validate all program name is reflecting in the dropdown   | 3 | 0 | 1 | 2 | 0.250 s  |
| 33 | AttendenceDetails popup window validation    | Validate all class name is reflecting in the dropdown     | 3 | 0 | 1 | 2 | 0.215 s  |

SCENARIOS SUMMARY -- 8 --




| #  | Feature Name                              | Scenario Name  | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 34 | AttendenceDetails popup window validation | Validate attendance field dropdown all mandatory keywords        | 3 | 0 | 1 | 2 | 0.208 s  |
| 35 | AttendenceDetails popup window validation | Verify spellings in the attendance field drop down               | 3 | 0 | 1 | 2 | 0.254 s  |
| 36 | AttendenceDetails popup window validation | Validate date picker   | 3 | 0 | 1 | 2 | 0.255 s  |
| 37 | AttendenceDetails popup window validation | validate date picker should be correct format                    | 3 | 0 | 1 | 2 | 0.233 s  |
| 38 | AttendenceDetails popup window validation | Validate right arrow in data picker to navigate to next month    | 3 | 0 | 1 | 2 | 0.232 s  |
| 39 | AttendenceDetails popup window validation | Validate left arrow in data picker to navigate to previous month | 3 | 0 | 1 | 2 | 0.239 s  |
| 40 | AttendenceDetails popup window validation | Validate current date is highlighted in the date picker          | 3 | 0 | 1 | 2 | 0.231 s  |

SCENARIOS SUMMARY -- 9 --




| #  | Feature Name                              | Scenario Name   | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 41 | AttendenceDetails popup window validation | Validate selected date is highlighted in the date picker                  | 3 | 0 | 1 | 2 | 0.226 s  |
| 42 | Add New Attendance                        | Validate admin able to create new attendance data                         | 3 | 0 | 1 | 2 | 0.218 s  |
| 43 | Add New Attendance                        | Validate admin able to create new attendance data without program name    | 3 | 0 | 1 | 2 | 0.244 s  |
| 44 | Add New Attendance                        | Validate admin able to create new attendance data without class name      | 3 | 0 | 1 | 2 | 0.223 s  |
| 45 | Add New Attendance                        | Validate admin able to create new attendance data without student name    | 3 | 0 | 1 | 2 | 0.226 s  |
| 46 | Add New Attendance                        | Validate admin able to create new attendance data without attendances     | 3 | 0 | 1 | 2 | 0.220 s  |
| 47 | Add New Attendance                        | Validate admin able to create new attendance data without attendance date | 3 | 0 | 1 | 2 | 0.232 s  |

SCENARIOS SUMMARY -- 10 --




| #  | Feature Name       | Scenario Name   | T | P | F | S | Duration |
|----|--------------------|---|---|---|---|---|----------|
| 48 | Add New Attendance | Validate admin able to create new attendance by selecting future date     | 3 | 0 | 1 | 2 | 0.228 s  |
| 49 | Edit Attendance    | Validate admin able to update new attendance data                         | 3 | 0 | 1 | 2 | 0.237 s  |
| 50 | Edit Attendance    | Validate admin able to update new attendance data without program name    | 3 | 0 | 1 | 2 | 0.213 s  |
| 51 | Edit Attendance    | Validate admin able to update new attendance data without class name      | 3 | 0 | 1 | 2 | 0.234 s  |
| 52 | Edit Attendance    | Validate admin able to update new attendance data without student name    | 3 | 0 | 1 | 2 | 0.218 s  |
| 53 | Edit Attendance    | Validate admin able to update new attendance data without attendances     | 3 | 0 | 1 | 2 | 0.234 s  |
| 54 | Edit Attendance    | Validate admin able to update new attendance data without attendance date | 3 | 0 | 1 | 2 | 0.221 s  |

SCENARIOS SUMMARY -- 11 --




| #  | Feature Name                 | Scenario Name   | T | P | F | S | Duration |
|----|------------------------------|---|---|---|---|---|----------|
| 55 | Edit Attendance              | Validate admin able to update new attendance by selecting future date   | 3 | 0 | 1 | 2 | 0.239 s  |
| 56 | Delete Attendance Validation | Verify Delete attendance alert  | 3 | 0 | 1 | 2 | 0.243 s  |
| 57 | Delete Attendance Validation | Verify accept enabled in alert  | 3 | 0 | 1 | 2 | 0.237 s  |
| 58 | Delete Attendance Validation | Verify reject enabled in alert  | 3 | 0 | 1 | 2 | 0.226 s  |
| 59 | Delete Attendance Validation | Validate accept in alert  | 3 | 0 | 1 | 2 | 0.229 s  |
| 60 | Delete Attendance Validation | Validate reject in alert  | 3 | 0 | 1 | 2 | 0.268 s  |
| 61 | Delete Multiple Attendances  | Verify delete multiple class button is enabled                          | 3 | 0 | 1 | 2 | 0.237 s  |
| 62 | Delete Multiple Attendances  | verify tick mark is visible after clicking on check box for single data | 3 | 0 | 1 | 2 | 0.230 s  |
| 63 | Delete Multiple Attendances  | verify admin able to click multiple check box                           | 3 | 0 | 1 | 2 | 0.244 s  |

SCENARIOS SUMMARY -- 12 --



| #  | Feature Name                    | Scenario Name  | T | P | F | S | Duration |
|----|---------------------------------|--|---|---|---|---|----------|
| 64 | Delete Multiple Attendances     | Verify accept alert in delete multiple attendance by selecting single checkbox   | 3 | 0 | 1 | 2 | 0.228 s  |
| 65 | Delete Multiple Attendances     | Verify reject alert in delete multiple attendance by selecting single checkbox   | 3 | 0 | 1 | 2 | 0.250 s  |
| 66 | Delete Multiple Attendances     | Verify accept alert in delete multiple attendance by selecting multiple checkbox | 3 | 0 | 1 | 2 | 0.231 s  |
| 67 | Delete Multiple Attendances     | Verify reject alert in delete multiple attendance by selecting multiple checkbox | 3 | 0 | 1 | 2 | 0.250 s  |
| 68 | Pagination in manage attendance | Verify sheet one is displayed on default in data table                           | 3 | 0 | 1 | 2 | 0.005 s  |
| 69 | Pagination in manage attendance | Verify right arrow is enable when sheet one is displayed in data table           | 3 | 0 | 1 | 2 | 0.004 s  |

SCENARIOS SUMMARY -- 13 --




| #  | Feature Name                    | Scenario Name   | T | P | F | S | Duration |
|----|---------------------------------|---|---|---|---|---|----------|
| 70 | Pagination in manage attendance | Verify left arrow is disable when sheet one is displayed in data table                                | 3 | 0 | 1 | 2 | 0.004 s  |
| 71 | Pagination in manage attendance | Verify right arrow is enable when sheet two is displayed in data table                                | 3 | 0 | 1 | 2 | 0.004 s  |
| 72 | Pagination in manage attendance | Verify left arrow is enable when sheet two is displayed in data table                                 | 3 | 0 | 1 | 2 | 0.003 s  |
| 73 | Pagination in manage attendance | Verify right arrow is disable when sheet two is displayed in data table when entries are less than 10 | 3 | 0 | 1 | 2 | 0.004 s  |
| 74 | Pagination in manage attendance | Verify pagination controls enabled  | 3 | 0 | 1 | 2 | 0.005 s  |
| 75 | Pagination in manage attendance | Verify pagination controls enabled  | 3 | 0 | 1 | 2 | 0.004 s  |
| 76 | Pagination in manage attendance | Verify next page is enabled   | 3 | 0 | 1 | 2 | 0.242 s  |
| 77 | Pagination in manage attendance | Verify next page is enabled   | 3 | 0 | 1 | 2 | 0.237 s  |

<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

| #  | Feature Name                        | Scenario Name  | T | P | F | S | Duration |
|----|-------------------------------------|--|---|---|---|---|----------|
| 78 | Navigation function validation from | Verify admin is able to navigate from manage attendance to | 3 | 0 | 1 | 2 | 0.242 s  |
|    | manage attendance page to other *   | student page   |   |   |   |   |          |

SCENARIOS SUMMARY -- 15 --



| #  | Feature Name  | Scenario Name  | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 79 | Navigation function validation from manage attendance page to other * | Verify admin is able to navigate from manage attendance to program page    | 3 | 0 | 1 | 2 | 0.271 s  |
| 80 | Navigation function validation from manage attendance page to other * | Verify admin is able to navigate from manage attendance to batch page      | 3 | 0 | 1 | 2 | 0.218 s  |
| 81 | Navigation function validation from manage attendance page to other * | Verify admin is able to navigate from manage attendance to assignment page | 3 | 0 | 1 | 2 | 0.235 s  |
| 82 | Navigation function validation from manage attendance page to other * | Verify admin is able to navigate from manage attendance to class page      | 3 | 0 | 1 | 2 | 0.237 s  |
| 83 | Navigation function validation from manage attendance page to other * | Verify admin should able to do logout function from manage attendance      | 3 | 0 | 1 | 2 | 0.216 s  |


<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION -- 16 --

### **Manage Attendence Page Verification**

| FAILED                | DURATION - 1 m 38.016 s | Scenarios  |    | Steps      |      |
|-----------------------|-------------------------|------------|----|------------|------|
|                       |                         | Total - 19 |    | Total - 57 |      |
| / 9:44:36.823 PM // 9 | 9:46:14.839 PM /        | Pass - 0   | 19 | Pass - 19  | 57   |
|                       |                         | Fail - 19  |    | Fail - 19  | 📜 J. |
|                       |                         | Skip - 0   |    | Skip - 19  |      |
|                       |                         |            |    |            |      |

### Validate the header of the page




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"   | PASSED | 5.853 s  |
| 2 | When Admin clicks Attendence on the navigation bar   | FAILED | 2.042 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c0253ea3aafabbeaa585701e83d2, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da, userDataDir: C:\Users\Ashrith\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299/devtoo, se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4887c0253ea3aafabbeaa585701e83d2  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)                              |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)                               |        |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)                       |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)                             |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)   |        |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)                           |        |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)   |        |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)                     |        |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)               |        |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source)  |        |          |
|   | at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101)   |        |          |
|   | at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48)   |        |          |
|   | at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/                                  |        |          |
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5)                          |        |          |
|   | * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.257 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded1.png |        |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)   |        |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)   |        |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)  |        |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)  |        |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)   |        |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)   |        |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)   |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)                    |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)              |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)               |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)               |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)               |        |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)  |        |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)  |        |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)   |        |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)                    |        |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)  |        |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)   |        |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:73)  |        |          |
|   |   | 1      |          |

DETAILED SECTION -- 18 --

### Validate response time from dashboard page to attendence page




| # Step / Hook Details   | Status | Duration |
|---|--------|----------|
| Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"  | PASSED | 2.413 s  |
| When Admin clicks Attendence on the navigation bar  | FAILED | 2.013 s  |
| org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebcace989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c0253ea3aafabbeaa585701e83d2, findElement [using=xpath, value=//button[text() = 'Attendence']} (Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da, userDatabit: C:\Users\Ashrith\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WiNDOWS, proxy: Proxy(), sec.dp: ws://localhost:65299/devto, sec.dp/version: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4887c0253ea3aafabbeaa585701e83d2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.enrote.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.op |        | 2.010 3  |

DETAILED SECTION -- 19 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)                     |         |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)               |         |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source)  |         |          |
|   | at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101)   |         |          |
|   | at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48)   |         |          |
|   | at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/                                  |         |          |
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5)                          |         |          |
|   | * Not displayable characters are replaced by '?'.   |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED  | 0.229 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded2.png |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)  |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)   |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)   |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)                    |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)              |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)               |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)               |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)               |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)  |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)   |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)                    |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)  |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)   |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)  |         |          |
| 3 | Then Maximum navigation time in milliseconds, default to 30 seconds   | SKIPPED | 0.001 s  |

#### Validate the broken link

DETAILED SECTION -- 20 --




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"   | PASSED | 2.463 s  |
| 2 | When Admin clicks Attendence on the navigation bar   | FAILED | 2.047 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"//button[text() = 'Attendence']"}. (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c0253ea3aafabbeaa58701e83d2, findElement {using=xpath, value=//button[text() = 'Attendence']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: (chromedriverVersion: 109.0.5414.149, chrome: (chromedriverVersion: 109.0.5414.149, setWindowSashrithNappDatalLo)}, goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), sex.cdp: ws://localhost:65299/devtoo, se.cdp/ersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4887c0253ea3aafabbeaa58701e83d2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/jdx.lang.reflect.Constructor.newInstance(VinterCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor |        |          |

DETAILED SECTION -- 21 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101) at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48) at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'.   |         |          |
|   | AFTER STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.282 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded3.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsPath.parser.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.s.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:25) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 3 | Then HTTP response>=400.Then the link is broken  | SKIPPED | 0.001 s  |

### **Verify LMS title**




DETAILED SECTION -- 22 --

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"   | PASSED | 2.462 s  |
|   | When Admin clicks Attendence on the navigation bar   | FAILED | 2.013 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//button(text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: 'Bebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c0253ea3aafabbeaa585701e83d2, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da, userDataDir: C:\Users\Ashrith\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:65299], networkConnectionEnabled: false, page_LoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299], networkConnectionEnabled: false, page_LoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299], networkConnectionEnabled: false, page_LoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299], networkConnectionEnabled: false, page_LoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299], networkConnectionEnabled: false, page_LoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299], networkConnectionEnabled: false, page_LoadStrategy: normal, platformName: ws:cdp\version:109.0,5414.149, set\verthindowRect true, ws:claylersion:109.0,5414.149, set\verthindowRect true, ws:claylersion:109.0,5414.149, set\verthindowRect true, set.claylersion:109.0,5414.149, set\verthindowRect true, set.clayler | FAILED | 2.013 s  |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101) at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48)  |        |          |
|   | at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.245 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded4.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)  | PAILED | 0.243 5  |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)   |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)                                      |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)  |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)       |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)                           |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)                                       |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)                                |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)       |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 3 | Then Admin should see LMS-Learning management system as title  | SKIPPED | 0.001 s  |

# Verify the alignment of the Manage attendence header




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"   | PASSED | 3.636 s  |
| 2 | When Admin clicks Attendence on the navigation bar   | FAILED | 2.015 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c0253ea3aafabbeaa585701e83d2, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da, userDataDir: C:\Users\Ashrith\AppData\Lo}, |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299/devtoo, se:cdpVersion: 109.0.5414.149, setWindowRect: true, |        |          |
|   | strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,   |        |          |
|   | webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:   |        |          |
|   | 4887c0253ea3aafabbeaa585701e83d2   |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)  |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  |        |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  |        |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  |        |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  |        |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  |        |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  |        |          |
|   | at jdk.proxy2/jdk.proxy39.click(Unknown Source)  |        |          |
|   | at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101)  |        |          |
|   | at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48)  |        |          |
|   | at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/   |        |          |
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5)   |        |          |
|   | * Not displayable characters are replaced by '?'.  |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.228 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded5.png  |        |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)  |        |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)  |        |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)   |        |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)   |        |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)  |        |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)  |        |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)   |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)   |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 3 | Then Manage attendence header should be in left side of page  | SKIPPED | 0.000 s  |

# Validate text in manage attendence page




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"   | PASSED | 3.659 s  |
| 2 | When Admin clicks Attendence on the navigation bar   | FAILED | 2.032 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c0253ea3aafabbeaa585701e83d2, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da, userDataDir: C:\Users\Ashrith\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299/devtoo, se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4887c0253ea3aafabbeaa585701e83d2  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) |        |          |

DETAILED SECTION -- 26 --

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)      |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)                     |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)                              |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)                               |        |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)                       |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)                             |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)   |        |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)                           |        |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)   |        |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)                     |        |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)               |        |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source)  |        |          |
|   | at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101)   |        |          |
|   | at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48)   |        |          |
|   | at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/                                  |        |          |
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5)                          |        |          |
|   | * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.227 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded6.png |        |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)   |        |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)   |        |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)  |        |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)  |        |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)   |        |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)   |        |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)   |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)                    |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)              |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)               |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)               |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)               |        |          |
|   | at in account on a country of A between A Country blish on a country between A Country blish on increase (A)                    |        |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)  |        |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)  |        |          |
|   |   |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 3 | Then Admin should see correct spelling for the all the fields   | SKIPPED | 0.001 s  |

### Verify delete icon below the header




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"  | PASSED | 2.367 s  |
| 2 | When Admin clicks Attendence on the navigation bar  | FAILED | 2.031 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence]"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c0253ea3aafabbeaa585701e83d2, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da, userDataDir: C:\Users\Ashrith\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299/devtoo, se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4887c0253ea3aafabbeaa585701e83d2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.enter.httpCommandExecutor.execute(HttpCommandExecutor.java:184) |        |          |

DETAILED SECTION -- 28 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)                       |         |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)                             |         |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)   |         |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)                           |         |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  |         |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)   |         |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)   |         |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)                     |         |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)               |         |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source)  |         |          |
|   | at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101)   |         |          |
|   | at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48)   |         |          |
|   | at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/                                  |         |          |
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5)                          |         |          |
|   | * Not displayable characters are replaced by '?'.   |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED  | 0.243 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded7.png |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)  |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)   |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)   |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)                    |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)              |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)               |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)               |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)               |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)  |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)   |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)                    |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)  |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)   |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)  |         |          |
| 3 | Then Admin should see disabled delete icon below the "Manage Attendance"  | SKIPPED | 0.000 s  |

DETAILED SECTION -- 29 --




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"  | PASSED | 2.382 s  |
| 2 | When Admin clicks Attendence on the navigation bar  | FAILED | 2.033 s  |
| 2 | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//button[text() = 'Attendence]"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: Windows 8.1', os.arch: 'amd64', os.version: '6.3', java-version: '17.0.7' Diver info: org.openqa.selenium.chrome.ChromeDriver Command; [4887c0253ea3aafabbeaa685701e83d2, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.14, (erc5703604da, userDataDir: C.UsersNaShritihAppDataLo), goog:chromeOptions: (debuggerAddress: localhost:65299), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost:65299/devtoo, sec.dp/version: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4887c0253ea3aafabbeaa585701e83d2 at java.base/jdk.internal.reflect. NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect. NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.creatException(W3CHttpResponseCodec.java:23) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.dec.dec.W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DirverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.RemoteWebDriver.findElement(ElementLocation.java:62) at org.openqa.selenium.remote.RemoteWebD | PAILED | 2.033 5  |

DETAILED SECTION -- 30 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at jdk.proxy2/jdk.proxy39.click(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101) at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48) at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.248 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded8.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.s.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.screev(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:47) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSuppliersLocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 3 | Then Admin should see search bar on the attendance page  | SKIPPED | 0.000 s  |

#### Verify add new Attendence button on




DETAILED SECTION -- 31 --

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"   | PASSED | 2.380 s  |
| 2 | When Admin clicks Attendence on the navigation bar   | FAILED | 2.021 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath"."selector":"//button[text() = 'Attendence']" (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ no_such_element Build info: version: '48.1', revision: 'Bebcca898' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c025ae3aafabbeaa585701e83d2, findElement (using=xpath, value=//button[text() = 'Attendence']]] Capabilities (acceptinsecureCerts: false, browsenAme: chrome, browserVersion: 109.0.5414.149, chrome: (chromedriverVersion: 109.0.5414.149, chrome: (chromedriverVersion: 109.0.5414.149, chrome: (chromedriverVersion: 109.0.5414.149, setvihidowRect: true, browserVersion: 109.0.5414.149, chrome: (chromedriverVersion: 109.0.5414.141.49, setvihidowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:argeBlob: unit winstance(NativeConstructorAccessorImpl.1) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.Onstructor.newInstance(Vonstructor.java:499) at java.base/jdk.internal.reflect.Onstructor.newInstance(Vonstructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.UniverVerviry.org/java.java.java.java.java.java.jav |        | 2.0213   |
|   | * Not displayable characters are replaced by '?'.  AFTER STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.292 s  |
|   |  | PAILED | 0.232 5  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded9.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)  |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 3 | Then Admin should see +Add New Attendance button on the attendance page  | SKIPPED | 0.000 s  |

# Verify date table on the attendence page




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"   | PASSED | 2.328 s  |
| 2 | When Admin clicks Attendence on the navigation bar   | FAILED | 2.041 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c0253ea3aafabbeaa585701e83d2, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da, userDataDir: C:\Users\Ashrith\AppData\Lo}, |        |          |

DETAILED SECTION -- 33 --

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299/devtoo, se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4887c0253ea3aafabbeaa585701e83d2 |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)   |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  |        |          |
|   | at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   |        |          |
|   | at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   |        |          |
|   | at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)   |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)   |        |          |
|   | at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)   |        |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)   |        |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)   |        |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)   |        |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)   |        |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source)  |        |          |
|   | at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101)   |        |          |
|   | at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48)   |        |          |
|   | at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/  |        |          |
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5)  |        |          |
|   | * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.255 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded10.png  |        |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)   |        |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)   |        |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)  |        |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)  |        |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)   |        |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)   |        |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)   |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)  |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)  |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 3 | Then Admin should see data table on the Manage Attendance Page With column headers   | SKIPPED | 0.001 s  |

### Verify Edit icon in the data table




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"  | PASSED | 2.343 s  |
| 2 | When Admin clicks Attendence on the navigation bar  | FAILED | 2.039 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c0253ea3aafaabbeaa585701e83d2, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da, userDataDir: C:\Users\Ashrith\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299/devtoo, se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4887c0253ea3aafabbeaa585701e83d2  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   |        |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)   |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)   |        |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)   |        |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)   |        |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)   |        |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)   |        |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source)  |        |          |
|   | at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101)   |        |          |
|   | at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48)   |        |          |
|   | at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/  |        |          |
|   |   |        |          |
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5)  |        |          |
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5)  * Not displayable characters are replaced by '?'.   |        |          |
|   |   | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.   | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded11.png   | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded11.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)   | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded11.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)   | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded11.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)  | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded11.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)  | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded11.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)     at java.base/java.nio.file.Path.of(Path.java:147)  | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded11.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)  | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded11.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)     at java.base/java.nio.file.Path.of(Path.java:147)     at java.base/java.nio.file.Paths.get(Paths.java:69)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)  | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded11.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)     at java.base/java.nio.file.Path.of(Path.java:147)     at java.base/java.nio.file.Paths.get(Paths.java:69)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:248)  | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded11.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)     at java.base/java.nio.file.Path.of(Path.java:147)     at java.base/java.nio.file.Paths.get(Paths.java:69)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:248)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)  | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded11.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)     at java.base/java.nio.file.Path.of(Path.java:147)     at java.base/java.nio.file.Paths.get(Paths.java:69)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:248)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:25)  | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded11.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/java.nio.file.Path.of(Path.java:147)     at java.base/java.nio.file.Path.of(Path.java:147)     at java.base/java.nio.file.Paths.get(Paths.java:69)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:248)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:25)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125)   | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char <> at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded11.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsPileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) | FAILED | 0.259 s  |
|   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded11.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/java.nio.file.Path.of(Path.java:147)     at java.base/java.nio.file.Path.of(Path.java:147)     at java.base/java.nio.file.Paths.get(Paths.java:69)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:248)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:25)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125)   | FAILED | 0.259 s  |

|    | # | Step / Hook Details   | Status  | Duration |
|----|---|---|---------|----------|
|    |   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| [3 | 3 | Then Edit Icon in each row of data table only when entries are available  | SKIPPED | 0.000 s  |

### Verify edit icon when no data in the table




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"  | PASSED | 2.343 s  |
| 2 | When Admin clicks Attendence on the navigation bar  | FAILED | 2.045 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence]"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c0253ea3aafabbeaa585701e83d2, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da, userDataDir: C:\Users\Ashrith\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299/devtoo, se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4887c0253ea3aafabbeaa585701e83d2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) |        |          |

DETAILED SECTION -- 37 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)                        |         |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)                              |         |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  |         |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)                            |         |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)   |         |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  |         |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  |         |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)                      |         |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)                |         |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source)   |         |          |
|   | at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101)  |         |          |
|   | at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48)    |         |          |
|   | at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/                                   |         |          |
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5)                           |         |          |
|   | * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.215 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded12.png |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)   |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)  |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)  |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)                     |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)               |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)                |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)                |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)                |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)   |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)   |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)  |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)                     |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 3 | Then Edit Icon will not be present in data table   | SKIPPED | 0.000 s  |

DETAILED SECTION -- 38 --




| Step / Hook Details   | Status | Duration |
|---|--------|----------|
| Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"  | PASSED | 2.373 s  |
| When Admin clicks Attendence on the navigation bar  | FAILED | 2.074 s  |
| org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//button[text() = 'Attendence]"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome_ChromeDriver Command; [4887c0253ea3aafabbeaa585701e83dz, findElement {using=xpath, value=//button[text() = 'Attendence]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.14 (e7c5703604da, userDataDir: C:UsersNashrithAppData\u00e4Lo), goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost:65299/devtoo, sec.dp/version: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn.extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:argeBlob: true, webauthn:extension:a | PAILED | 2.074 \$ |

DETAILED SECTION -- 39 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101) at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48) at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'.   |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.275 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded13.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPathJava:92) at java.base/sun.nio.fs.WindowsPath.parser.parse(WindowsPathJava:92) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.fo.receive(ExtentCucumberAdapter.java:25) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 3 | Then Delete Icon in each row of data table only when entries are available   | SKIPPED | 0.000 s  |

#### Verify delete icon when no data in the table




DETAILED SECTION -- 40 --

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"  | PASSED | 2.355 s  |
|   | When Admin clicks Attendence on the navigation bar  | FAILED | 2.022 s  |
|   | When Admin clicks Attendence on the navigation bar  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ino_such_element Build info: version: '4.8.1', revision: '8ebcca989' System info: os.name: Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c0253ea3aafabbeaa585701e83d2, findElement {using=xpath, value=//button[text() = 'Attendence']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da, userDataDir: C:\Users\Ashrith\ppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299/devtoo, se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4887c0253ea3aafabbeaa585701e83d2  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.dec.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResp | FAILED | 2.022 s  |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101) at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48) at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/  |        |          |
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5)  * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.229 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded14.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)  |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)  |         |          |
| 3 | Then Admin cant see delete Icon in data table   | SKIPPED | 0.000 s  |

### Verify sort icon the data table




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"   | PASSED | 2.377 s  |
| 2 | When Admin clicks Attendence on the navigation bar   | FAILED | 2.061 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c0253ea3aafabbeaa585701e83d2, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da, userDataDir: C:\Users\Ashrith\AppData\Lo}, |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299/devtoo, se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4887c0253ea3aafabbeaa585701e83d2 |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)   |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   |        |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)   |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)   |        |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)   |        |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)   |        |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)   |        |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)   |        |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source)  |        |          |
|   | at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101)   |        |          |
|   | at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48)   |        |          |
|   | at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/  |        |          |
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5)  |        |          |
|   | * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.258 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded15.png  |        |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)   |        |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)   |        |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)  |        |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)  |        |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)   |        |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)   |        |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)   |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)  |        |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)  |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 3 | Then Admin should see sort icon near the column headers except for Edit and Delete   | SKIPPED | 0.001 s  |

### Verify check box in the data table




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"   | PASSED | 2.364 s  |
| 2 | When Admin clicks Attendence on the navigation bar   | FAILED | 2.025 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c0253ea3aafabbeaa585701e83d2, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da, userDataDir: C:\Users\Ashrith\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299/devtoo, se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4887c0253ea3aafabbeaa585701e83d2  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) |        |          |

| #   | Step / Hook Details   | Status | Duration |
|-----|---|--------|----------|
|     | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  |        |          |
|     | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  |        |          |
|     | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  |        |          |
|     | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   |        |          |
|     | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  |        |          |
|     | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   |        |          |
|     | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   |        |          |
|     | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)   |        |          |
|     | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)   |        |          |
|     | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)   |        |          |
|     | at org.openga.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)   |        |          |
|     | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  |        |          |
|     | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)   |        |          |
|     | at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)   |        |          |
|     | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)   |        |          |
|     | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)   |        |          |
|     | at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source)  |        |          |
|     | at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101)   |        |          |
|     | at com.StepDefinitions.ManageAttendenceStepDef.admin clicks Attendence on the navigation bar(ManageAttendenceStepDef.java:48)   |        |          |
|     | at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/  |        |          |
|     | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5)  |        |          |
| - 1 |   |        |          |
|     | * Not displayable characters are replaced by '?'.   |        |          |
| +   |   | FAILED | 0.246 s  |
| +   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.246 s  |
| +   | * Not displayable characters are replaced by '?'.   | FAILED | 0.246 s  |
|     | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char <> at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded16.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)  | FAILED | 0.246 s  |
| -   | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded16.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)   | FAILED | 0.246 s  |
|     | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded16.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)  | FAILED | 0.246 s  |
|     | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded16.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)   | FAILED | 0.246 s  |
|     | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded16.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)   | FAILED | 0.246 s  |
|     | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded16.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147)   | FAILED | 0.246 s  |
|     | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded16.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69)   | FAILED | 0.246 s  |
|     | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded16.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)     at java.base/java.nio.file.Path.of(Path.java:147)     at java.base/java.nio.file.Paths.get(Paths.java:69)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)  | FAILED | 0.246 s  |
|     | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded16.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)     at java.base/java.nio.file.Path.of(Path.java:147)     at java.base/java.nio.file.Paths.get(Paths.java:69)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:248)  | FAILED | 0.246 s  |
|     | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded16.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)  | FAILED | 0.246 s  |
|     | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded16.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)     at java.base/java.nio.file.Path.of(Path.java:147)     at java.base/java.nio.file.Paths.get(Paths.java:69)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:248)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:25)  | FAILED | 0.246 s  |
|     | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded16.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)     at java.base/java.nio.file.Path.of(Path.java:147)     at java.base/java.nio.file.Paths.get(Paths.java:69)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:248)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125)   | FAILED | 0.246 s  |
|     | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char <> at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded16.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)     at java.base/java.nio.file.Path.of(Path.java:147)     at java.base/java.nio.file.Paths.get(Paths.java:69)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:25)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.6.receive(ExtentCucumberAdapter.java:125)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.6.receive(ExtentCucumberAdapter.java:125)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.6.receive(ExtentCucumberAdapter.java:125)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.6.receive(ExtentCucumberAdapter.java:125)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.6.receive(ExtentCucumberAdapter.java:122)     at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) | FAILED | 0.246 s  |
|     | * Not displayable characters are replaced by '?'.  AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded16.png     at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)     at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)     at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)     at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)     at java.base/java.nio.file.Path.of(Path.java:147)     at java.base/java.nio.file.Paths.get(Paths.java:69)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:248)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125)     at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125)   | FAILED | 0.246 s  |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 3 | Then Admin should see check box in the all rows of data table   | SKIPPED | 0.000 s  |


### Validate the number entries displaying



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"   | PASSED | 2.335 s  |
| 2 | When Admin clicks Attendence on the navigation bar   | FAILED | 2.048 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence]"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c0253ea3aafabbeaa585701e83d2, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da, userDataDir: C:\Users\Ashrith\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299/devtoo, se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4887c0253ea3aafabbeaa585701e83d2 at jdk.internal.reflect.GeneratedConstructorAccessor27.newInstance(Unknown Source) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:167) |        |          |

DETAILED SECTION -- 46 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101) at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48) at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded17.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPathJava:92) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access400(ExtentCucumberAdapter.java:25) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access400(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapters6.receive(ExtentCucumberAdapter.java:125) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSuppliersLocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.java.Scenario.attach(Scenario.java:78) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) | FAILED  | 0.241 s  |
| 3 | Then Above the footer Admin should see the text as "Showing x to y of z entries" below the table, x- starting record number on that page,y-ending record number on that page,z-Total number of records Note: with or without entries  | SKIPPED | 0.000 s  |




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"  | PASSED | 2.413 s  |
| 2 | When Admin clicks Attendence on the navigation bar  | FAILED | 2.042 s  |
|   | org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//button[text() = 'Attendence]"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#mo_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Diver info: org.openga.selenium.chrome.ChromeDriver Command: [4887c0259a3aadabbeaa685701e33d2, findElement {using=xpath, value=//button[text() = 'Attendence]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.14 (erc5703604da, userDataDir: C:UsersNahritAppDataLo), goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnable: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost:65299/devtoo, sec.dp/version: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4887c0253ea3aafabbeaa585701e83d2 at jdk.internal.reflect.GeneratedConstructorAccessor1pnl.newInstance(Unknown Source) at java.base/jdva.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/jdva.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openga.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:162) at org.openga.selenium.re | PAILLD | 2.042 3  |

DETAILED SECTION -- 48 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:101) at com.StepDefinitions.ManageAttendenceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48) at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.277 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded18.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:173) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPathJava:92) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPathJava:92) at java.base/java.nio.file.Path.of(Path_java:147) at java.base/java.nio.file.Path.of(Path_java:147) at java.base/java.nio.file.Path.s.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$c.cecive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$c.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$c.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:47) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:74) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$CocalEventBus.send(ThreadLocalRunnerSupplier.java:63) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 3 | Then Admin should see the pagination controls under the data table   | SKIPPED | 0.001 s  |

#### **Validate footer text**




DETAILED SECTION -- 49 --

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"   | PASSED | 2.378 s  |
| 2 | When Admin clicks Attendence on the navigation bar   | FAILED | 2.034 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4887c0253ea3aafabbeaa585701e83d2, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da, userDataDir: C:\Users\Ashrith\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:65299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65299/devtoo, se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4887c0253ea3aafabbeaa585701e83d2  at jdk.internal.reflect.GeneratedConstructorAccessor27.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) | FAILED |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation.selement(FindersschindElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2.jdk.proxy2.sProxy39.click(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence_on_the_navigation_bar(ManageAttendenceStepDef.java:48)  |        |          |
|   | at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'.  |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.266 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded19.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)  |        |          |


DETAILED SECTION -- 50 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)   |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)  |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)  |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)           |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)     |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)      |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)      |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)      |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)                               |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)   |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)                                    |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)           |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 3 | Then Admin should see the text with total number classes in the data table. ( " In total there are number of classes") | SKIPPED | 0.001 s  |

### **Attendance details popup window verification**




### Verify all label text



DETAILED SECTION -- 51 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 1 | Given Admin is in manage attendance page  | FAILED  | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)  * Not displayable characters are replaced by '?'.   |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED  | 0.246 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded20.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.screev(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:47) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$coalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$coalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$coalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$coalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$coalEventBus.send(ThreadLocalRunnerSupplier.java:63) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks + a new attendance  | SKIPPED | 0.000 s  |
| 3 | Then Admin should dee correct spellings in the label  | SKIPPED | 0.000 s  |

## Verify dropdown box is present




| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 1 | Given Admin is in manage attendance page  | FAILED  | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED  | 0.217 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded21.png at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.sextentCucumberAdapter.java:250 at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.sextentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.sextentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.sextentCucumberAdapter.java:125) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:47) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$coalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$coalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$coalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$coalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$coalEventBus.send(ThreadLocalRunner |         |          |
| 2 | When Admin clicks + a new attendance  | SKIPPED | 0.001 s  |
|   | WHEN AUTHIN CHOKS 1 & NEW ALLEMANICE  | JNIFFED | 0.001 5  |

DETAILED SECTION -- 53 --

| # | Step / Hook Details                | Status  | Duration |
|---|------------------------------------|---------|----------|
| 3 | Then 4 dropdown should be preasent | SKIPPED | 0.001 s  |


### Verify close button in attendance details popup window



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in manage attendance page   | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.250 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded22.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:263) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventBus.java:12) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(ThreadLocalRunnerSupplier,java:62) |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks + a new attendance  | SKIPPED | 0.000 s  |
| 3 | Then Admin should see close button on attendance details pop up window  | SKIPPED | 0.000 s  |


### Verify the alignment of the close button



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in manage attendance page  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)  * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.235 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded23.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:125) |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks + a new attendance   | SKIPPED | 0.000 s  |
| 3 | Then Close button should on the top right corner   | SKIPPED | 0.001 s  |

### Verify the text on first dropdown select a program name




|   | # | Step / Hook Details  | Status | Duration |
|---|---|--|--------|----------|
| 1 | . | Given Admin is in manage attendance page   | FAILED | 0.001 s  |
|   |   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)  * Not displayable characters are replaced by '?'.                          |        |          |
|   |   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.243 s  |
|   |   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded24.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) |        |          |

DETAILED SECTION -- 56 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)  |         |          |
| 2 | When Admin clicks + a new attendance  | SKIPPED | 0.000 s  |
| 3 | Then First dropdown box "select a program name" text should be present  | SKIPPED | 0.000 s  |

### Verify the text on second dropdown select class name




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in manage attendance page  | FAILED | 0.000 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)  * Not displayable characters are replaced by '?'. |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.234 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded25.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)  |        |          |

DETAILED SECTION -- 57 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)   |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)                                      |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)  |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)       |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)                           |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)                                       |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)                                |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)       |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin clicks + a new attendance   | SKIPPED | 0.001 s  |
| 3 | Then Second dropdown box "select class name" text should be present  | SKIPPED | 0.000 s  |

### Verify the text on third dropdown select students




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in manage attendance page  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null  |        |          |
|   | at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/ |        |          |

DETAILED SECTION -- 58 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | test/resources/Features/9_2_1.AttendanceDetails.feature:4)   |         |          |
|   | * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.204 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded26.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsPileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:12) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin clicks + a new attendance   | SKIPPED | 0.000 s  |
| 3 | Then Third dropdown box "select students" text should be present   | SKIPPED | 0.000 s  |


### Verify the text on fourth dropdown select attendance



DETAILED SECTION -- 59 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 1 | Given Admin is in manage attendance page   | FAILED  | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)  * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.207 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded27.png at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:25) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$coalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$coalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$coalEventBus.send(ThreadLocalRunnerSupplier.java:63) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks + a new attendance   | SKIPPED | 0.000 s  |
| 3 | Then Fourth dropdown box "select attendance" text should be present  | SKIPPED | 0.001 s  |


Verify all the text inside the dropdown box is gray color



| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 1 | Given Admin is in manage attendance page  | FAILED  | 0.000 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null            |         |          |
|   | at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)  |         |          |
|   | at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/  |         |          |
|   | test/resources/Features/9_2_1.AttendanceDetails.feature:4)  |         |          |
|   | * Not displayable characters are replaced by '?'.   |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED  | 0.215 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded28.png  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)  |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)   |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)   |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)   |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)  |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)   |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)   |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)  |         |          |
|   |   | OLUBBER | 0.000    |
| 2 | When Admin clicks + a new attendance  | SKIPPED | 0.000 s  |

| # | Step / Hook Details                  | Status  | Duration |
|---|--------------------------------------|---------|----------|
| 3 | Then Admin should text in gray color | SKIPPED | 0.000 s  |


### **Verify save button is present**



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in manage attendance page  | FAILED | 0.002 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.  |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.211 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded29.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsPileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks + a new attendance  | SKIPPED | 0.000 s  |
| 3 | Then Admin should see save button in the class detail popup window  | SKIPPED | 0.000 s  |


### **Verify cancel button is present**



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in manage attendance page  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)  * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.220 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded30.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125) |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks + a new attendance   | SKIPPED | 0.000 s  |
| 3 | Then Admin should see cancel button in the class detail popup window   | SKIPPED | 0.001 s  |

### Verify order of the label in attendance details page




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in manage attendance page   | FAILED | 0.000 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)  * Not displayable characters are replaced by '?'.                          |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.220 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded31.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)       |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)                           |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)                                       |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)                                |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)       |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin clicks + a new attendance   | SKIPPED | 0.000 s  |
| 3 | Then Order of the label should be Program name, Class Name, Student Name, Attendance, Attendance Date              | SKIPPED | 0.000 s  |

### **AttendenceDetails popup window validation**

| FAILED           | DURATION - 2.407 s  | Scenarios  |    | Steps      |    |
|------------------|---------------------|------------|----|------------|----|
|                  |                     | Total - 10 |    | Total - 30 |    |
| / 9:46:17.696 PM | // 9:46:20.103 PM / | Pass - 0   | 10 | Pass - 0   | 30 |
|                  |                     | Fail - 10  |    | Fail - 10  |    |
|                  |                     | Skip - 0   |    | Skip - 20  |    |


### Validate all program name is reflecting in the dropdown



DETAILED SECTION -- 65 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 1 | Given Admin is in attendance details popup window   | FAILED  | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin is in attendance details popup window(AttendanceDetails1StepDef.java:28) |         |          |
|   | at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/  |         |          |
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4)   |         |          |
|   | * Not displayable characters are replaced by '?'.   |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED  | 0.243 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded32.png  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)  |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)   |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)   |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)   |         |          |
|   | $at\ com. avents tack. extent reports. cucumber. adapter. Extent Cucumber Adapter \$6. receive (Extent Cucumber Adapter. java: 125)$  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)   |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)  |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)   |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)  |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)  |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)   |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)  |         |          |
| 2 | When Admin clicks program name dropdown   | SKIPPED | 0.000 s  |
| 3 | Then Program Name in the drop down should match with program name in manage program page table  | SKIPPED | 0.000 s  |


Validate all class name is reflecting in the dropdown



| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 1 | Given Admin is in attendance details popup window   | FAILED  | 0.002 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null |         |          |
|   | at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28)   |         |          |
|   | at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/  |         |          |
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4)  * Not displayable characters are replaced by '?'.                |         |          |
|   |   | EALLED  | 0.200 -  |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED  | 0.209 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded33.png  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)  |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)   |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)   |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)   |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)  |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)   |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)  |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)  |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)   |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)  |         |          |
| 2 | When Admin clicks class name dropdown   | SKIPPED | 0.000 s  |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 3 | Then Class Name in the drop down should match with class name in manage class page table | SKIPPED | 0.001 s  |


### Validate attendance field dropdown all mandatory keywords



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in attendance details popup window  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.204 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded34.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.sget(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:12) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(ThreadLocalRunnerSupplier.java:62) |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks attendance dropdown   | SKIPPED | 0.000 s  |
| 3 | Then Attendance field should have keywords such as - present, absent, late, excused   | SKIPPED | 0.000 s  |


### Verify spellings in the attendance field drop down



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in attendance details popup window  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.250 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded35.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.6.receive(ExtentCucumberAdapter.java:125) |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks attendance dropdown  | SKIPPED | 0.001 s  |
| 3 | Then Admin should see correct spellings in dropdown text   | SKIPPED | 0.000 s  |

### Validate date picker




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in attendance details popup window  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.248 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded36.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) |        |          |

DETAILED SECTION -- 70 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks date from date picker  | SKIPPED | 0.000 s  |
| 3 | Then selected date should be their in class date text box  | SKIPPED | 0.000 s  |

### validate date picker should be correct format




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in attendance details popup window  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'. |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.228 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded37.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)   |        |          |

**DETAILED SECTION** 

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)   |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)                                      |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)  |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)       |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)                           |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)                                       |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)                                |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)       |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin clicks date from date picker  | SKIPPED | 0.000 s  |
| 3 | Then selected date should be in mm/dd/yyyy format  | SKIPPED | 0.000 s  |

### Validate right arrow in data picker to navigate to next month




|   | # | Step / Hook Details  | Status | Duration |
|---|---|--|--------|----------|
| 1 | . | Given Admin is in attendance details popup window  | FAILED | 0.001 s  |
|   |   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ |        |          |

DETAILED SECTION -- 72 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.227 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded38.png at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:173) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsPath.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.of(Path.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.SynchronizedEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks right arrow in the date picker near month  | SKIPPED | 0.000 s  |
| 3 | Then Next month calender should visible  | SKIPPED | 0.000 s  |


# Validate left arrow in data picker to navigate to previous month



DETAILED SECTION -- 73 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 1 | Given Admin is in attendance details popup window   | FAILED  | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED  | 0.235 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded39.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.s.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.screeneeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeee |         |          |
| 2 | When Admin clicks left arrow in the date picker near month  | SKIPPED | 0.001 s  |
| 3 | Then previous month calender should visible   | SKIPPED | 0.000 s  |


Validate current date is highlighted in the date picker



| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 1 | Given Admin is in attendance details popup window  | FAILED  | 0.000 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.   |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.227 s  |
|   | java.nio.file.lnvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded40.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPathJava:92) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath_java:92) at java.base/java.nio.file.Path.of(Path_java:147) at java.base/java.nio.file.Path.of(Path_java:147) at java.base/java.nio.file.Path.s.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapters6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapters6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:47) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 |  | SKIPPED | 0.000 s  |
|   | When Admin clicks date picker button   | SKIPPED | 0.000 S  |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 3 | Then Admin should see current date is highled in the date picker | SKIPPED | 0.000 s  |

## Validate selected date is highlighted in the date picker



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in attendance details popup window  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.222 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded41.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) |        |          |


DETAILED SECTION -- 76 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks date picker button  | SKIPPED | 0.000 s  |
| 3 | Then Admin should see selected date is highled in the date picker   | SKIPPED | 0.001 s  |

### **Add New Attendance**

| FAILED                | DURATION - 1.641 s | Scenarios |   | Steps      |    |
|-----------------------|--------------------|-----------|---|------------|----|
|                       |                    | Total - 7 |   | Total - 21 |    |
| / 9:46:20.112 PM // S | 9:46:21.753 PM /   | Pass - 0  | 7 | Pass - 0   | 21 |
|                       |                    | Fail - 7  |   | Fail - 7   |    |
|                       |                    | Skip - 0  |   | Skip - 14  |    |
|                       |                    |           |   |            |    |


### Validate admin able to create new attendance data



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in attendance details popup window   | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'. |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.212 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded42.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)  |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)  |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)   |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)   |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)          |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)    |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)     |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)     |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)     |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)                              |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)  |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)                                   |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)          |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)  |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)   |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)  |         |          |
| 2 | When Admin fills all the values and click save  | SKIPPED | 0.000 s  |
| 3 | Then Admin should see success message in popup window and sees new attendance details in manage attendance details DB | SKIPPED | 0.001 s  |

## Validate admin able to create new attendance data without program name




|   | # | Step / Hook Details   | Status | Duration |
|---|---|---|--------|----------|
|   | 1 | Given Admin is in attendance details popup window   | FAILED | 0.002 s  |
|   |   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.  AttendanceDetails1StepDef.adp" is null  at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) |        |          |
| L |   | at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/  |        |          |

DETAILED SECTION -- 78 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_3.AddNewAttendance.feature:4)                           |         |          |
|   | * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.237 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded43.png |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)   |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)  |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)  |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)                     |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)               |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)                |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)                |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)                |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)   |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)   |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)  |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)                     |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin fills values missing program name and click save  | SKIPPED | 0.001 s  |
| 3 | Then Program name is missing   | SKIPPED | 0.000 s  |

### Validate admin able to create new attendance data without class name




DETAILED SECTION -- 79 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 1 | Given Admin is in attendance details popup window   | FAILED  | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'.   |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED  | 0.220 s  |
|   | java.nio.file.InvalidPathException: Trailing char <> at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded44.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath,java:92) at java.base/sun.nio.fs.WindowsPileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.hourl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.hourldExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:47) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) |         |          |
| 2 | When Admin fills values missing class name and click save   | SKIPPED | 0.000 s  |
| 3 | Then class name is missing  | SKIPPED | 0.001 s  |

Validate admin able to create new attendance data without student name


DETAILED SECTION -- 80 --



| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 1 | Given Admin is in attendance details popup window  | FAILED  | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null  |         |          |
|   | at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ |         |          |
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_3.AddNewAttendance.feature:4)   |         |          |
|   | * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.222 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded45.png   |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java.77)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)   |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)  |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)  |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)   |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)   |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)  |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)   |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin fills values missing student name and click save  | SKIPPED | 0.000 s  |

| # | Step / Hook Details          | Status  | Duration |
|---|------------------------------|---------|----------|
| 3 | Then student name is missing | SKIPPED | 0.000 s  |


### Validate admin able to create new attendance data without attendances



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in attendance details popup window   | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.216 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded46.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:47) at io.cucumber.core.runtime.SynchronizedEventBus.send(CynchronizedEventBus.send(ChreadLocalRunnerSupplier.java:62) |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin fills values missing attendance and click save   | SKIPPED | 0.000 s  |
| 3 | Then Attendance is missing  | SKIPPED | 0.000 s  |


### Validate admin able to create new attendance data without attendance date



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in attendance details popup window  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'.  |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.226 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded47.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin fills values missing attendance date and click save   | SKIPPED | 0.000 s  |
| 3 | Then Attendance date is missing  | SKIPPED | 0.001 s  |

# Validate admin able to create new attendance by selecting future date




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in attendance details popup window   | FAILED | 0.002 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'.     |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.223 s  |
|   | java.nio.file.InvalidPathException: Trailing char <> at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded48.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)       |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)                           |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)                                       |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)                                |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)       |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin fills values with future date and click save  | SKIPPED | 0.000 s  |
| 3 | Then Invalidate attendance date  | SKIPPED | 0.000 s  |

### **Edit Attendance**

| FAILED           | DURATION - 1.654 s  | Scenarios          |   | Steps                  |    |
|------------------|---------------------|--------------------|---|------------------------|----|
| / 9:46:21.764 PM | // 9:46:23.418 PM / | Total - 7 Pass - 0 | 7 | Total - 21<br>Pass - 0 | 21 |
|                  |                     | Fail - 7 Skip - 0  |   | Fail - 7<br>Skip - 14  |    |

## Validate admin able to update new attendance data




DETAILED SECTION -- 85 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 1 | Given Admin is in attendance details popup window  | FAILED  | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_4.EditAttendance.feature:4) * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.232 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded49.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathparser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsPileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin fills all the values and click save to update   | SKIPPED | 0.000 s  |
| 3 | Then Admin should see success message in popup window and sees updated attendance details in manage attendance details DB  | SKIPPED | 0.001 s  |

Validate admin able to update new attendance data without program name


DETAILED SECTION -- 86 --



| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 1 | Given Admin is in attendance details popup window  | FAILED  | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null  |         |          |
|   | at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ |         |          |
|   | Team15 UIUnicorns LMS Selenium Hackathon/./src/test/resources/Features/9 4.EditAttendance.feature:4)   |         |          |
|   | * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.209 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded50.png   |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)   |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)  |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)  |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)   |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)   |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)  |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)   |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin fills values missing program name and click save to update  | SKIPPED | 0.000 s  |

| # | Step / Hook Details          | Status  | Duration |
|---|------------------------------|---------|----------|
| 3 | Then Program name is missing | SKIPPED | 0.000 s  |


## Validate admin able to update new attendance data without class name



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in attendance details popup window   | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_4.EditAttendance.feature:4) * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.230 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded51.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/java.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin fills values missing class name and click save to update   | SKIPPED | 0.000 s  |
| 3 | Then class name is missing  | SKIPPED | 0.000 s  |

### Validate admin able to update new attendance data without student name




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in attendance details popup window  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_4.EditAttendance.feature:4) * Not displayable characters are replaced by '?'.  |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.214 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded52.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.6.receive(ExtentCucumberAdapter.java:125) |        |          |

DETAILED SECTION -- 89 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin fills values missing student name and click save to update  | SKIPPED | 0.000 s  |
| 3 | Then student name is missing   | SKIPPED | 0.000 s  |

# Validate admin able to update new attendance data without attendances




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in attendance details popup window  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_4.EditAttendance.feature:4) * Not displayable characters are replaced by '?'.        |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.230 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded53.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) |        |          |

DETAILED SECTION -- 90 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)  |         |          |
| 2 | When Admin fills values missing attendance and click save to update   | SKIPPED | 0.000 s  |
| 3 | Then Attendance is missing  | SKIPPED | 0.000 s  |


### Validate admin able to update new attendance data without attendance date



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in attendance details popup window   | FAILED | 0.000 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_4.EditAttendance.feature:4) * Not displayable characters are replaced by '?'. |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.217 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded54.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)  |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)   |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)                                      |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)  |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)       |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)                           |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)                                       |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)                                |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)       |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin fills values missing attendance date and click save to update   | SKIPPED | 0.000 s  |
| 3 | Then Attendance date is missing  | SKIPPED | 0.000 s  |

## Validate admin able to update new attendance by selecting future date





|   | # | Step / Hook Details   | Status | Duration |
|---|---|---|--------|----------|
|   | 1 | Given Admin is in attendance details popup window   | FAILED | 0.001 s  |
|   |   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions. AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:28) |        |          |
| L |   | at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/  |        |          |

DETAILED SECTION -- 92 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_4.EditAttendance.feature:4)  * Not displayable characters are replaced by '?'.   |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED  | 0.234 s  |
|   | java.nio.file.lnvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded55.png at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runre.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.send(AbstractEventBus.send(AbstractEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runre.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.sendio.sendio.sendio.java:53) |         |          |
| 2 | When Admin fills values with future date and click save to update   | SKIPPED | 0.000 s  |
| 3 | Then Invalidate attendance date   | SKIPPED | 0.000 s  |

### **Delete Attendance Validation**






| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 1 | Given Admin is in manage attendance page   | FAILED  | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)  |         |          |
|   | at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/   |         |          |
|   | test/resources/Features/9_5.DeleteAttendance.feature:6)  * Not displayable characters are replaced by '?'.   |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.232 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded56.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)   |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)   |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)  |         |          |
|   | at io.cucumber.core.rumer.restCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin clicks delete button in data table row level  | SKIPPED | 0.000 s  |

| # | Step / Hook Details         | Status  | Duration |
|---|-----------------------------|---------|----------|
| 3 | Then Admin should see alert | SKIPPED | 0.000 s  |


# Verify accept enabled in alert



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in manage attendance page  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_5.DeleteAttendance.feature:11)  * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.233 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded57.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)<br>at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks delete button in data table row level   | SKIPPED | 0.000 s  |
| 3 | Then Alert should have "yes" button to accept   | SKIPPED | 0.000 s  |


### Verify reject enabled in alert



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in manage attendance page  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_5.DeleteAttendance.feature:16)  * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.221 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded58.png at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125) |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks delete button in data table row level  | SKIPPED | 0.000 s  |
| 3 | Then Alert should have "No" button to accept   | SKIPPED | 0.000 s  |

# Validate accept in alert




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in delete alert after clicking row level delete button   | FAILED | 0.002 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.DeleteAttendance.DisplayAlert()" because "com.StepDefinitions. DeleteAttendanceStepDef.dp" is null at com.StepDefinitions.DeleteAttendanceStepDef. admin_is_in_delete_alert_after_clicking_row_level_delete_button(DeleteAttendanceStepDef.java:46) at ?.Admin is in delete alert after clicking row level delete button(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_5.DeleteAttendance.feature:21) * Not displayable characters are replaced by '?'. |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.223 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded59.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)  |        |          |

DETAILED SECTION -- 97 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at java.base/java.nio.file.Path.of(Path.java:147)<br>at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)     |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)   |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)   |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)                                    |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)  |         |          |
| 2 | When Admin clicks yes button  | SKIPPED | 0.000 s  |
| 3 | Then Success message and selected attendance details are deleted from the data table  | SKIPPED | 0.000 s  |

## Validate reject in alert



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in delete alert after clicking row level delete button   | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.DeleteAttendance.DisplayAlert()" because "com.StepDefinitions.  DeleteAttendanceStepDef.dp" is null     at com.StepDefinitions.DeleteAttendanceStepDef.  admin_is_in_delete_alert_after_clicking_row_level_delete_button(DeleteAttendanceStepDef.java:46)     at ?.Admin is in delete alert after clicking row level delete button(file:///C:/Users/Ashrith/eclipse-workspace/  Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_5.DeleteAttendance.feature:26)  * Not displayable characters are replaced by '?'. |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.263 s  |

DETAILED SECTION -- 98 --


| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded60.png |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)   |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)  |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)  |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)                     |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)               |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)                |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)                |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)                |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)   |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)   |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)  |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)                     |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin clicks no button  | SKIPPED | 0.000 s  |
| 3 | Then Redirected attendance page and selected attendance details are not deleted from the data table                              | SKIPPED | 0.000 s  |

### **Delete Multiple Attendances**



Verify delete multiple class button is enabled

DETAILED SECTION -- 99 --




| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 1 | Given Admin is in manage attendance page   | FAILED  | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null   |         |          |
|   | at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:6) |         |          |
|   | * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.233 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded61.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)                           |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)  |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)   |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)   |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)  |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)<br>at appHooks.Hooks.afterstep(Hooks.java:53)  |         |          |
| 2 | When Admin clicks single row level check box in the data table   | SKIPPED | 0.000 s  |

DETAILED SECTION -- 100 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 3 | Then Admin should see delete icon below the header is enabled | SKIPPED | 0.000 s  |


## verify tick mark is visible after clicking on check box for single data



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in manage attendance page  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:11) * Not displayable characters are replaced by '?'.  |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.226 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded62.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.extentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks single row level check box in the data table  | SKIPPED | 0.000 s  |
| 3 | Then Admin should see tick mark in check box  | SKIPPED | 0.001 s  |

### verify admin able to click multiple check box




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in manage attendance page  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:16)  * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.240 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded63.png at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.6.receive(ExtentCucumberAdapter.java:125) |        |          |

DETAILED SECTION -- 102 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks multiple row level check box in the data table   | SKIPPED | 0.001 s  |
| 3 | Then Admin should see tick mark in check box of the selected rows  | SKIPPED | 0.000 s  |

# Verify accept alert in delete multiple attendance by selecting single checkbox




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in alert after Admin clicks delete button under header after selecting the check box in the data   | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.DeleteMultipleAttendance.Alertbox()" because "com.StepDefinitions. DeleteMultipleAttendanceStepDef.dmp" is null at com.StepDefinitions.DeleteMultipleAttendanceStepDef. admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_check_box_in_the_data(DeleteMultipleAttendanceStepDef.java:60) at ?.Admin is in alert after Admin clicks delete button under header after selecting the check box in the data(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:21) * Not displayable characters are replaced by '?'. |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.223 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded64.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)  |        |          |

DETAILED SECTION -- 103 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)                                      |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)  |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)       |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)                           |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)                                       |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)                                |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)       |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin clicks yes button   | SKIPPED | 0.000 s  |
| 3 | Then Success message and selected attendance detail are deleted from the data table                                | SKIPPED | 0.000 s  |

## Verify reject alert in delete multiple attendance by selecting single checkbox



| # | Step / Hook Details  |        | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in alert after Admin clicks delete button under header after selecting the check box in the data  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.DeleteMultipleAttendance.Alertbox()" because "com.StepDefinitions. DeleteMultipleAttendanceStepDef.dmp" is null at com.StepDefinitions.DeleteMultipleAttendanceStepDef. admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_check_box_in_the_data(DeleteMultipleAttendanceSte pDef.java:60) at ?.Admin is in alert after Admin clicks delete button under header after selecting the check box in the data(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:26) * Not displayable characters are replaced by '?'. |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.246 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded65.png |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)   |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)  |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)  |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)                     |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)               |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)                |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)                |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)                |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)   |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)   |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)  |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)                     |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin clicks yes button   | SKIPPED | 0.000 s  |
| 3 | Then Redirected to attendance page and selected attendance details are not deleted from the data table                           | SKIPPED | 0.001 s  |

# Verify accept alert in delete multiple attendance by selecting multiple checkbox

| FAILED DURATION - 0.231 s            | 1.15  | Steps      |
|--------------------------------------|---|------------|
| / 9:46:25.885 PM // 9:46:26.116 PM / | u   | Total - 3  |
| 7 9.40.23.003 FW // 9.40.20.110 FW / |   | Pass - 0   |
| Delete Multiple Attendances          | 05 -  | Fail - 1 3 |
|                                      | , <u>                                    </u> | Skip - 2   |
|                                      | 1 2 3   |            |


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.DeleteMultipleAttendance.AlertMultipleCheckBox()" because "com. |        |          |

DETAILED SECTION -- 105 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | StepDefinitions.DeleteMultipleAttendanceStepDef.dmp" is null at com.StepDefinitions.DeleteMultipleAttendanceStepDef. admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_multiple_check_box_in_the_data_table(DeleteMultiple eAttendanceStepDef.java:76) at ?.Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_6.DeleteMultipleAttendance. feature:31)  * Not displayable characters are replaced by '?'.   |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED  | 0.228 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded66.png at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks yes button  | SKIPPED | 0.000 s  |
| 3 | Then Success message and validate particular attendance details are deleted from the data table   | SKIPPED | 0.001 s  |

Verify reject alert in delete multiple attendance by selecting multiple checkbox

DETAILED SECTION -- 106 --



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table  | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.DeleteMultipleAttendance.AlertMultipleCheckBox()" because "com. StepDefinitions.DeleteMultipleAttendanceStepDef.dmp" is null at com.StepDefinitions.DeleteMultipleAttendanceStepDef. admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_multiple_check_box_in_the_data_table(DeleteMultipleAttendanceStepDef.java:76) at ?.Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_6.DeleteMultipleAttendance. feature:36)  * Not displayable characters are replaced by '?'.  |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED | 0.246 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded67.png at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:173) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsPath.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventPublisher.java:251) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventPublisher.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(CynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.java.Scenario.attach(Scenario.java:78) |        |          |


DETAILED SECTION -- 107 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin clicks no button  | SKIPPED | 0.001 s  |
| 3 | Then Redirected to attendance page and selected attendance details are not deleted from the data table | SKIPPED | 0.000 s  |

### **Pagination in manage attendance**

| FAILED                | DURATION - 0.577 s | Scenarios  |    | Steps      |    |
|-----------------------|--------------------|------------|----|------------|----|
|                       |                    | Total - 10 |    | Total - 30 |    |
| / 9:46:26.460 PM // 9 | :46:27.037 PM /    | Pass - 0   | 10 | Pass - 0   | 30 |
|                       |                    | Fail - 10  |    | Fail - 10  |    |
|                       |                    | Skip - 0   |    | Skip - 20  |    |


### Verify sheet one is displayed on default in data table



| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 1 | Given Admin is on dashboard page after Login                     | FAILED  | 0.001 s  |
|   | Step undefined   |         |          |
| 2 | When Admin clicks "attendance" button on the navigation bar      | SKIPPED | 0.000 s  |
| 3 | Then Data table should display first page when entries available | SKIPPED | 0.000 s  |


Verify right arrow is enable when sheet one is displayed in data table

DETAILED SECTION -- 108 --



| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 1 | Given Admin is on dashboard page after Login  | FAILED  | 0.000 s  |
|   | Step undefined  |         |          |
| 2 | When Admin clicks "attendance" button on the navigation bar                           | SKIPPED | 0.000 s  |
| 3 | Then Right arrow should be enabled in page one when entries are more than 5 available | SKIPPED | 0.001 s  |


### Verify left arrow is disable when sheet one is displayed in data table



| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 1 | Given Admin is on dashboard page after Login  | FAILED  | 0.001 s  |
|   | Step undefined  |         |          |
| 2 | When Admin clicks "attendance" button on the navigation bar                           | SKIPPED | 0.001 s  |
| 3 | Then Left arrow should be disabled in page one when entries are more than 5 available | SKIPPED | 0.000 s  |

Verify right arrow is enable when sheet two is displayed in data table

DETAILED SECTION -- 109 --



| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 1 | Given Admin is on dashboard page after Login   | FAILED  | 0.000 s  |
|   | Step undefined   |         |          |
| 2 | When Admin clicks "attendance" button on the navigation bar                            | SKIPPED | 0.000 s  |
| 3 | Then Right arrow should be enabled in page two when entries are more than 10 available | SKIPPED | 0.000 s  |


### Verify left arrow is enable when sheet two is displayed in data table



| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 1 | Given Admin is on dashboard page after Login  | FAILED  | 0.000 s  |
|   | Step undefined  |         |          |
| 2 | When Admin clicks "attendance" button on the navigation bar                           | SKIPPED | 0.000 s  |
| 3 | Then Left arrow should be enabled in page two when entries are more than 10 available | SKIPPED | 0.000 s  |


Verify right arrow is disable when sheet two is displayed in data table when entries are less than 10

DETAILED SECTION -- 110 --



| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 1 | Given Admin is on dashboard page after Login                   | FAILED  | 0.001 s  |
|   | Step undefined   |         |          |
| 2 | When Admin clicks "attendance" button on the navigation bar    | SKIPPED | 0.000 s  |
| 3 | Then Data table should display page one when entries available | SKIPPED | 0.000 s  |


### **Verify pagination controls enabled**



| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 1 | Given Admin is on dashboard page after Login                                | FAILED  | 0.001 s  |
|   | Step undefined  |         |          |
| 2 | When Admin clicks "attendance" button on the navigation bar                 | SKIPPED | 0.000 s  |
| 3 | Then when entries are more than 5 in data table pagination controls enabled | SKIPPED | 0.001 s  |

#### **Verify pagination controls enabled**

DETAILED SECTION -- 111 --



| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 1 | Given Admin is on dashboard page after Login                                 | FAILED  | 0.000 s  |
|   | Step undefined   |         |          |
| 2 | When Admin clicks "attendance" button on the navigation bar                  | SKIPPED | 0.000 s  |
| 3 | Then when entries are less than 5 in data table pagination controls disabled | SKIPPED | 0.000 s  |

# Verify next page is enabled


| FAILED DURATION - 0.242 s                | 0.15 Steps              |
|--|-------------------------|
| / 9:46:26.551 PM // 9:46:26.793 PM /     | - 0.1 - Total - 3       |
| 7 5. 16.26.661 7 M // 5. 16.26.136 7 M / | Pass - 0                |
| Pagination in manage attendance          | 05 Fail - 1<br>Skip - 2 |
|  | 0 OKR 2                 |
|  | 1 2 3                   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in attendance details pop up after clicking +Add New attendance   | FAILED | 0.002 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.PaginationAttendance.newattendance()" because "com.StepDefinitions. PaginationAttendanceStepDef.pa" is null at com.StepDefinitions.PaginationAttendanceStepDef. admin_is_in_attendance_details_pop_up_after_clicking_add_new_attendance(PaginationAttendanceStepDef.java:73) at ?.Admin is in attendance details pop up after clicking +Add New attendance(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_7.Pagination.feature:47) * Not displayable characters are replaced by '?'. |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.235 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded68.png   |        |          |

DETAILED SECTION -- 112 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)                                    |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)   |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)                                      |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)  |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)       |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)                           |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)                                       |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)                                |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)       |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin creates 6 new attendance  | SKIPPED | 0.000 s  |
| 3 | Then when total attendance entries above 5 next page is enabled (On multiples of 5 new page will be enabled)       | SKIPPED | 0.000 s  |

# Verify next page is enabled





|   | # | Step / Hook Details  | Status | Duration |
|---|---|--|--------|----------|
| 1 | 1 | Given Admin is in attendance details pop up after clicking +Add New attendance   | FAILED | 0.000 s  |
|   |   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.PaginationAttendance.newattendance()" because "com.StepDefinitions. PaginationAttendanceStepDef.pa" is null at com.StepDefinitions.PaginationAttendanceStepDef. |        |          |

DETAILED SECTION -- 113 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | admin_is_in_attendance_details_pop_up_after_clicking_add_new_attendance(PaginationAttendanceStepDef.java:73) at ?.Admin is in attendance details pop up after clicking +Add New attendance(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_7.Pagination.feature:52) * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED  | 0.232 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded69.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.s.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:25) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRun |         |          |
| 2 | When Admin creates less than or equal to 5 new attendance   | SKIPPED | 0.000 s  |
| 3 | Then when total attendance entries 5 or below next page is disabled   | SKIPPED | 0.000 s  |

# **Navigation function validation from manage attendance page to other pages**






| # | Step / Hook Details   | Status    | Duration |
|---|---|-----------|----------|
| 1 | Given Admin is in manage attendance page  | FAILED    | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_8.NavigationAttendance.feature:4) * Not displayable characters are replaced by '?'.   |           |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)  | FAILED    | 0.238 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/\embedded70.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsPath.parser.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.s.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.screes\$400(ExtentCucumberAdapter.java:25) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.screeive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.screeive(ExtentCucumberAdapter.java:125) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:47) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |           |          |
|   |   | 01/175775 | 0.000    |
| 2 | When Admin clicks " Student" button in the navigation bar   | SKIPPED   | 0.000 s  |

| # | Step / Hook Details                            | Status  | Duration |
|---|--|---------|----------|
| 3 | Then Admin should able to land on student page | SKIPPED | 0.000 s  |

### Verify admin is able to navigate from manage attendance to program page




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in manage attendance page   | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_8.NavigationAttendance.feature:4) * Not displayable characters are replaced by '?'.  |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.267 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded71.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.serve(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) |        |          |

DETAILED SECTION -- 116 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks " Program" button in the navigation bar   | SKIPPED | 0.000 s  |
| 3 | Then Admin should able to land on program page  | SKIPPED | 0.000 s  |

### Verify admin is able to navigate from manage attendance to batch page




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in manage attendance page   | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_8.NavigationAttendance.feature:4) * Not displayable characters are replaced by '?'.  |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.214 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded72.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) |        |          |

DETAILED SECTION -- 117 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) |         |          |
| 2 | When Admin clicks " Batch" button in the navigation bar  | SKIPPED | 0.001 s  |
| 3 | Then Admin should able to land on batch page   | SKIPPED | 0.000 s  |

# Verify admin is able to navigate from manage attendance to assignment page



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in manage attendance page   | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_8.NavigationAttendance.feature:4)  * Not displayable characters are replaced by '?'.                         |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.231 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded73.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) |        |          |

DETAILED SECTION -- 118 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)       |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)                           |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)                                       |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)                                |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)       |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin clicks " Assignment" button in the navigation bar   | SKIPPED | 0.000 s  |
| 3 | Then Admin should able to land on Assignment page  | SKIPPED | 0.000 s  |

### Verify admin is able to navigate from manage attendance to class page




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin is in manage attendance page   | FAILED | 0.000 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_8.NavigationAttendance.feature:4)  * Not displayable characters are replaced by '?'. |        |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED | 0.232 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded74.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)   |        |          |

DETAILED SECTION -- 119 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)  |         |          |
|   | at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)   |         |          |
|   | at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)   |         |          |
|   | at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)                                      |         |          |
|   | at java.base/java.nio.file.Path.of(Path.java:147)  |         |          |
|   | at java.base/java.nio.file.Paths.get(Paths.java:69)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)       |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)  |         |          |
|   | at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)  |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)                           |         |          |
|   | at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)                                       |         |          |
|   | at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)                                |         |          |
|   | at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)       |         |          |
|   | at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)   |         |          |
|   | at io.cucumber.java.Scenario.attach(Scenario.java:78)  |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   |         |          |
| 2 | When Admin clicks " Class" button in the navigation bar  | SKIPPED | 0.000 s  |
| 3 | Then Admin should able to land on class page   | SKIPPED | 0.000 s  |

# Verify admin should able to do logout function from manage attendance



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is in manage attendance page  | FAILED | 0.000 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendence.clickattendenceBtn()" because "com.StepDefinitions. AttendanceDetailsStepDef.mp" is null  |        |          |
|   | at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/ |        |          |

DETAILED SECTION -- 120 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | test/resources/Features/9_8.NavigationAttendance.feature:4)  |         |          |
|   | * Not displayable characters are replaced by '?'.  |         |          |
|   | AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)   | FAILED  | 0.213 s  |
|   | java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-44-35//screenshots/ \embedded75.png at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsPath.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runtime.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) |         |          |
|   | at appHooks.Hooks.afterstep(Hooks.java:53)   | OVUDDES |          |
| 2 | When Admin clicks "Logout" button in the navigation bar  | SKIPPED | 0.000 s  |
| 3 | Then Admin should able to land on login page   | SKIPPED | 0.000 s  |