



Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Home Page Verification	9.024 s	8	0	8	0	24	0	0	24	

FEATURES SUMMARY -- 3 --



 #	Feature Name	T	P	F	S	Duration
1	Home Page Verification	8	0	8	0	9.024 s

SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Home Page Verification	Verify admin is able to land on home page	3	0	0	3	1.358 s
2	Home Page Verification	Verify admin is able to land on home page with invalid URL	3	0	0	3	1.374 s
3	Home Page Verification	Verify for broken link	3	0	0	3	1.043 s
4	Home Page Verification	Verify the text spelling in the page	3	0	0	3	0.993 s
5	Home Page Verification	Verify the logo of the LMS	3	0	0	3	1.037 s
6	Home Page Verification	Verify the logo properly aligned	3	0	0	3	1.027 s
7	Home Page Verification	Verify login button is present	3	0	0	3	0.972 s
8	Home Page Verification	Verify login button is clickable	3	0	0	3	1.033 s

DETAILED SECTION -- 5 --

Home Page Verification

FAILED	DURATION - 9.024 s	Scenarios		Steps	
		Total - 8		Total - 24	
/ 9:34:23.870 PM //	9:34:32.894 PM /	Pass - 0	8	Pass - 0	24
		Fail - 8	° J	Fail - 0	27
		Skip - 0		Skip - 24	


Verify admin is able to land on home page



#	Step / Hook Details	Status	Duration
	BEFORE - appHooks.Hooks.scenario(io.cucumber.java.Scenario)	FAILED	1.337 s
	java.lang.lllegalStateException: The path to the driver executable The path to the driver executable must be set by the webdriver.chrome.driver system property; for more information, see https://chromedriver.chromium.org/. The latest version can be downloaded from https://chromedriver.chromium.org/downloads at org.openqa.selenium.internal.Require\$StateChecker.nonNull(Require.java:314) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:149) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:147) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:50) at com.Utils.Helper.<init>(Helper.java:29) at com.Utils.Helper.setUpDriver(Helper.java:57) at appHooks.Hooks.scenario(Hooks.java:44)</init></init>		
1	Given Admin launch the browser	SKIPPED	0.003 s
2	When Admin gives the correct LMS portal URL	SKIPPED	0.000 s
3	Then Admin should land on the home page	SKIPPED	0.001 s


DETAILED SECTION -- 6 --

Verify admin is able to land on home page with invalid URL




#	Step / Hook Details	Status	Duration
	BEFORE - appHooks.Hooks.scenario(io.cucumber.java.Scenario)	FAILED	1.369 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.180 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'LAPTOP-KU3N9O8E', ip: '192.168.0.13' Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeo, goog:chromeOptions: {args: [], extensions: []}}}} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(IntpCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:157) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromiumDriver.java:157) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:32) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriv		
1	at appHooks.Hooks.scenario(Hooks.java:44)	CIVIDDED	0.000 -
1	Given Admin launch the browser	SKIPPED	0.000 s
2	When Admin gives the invalid LMS portal URL	SKIPPED	0.000 s
3	Then Admin should receive 404 page not found error	SKIPPED	0.000 s

DETAILED SECTION -- 7




#	Step / Hook Details	Status	Duration
	BEFORE - appHooks.Hooks.scenario(io.cucumber.java.Scenario)	FAILED	1.038 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.180 with binary path C:Vprogram Files\Google\Chrome\Application\chrome.exe Host info: host: 'LAPTOP-KU3N9O8E', ip: '192.168.0.13' Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:167) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:29) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:157) at org.openqa.selenium.chromete.RemoteWebDriver.sinit>(ChromiumDriver.java:32) at org.openqa.selenium.chromete.ChromeDriver.sinit>(ChromeDriver.java:32) at org.openqa.selenium.chromete.ChromeDriver.sinit>(ChromeDriver.java:32) at org.openqa.selenium.chromete.PromeDriver.sinit>(ChromeDriver.java:350) at com.Utils.Helper.setUpDriver(Helper.java:29)		
1	at appHooks.Hooks.scenario(Hooks.java:44) Given Admin launch the browser	CVIDDED	0.001 s
1	Citient, territoria de discreta	SKIPPED	
2	When Admin gives the correct LMS portal URL	SKIPPED	0.000 s
3	Then HTTP response >= 400. Then the link is broken	SKIPPED	0.000 s

DETAILED SECTION -- 8 --




#	Step / Hook Details	Status	Duration
	BEFORE - appHooks.Hooks.scenario(io.cucumber.java.Scenario)	FAILED	0.989 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.180 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'LAPTOP-KU3N9O8E', ip: '192.168.0.13' Build info: version: '4.8.1', revision: '8ebccae989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeo.goo		
1	at appHooks.Hooks.scenario(Hooks.java:44)	CKIDDED	0.001.0
1	Given Admin launch the browser	SKIPPED	0.001 s
2	When Admin gives the correct LMS portal URL	SKIPPED	0.001 s
3	Then Admin should see correct spellings in all fields	SKIPPED	0.000 s

DETAILED SECTION -- 9 --




#	Step / Hook Details	Status	Duration
	BEFORE - appHooks.Hooks.scenario(io.cucumber.java.Scenario)	FAILED	1.029 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.180 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'LAPTOP-KU3N9O8E', ip: '192.168.0.13' Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:167)} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:156)} at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)} at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:29)} at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:157)} at org.openqa.selenium.chromet.RemoteWebDriver. <init>(RemoteWebDriver.java:157)} at org.openqa.selenium.chromet.ChromeDriver.<init>(ChromeDriver.java:30)} at org</init></init></init></init></init></init></init></init>		
	at appHooks.Hooks.scenario(Hooks.java:44)		
1	Given Admin launch the browser	SKIPPED	0.001 s
2	When Admin gives the correct LMS portal URL	SKIPPED	0.000 s
3	Then Admin should see correct logo of the LMS	SKIPPED	0.000 s

DETAILED SECTION -- 10 --



#	Step / Hook Details	Status	Duration
	BEFORE - appHooks.Hooks.scenario(io.cucumber.java.Scenario)	FAILED	1.023 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.180 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'LAPTOP-KU3N9O8E', ip: '192.168.0.13' Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:167) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:29) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromet.ChromeDriver.<init>(ChromeDriver.java:30) at org.openqa.selenium.chromet.ChromeDriver.<init>(ChromeDriver.java:30) at org.openqa.selenium.chromet.ChromeDriver.<init>(ChromeDriver.java:30) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:30) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:30) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:30) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at com.Utils.Helper.setUpDriver(Helper.java:57)</init></init></init></init></init></init></init></init>		
1	at appHooks.Hooks.scenario(Hooks.java:44) Given Admin launch the browser	SKIPPED	0.001 s
2	When Admin gives the correct LMS portal URL	SKIPPED	0.001 s
3	Then Admin should see logo is properly aligned	SKIPPED	0.000 s
	Therr turning should see logic to properly ungrieu	U. (1) 1 LD	0.000 0


DETAILED SECTION -- 11 --



#	Step / Hook Details	Status	Duration
	BEFORE - appHooks.Hooks.scenario(io.cucumber.java.Scenario)	FAILED	0.966 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.180 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'LAPTOP-KU3N9O8E', ip: '192.168.0.13' Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:167)} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)} at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)} at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:29)} at org.openqa.selenium.remote.RemoteWebDriver. (RemoteWebDriver.java:157)} at org.openqa.selenium.remote.RemoteWebDriver. (RemoteWebDriver.java:157)} at org.openqa.selenium.chromet.ChromeDriver. (ChromeDriver.java:350)} at org.openqa.selenium.chromet.ChromeDriver. <		
1	at appHooks.Hooks.scenario(Hooks.java:44) Given Admin launch the browser	SKIPPED	0.000 s
2	When Admin gives the correct LMS portal URL	SKIPPED	0.000 s
	Which Admin gives the contest time portar one	OIXII I LD	0.000 3

Verify login button is clickable

DETAILED SECTION -- 12 --



#	Step / Hook Details	Status	Duration
	BEFORE - appHooks.Hooks.scenario(io.cucumber.java.Scenario)	FAILED	1.028 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.180 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'LAPTOP-KU3N9O8E', ip: '192.168.0.13' Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities] browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}, at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:167) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:254) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.sinit>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.sinit>(ChromeDriver.java:32) at org.openqa.selenium.chromium.ChromeDriver.sinit>(ChromeDriver.java:32) at org.openqa.selenium.chromium.ChromeDriver.sinit>(ChromeDriver.java:32) at org.openqa.selenium.chromium.ChromeDriver.sinit>(ChromeDriver.java:32) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:32) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:32) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:50) at com.Utils.Helper.sinit>(Helper.java:57)		
1	at appHooks.Hooks.scenario(Hooks.java:44) Given Admin launch the browser	SKIPPED	0.001 s
2	When Admin gives the correct LMS portal URL	SKIPPED	0.001 s
3	Then Admin should able to click the Login button	SKIPPED	0.001 s