

Cucumber Report

Sep 12, 2023, 9:58:04 PM

Start : Sep 12, 9:56:07.900 PM

End : Sep 12, 9:57:58.975 PM

Duration : 1 m 51.075 s

Features




Scenarios

Steps


PASSED - 0
FAILED - 9
SKIPPED - 0

PASSED - 0
FAILED - 83
SKIPPED - 0


PASSED - 19
FAILED - 83
SKIPPED - 147




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Manage Attendance Page Verification</u>	1 m 37.320 s	19	0	19	0	57	19	19	19
<u>Attendance details popup window verification</u>	2.961 s	12	0	12	0	36	0	12	24
<u>AttendanceDetails popup window validation</u>	2.395 s	10	0	10	0	30	0	10	20
<u>Add New Attendance</u>	1.701 s	7	0	7	0	21	0	7	14
<u>Edit Attendance</u>	1.590 s	7	0	7	0	21	0	7	14
<u>Delete Attendance Validation</u>	1.289 s	5	0	5	0	15	0	5	10
<u>Delete Multiple Attendances</u>	1.674 s	7	0	7	0	21	0	7	14
<u>Pagination in manage attendance</u>	0.567 s	10	0	10	0	30	0	10	20
<u>Navigation function validation from manage attendance page to other pages</u>	1.479 s	6	0	6	0	18	0	6	12




#	Feature Name	T	P	F	S	Duration
1	<u>Manage Attendance Page Verification</u>	19	0	19	0	1 m 37.320 s
2	<u>Attendance details popup window verification</u>	12	0	12	0	2.961 s
3	<u>AttendanceDetails popup window validation</u>	10	0	10	0	2.395 s
4	<u>Add New Attendance</u>	7	0	7	0	1.701 s
5	<u>Edit Attendance</u>	7	0	7	0	1.590 s
6	<u>Delete Attendance Validation</u>	5	0	5	0	1.289 s
7	<u>Delete Multiple Attendances</u>	7	0	7	0	1.674 s
8	<u>Pagination in manage attendance</u>	10	0	10	0	0.567 s
9	<u>Navigation function validation from manage attendance page to other pages</u>	6	0	6	0	1.479 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Manage Attendance Page Verification</u>	<u>Validate the header of the page</u>	3	1	1	1	10.749 s
2	<u>Manage Attendance Page Verification</u>	<u>Validate response time from dashboard page to attendance page</u>	3	1	1	1	4.735 s
3	<u>Manage Attendance Page Verification</u>	<u>Validate the broken link</u>	3	1	1	1	4.755 s
4	<u>Manage Attendance Page Verification</u>	<u>Verify LMS title</u>	3	1	1	1	4.701 s
5	<u>Manage Attendance Page Verification</u>	<u>Verify the alignment of the Manage attendance header</u>	3	1	1	1	4.828 s
6	<u>Manage Attendance Page Verification</u>	<u>Validate text in manage attendance page</u>	3	1	1	1	5.657 s
7	<u>Manage Attendance Page Verification</u>	<u>Verify delete icon below the header</u>	3	1	1	1	4.759 s
8	<u>Manage Attendance Page Verification</u>	<u>Verify search bar on the attendance page</u>	3	1	1	1	4.732 s
9	<u>Manage Attendance Page Verification</u>	<u>Verify add new Attendance button on</u>	3	1	1	1	4.686 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Manage Attendance Page Verification</u>	<u>Verify date table on the attendance page</u>	3	1	1	1	4.676 s
11	<u>Manage Attendance Page Verification</u>	<u>Verify Edit icon in the data table</u>	3	1	1	1	4.763 s
12	<u>Manage Attendance Page Verification</u>	<u>Verify edit icon when no data in the table</u>	3	1	1	1	4.722 s
13	<u>Manage Attendance Page Verification</u>	<u>Verify delete icon in the data table</u>	3	1	1	1	4.753 s
14	<u>Manage Attendance Page Verification</u>	<u>Verify delete icon when no data in the table</u>	3	1	1	1	4.743 s
15	<u>Manage Attendance Page Verification</u>	<u>Verify sort icon the data table</u>	3	1	1	1	4.723 s
16	<u>Manage Attendance Page Verification</u>	<u>Verify check box in the data table</u>	3	1	1	1	4.798 s
17	<u>Manage Attendance Page Verification</u>	<u>Validate the number entries displaying</u>	3	1	1	1	4.742 s
18	<u>Manage Attendance Page Verification</u>	<u>Verify Pagination control below the data</u>	3	1	1	1	4.799 s
19	<u>Manage Attendance Page Verification</u>	<u>Validate footer text</u>	3	1	1	1	4.727 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>Attendance details popup window verification</u>	<u>Verify all label text</u>	3	0	1	2	0.228 s
21	<u>Attendance details popup window verification</u>	<u>Verify dropdown box is present</u>	3	0	1	2	0.226 s
22	<u>Attendance details popup window verification</u>	<u>Verify close button in attendance details popup window</u>	3	0	1	2	0.233 s
23	<u>Attendance details popup window verification</u>	<u>Verify the alignment of the close button</u>	3	0	1	2	0.235 s
24	<u>Attendance details popup window verification</u>	<u>Verify the text on first dropdown select a program name</u>	3	0	1	2	0.280 s
25	<u>Attendance details popup window verification</u>	<u>Verify the text on second dropdown select class name</u>	3	0	1	2	0.225 s
26	<u>Attendance details popup window verification</u>	<u>Verify the text on third dropdown select students</u>	3	0	1	2	0.253 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>Attendance details popup window verification</u>	<u>Verify the text on fourth dropdown select attendance</u>	3	0	1	2	0.246 s
28	<u>Attendance details popup window verification</u>	<u>Verify all the text inside the dropdown box is gray color</u>	3	0	1	2	0.214 s
29	<u>Attendance details popup window verification</u>	<u>Verify save button is present</u>	3	0	1	2	0.244 s
30	<u>Attendance details popup window verification</u>	<u>Verify cancel button is present</u>	3	0	1	2	0.246 s
31	<u>Attendance details popup window verification</u>	<u>Verify order of the label in attendance details page</u>	3	0	1	2	0.246 s
32	<u>AttendanceDetails popup window validation</u>	<u>Validate all program name is reflecting in the dropdown</u>	3	0	1	2	0.214 s
33	<u>AttendanceDetails popup window validation</u>	<u>Validate all class name is reflecting in the dropdown</u>	3	0	1	2	0.233 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
34	<u>AttendanceDetails popup window validation</u>	<u>Validate attendance field dropdown all mandatory keywords</u>	3	0	1	2	0.233 s
35	<u>AttendanceDetails popup window validation</u>	<u>Verify spellings in the attendance field drop down</u>	3	0	1	2	0.218 s
36	<u>AttendanceDetails popup window validation</u>	<u>Validate date picker</u>	3	0	1	2	0.250 s
37	<u>AttendanceDetails popup window validation</u>	<u>validate date picker should be correct format</u>	3	0	1	2	0.244 s
38	<u>AttendanceDetails popup window validation</u>	<u>Validate right arrow in data picker to navigate to next month</u>	3	0	1	2	0.245 s
39	<u>AttendanceDetails popup window validation</u>	<u>Validate left arrow in data picker to navigate to previous month</u>	3	0	1	2	0.237 s
40	<u>AttendanceDetails popup window validation</u>	<u>Validate current date is highlighted in the date picker</u>	3	0	1	2	0.227 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>AttendanceDetails popup window validation</u>	<u>Validate selected date is highlighted in the date picker</u>	3	0	1	2	0.225 s
42	<u>Add New Attendance</u>	<u>Validate admin able to create new attendance data</u>	3	0	1	2	0.243 s
43	<u>Add New Attendance</u>	<u>Validate admin able to create new attendance data without program name</u>	3	0	1	2	0.224 s
44	<u>Add New Attendance</u>	<u>Validate admin able to create new attendance data without class name</u>	3	0	1	2	0.237 s
45	<u>Add New Attendance</u>	<u>Validate admin able to create new attendance data without student name</u>	3	0	1	2	0.238 s
46	<u>Add New Attendance</u>	<u>Validate admin able to create new attendance data without attendances</u>	3	0	1	2	0.239 s
47	<u>Add New Attendance</u>	<u>Validate admin able to create new attendance data without attendance date</u>	3	0	1	2	0.228 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
48	<u>Add New Attendance</u>	<u>Validate admin able to create new attendance by selecting future date</u>	3	0	1	2	0.248 s
49	<u>Edit Attendance</u>	<u>Validate admin able to update new attendance data</u>	3	0	1	2	0.230 s
50	<u>Edit Attendance</u>	<u>Validate admin able to update new attendance data without program name</u>	3	0	1	2	0.215 s
51	<u>Edit Attendance</u>	<u>Validate admin able to update new attendance data without class name</u>	3	0	1	2	0.230 s
52	<u>Edit Attendance</u>	<u>Validate admin able to update new attendance data without student name</u>	3	0	1	2	0.207 s
53	<u>Edit Attendance</u>	<u>Validate admin able to update new attendance data without attendances</u>	3	0	1	2	0.211 s
54	<u>Edit Attendance</u>	<u>Validate admin able to update new attendance data without attendance date</u>	3	0	1	2	0.241 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
55	<u>Edit Attendance</u>	<u>Validate admin able to update new attendance by selecting future date</u>	3	0	1	2	0.220 s
56	<u>Delete Attendance Validation</u>	<u>Verify Delete attendance alert</u>	3	0	1	2	0.242 s
57	<u>Delete Attendance Validation</u>	<u>Verify accept enabled in alert</u>	3	0	1	2	0.226 s
58	<u>Delete Attendance Validation</u>	<u>Verify reject enabled in alert</u>	3	0	1	2	0.229 s
59	<u>Delete Attendance Validation</u>	<u>Validate accept in alert</u>	3	0	1	2	0.251 s
60	<u>Delete Attendance Validation</u>	<u>Validate reject in alert</u>	3	0	1	2	0.313 s
61	<u>Delete Multiple Attendances</u>	<u>Verify delete multiple class button is enabled</u>	3	0	1	2	0.242 s
62	<u>Delete Multiple Attendances</u>	<u>verify tick mark is visible after clicking on check box for single data</u>	3	0	1	2	0.225 s
63	<u>Delete Multiple Attendances</u>	<u>verify admin able to click multiple check box</u>	3	0	1	2	0.225 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
64	<u>Delete Multiple Attendances</u>	<u>Verify accept alert in delete multiple attendance by selecting single checkbox</u>	3	0	1	2	0.224 s
65	<u>Delete Multiple Attendances</u>	<u>Verify reject alert in delete multiple attendance by selecting single checkbox</u>	3	0	1	2	0.236 s
66	<u>Delete Multiple Attendances</u>	<u>Verify accept alert in delete multiple attendance by selecting multiple checkbox</u>	3	0	1	2	0.255 s
67	<u>Delete Multiple Attendances</u>	<u>Verify reject alert in delete multiple attendance by selecting multiple checkbox</u>	3	0	1	2	0.229 s
68	<u>Pagination in manage attendance</u>	<u>Verify sheet one is displayed on default in data table</u>	3	0	1	2	0.007 s
69	<u>Pagination in manage attendance</u>	<u>Verify right arrow is enable when sheet one is displayed in data table</u>	3	0	1	2	0.004 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
70	<u>Pagination in manage attendance</u>	<u>Verify left arrow is disable when sheet one is displayed in data table</u>	3	0	1	2	0.004 s
71	<u>Pagination in manage attendance</u>	<u>Verify right arrow is enable when sheet two is displayed in data table</u>	3	0	1	2	0.003 s
72	<u>Pagination in manage attendance</u>	<u>Verify left arrow is enable when sheet two is displayed in data table</u>	3	0	1	2	0.004 s
73	<u>Pagination in manage attendance</u>	<u>Verify right arrow is disable when sheet two is displayed in data table when entries are less than 10</u>	3	0	1	2	0.003 s
74	<u>Pagination in manage attendance</u>	<u>Verify pagination controls enabled</u>	3	0	1	2	0.004 s
75	<u>Pagination in manage attendance</u>	<u>Verify pagination controls enabled</u>	3	0	1	2	0.004 s
76	<u>Pagination in manage attendance</u>	<u>Verify next page is enabled</u>	3	0	1	2	0.242 s
77	<u>Pagination in manage attendance</u>	<u>Verify next page is enabled</u>	3	0	1	2	0.230 s

* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
78	<u>Navigation function validation from manage attendance page to other *</u>	<u>Verify admin is able to navigate from manage attendance to student page</u>	3	0	1	2	0.237 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
79	<u>Navigation function validation from manage attendance page to other *</u>	<u>Verify admin is able to navigate from manage attendance to program page</u>	3	0	1	2	0.264 s
80	<u>Navigation function validation from manage attendance page to other *</u>	<u>Verify admin is able to navigate from manage attendance to batch page</u>	3	0	1	2	0.255 s
81	<u>Navigation function validation from manage attendance page to other *</u>	<u>Verify admin is able to navigate from manage attendance to assignment page</u>	3	0	1	2	0.219 s
82	<u>Navigation function validation from manage attendance page to other *</u>	<u>Verify admin is able to navigate from manage attendance to class page</u>	3	0	1	2	0.219 s
83	<u>Navigation function validation from manage attendance page to other *</u>	<u>Verify admin should able to do logout function from manage attendance</u>	3	0	1	2	0.248 s

* The feature name and/or scenario name has been cropped to fit in the available space.

Manage Attendance Page Verification

FAILED	DURATION - 1 m 37.320 s	Scenarios		Steps	
/ 9:56:07.900 PM // 9:57:45.220 PM /		Total - 19		Total - 57	
		Pass - 0		Pass - 19	
		Fail - 19		Fail - 19	
		Skip - 0		Skip - 19	



Validate the header of the page

FAILED	DURATION - 10.749 s		Steps	
/ 9:56:07.904 PM // 9:56:18.653 PM /			Total - 3	
Manage Attendance Page Verification			Pass - 1	
			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	6.142 s
2	When Admin clicks Attendance on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:65426/devtoo..., se.cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	2.046 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded1.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>	FAILED	0.251 s
3	Then Admin should see the Manage attendance in header	SKIPPED	0.001 s



Validate response time from dashboard page to attendance page

FAILED	DURATION - 4.735 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 9:56:18.729 PM // 9:56:23.464 PM /				
Manage Attendance Page Verification				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.423 s
2	When Admin clicks Attendance on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65426/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)	FAILED	2.012 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded2.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)	FAILED	0.287 s
3	Then Maximum navigation time in milliseconds,default to 30 seconds	SKIPPED	0.001 s



Validate the broken link

<div>FAILED</div> <div>DURATION - 4.755 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:56:23.487 PM // 9:56:28.242 PM /</div>				
<div>Manage Attendance Page Verification</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.447 s
2	When Admin clicks Attendance on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65426/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)	FAILED	2.068 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded3.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)	FAILED	0.230 s
3	Then HTTP response>=400.Then the link is broken	SKIPPED	0.000 s



Verify LMS title

<div>FAILED</div> <div>DURATION - 4.701 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:56:28.261 PM // 9:56:32.962 PM /</div>				
<div>Manage Attendance Page Verification</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.452 s
2	<p>When Admin clicks Attendance on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:65426/devtoo..., se.cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	2.016 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.224 s
	<pre>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded4.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>		
3	Then Admin should see LMS-Learning management system as title	SKIPPED	0.000 s

Verify the alignment of the Manage attendance header



<div>FAILED</div> <div>DURATION - 4.828 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:56:32.980 PM // 9:56:37.808 PM /</div>				
<div>Manage Attendance Page Verification</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.509 s
2	When Admin clicks Attendance on the navigation bar	FAILED	2.076 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, </pre>		

#	Step / Hook Details	Status	Duration
	<p>goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65426/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: Obe83c0d3c6923f49fa4766f5108a9d3</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded5.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) </p>	FAILED	0.233 s

#	Step / Hook Details	Status	Duration
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
3	Then Manage attendance header should be in left side of page	SKIPPED	0.000 s

Validate text in manage attendance page



FAILED DURATION - 5.657 s / 9:56:37.820 PM // 9:56:43.477 PM / Manage Attendance Page Verification		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	3.362 s
2	When Admin clicks Attendance on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo..., goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65426/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	2.053 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded6.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) </pre>	FAILED	0.233 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
3	Then Admin should see correct spelling for the all the fields	SKIPPED	0.001 s



Verify delete icon below the header

FAILED		DURATION - 4.759 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:56:43.489 PM // 9:56:48.248 PM /						
Manage Attendance Page Verification						

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.432 s
2	When Admin clicks Attendance on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65426/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)	FAILED	2.042 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded7.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>	FAILED	0.275 s
3	Then Admin should see disabled delete icon below the "Manage Attendance"	SKIPPED	0.000 s

Verify search bar on the attendance page

<div>FAILED</div> <div>DURATION - 4.732 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:56:48.258 PM // 9:56:52.990 PM /</div>				
<div>Manage Attendance Page Verification</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.408 s
2	When Admin clicks Attendance on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65426/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)	FAILED	2.071 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded8.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)	FAILED	0.240 s
3	Then Admin should see search bar on the attendance page	SKIPPED	0.000 s



Verify add new Attendance button on

<div><div>FAILED</div><div>DURATION - 4.686 s</div></div>		<div><div><div><div></div><div></div><div></div></div><div><div>1</div><div>2</div><div>3</div></div></div><div><div>3</div><div>2</div><div>1</div><div>0</div></div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 1</div><div>Fail - 1</div><div>Skip - 1</div></div>	<div><div><div></div><div></div><div></div></div><div>3</div></div>
/ 9:56:53.001 PM // 9:56:57.687 PM /				
Manage Attendance Page Verification				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.403 s
2	<p>When Admin clicks Attendance on the navigation bar</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:65426/devtoo..., se.cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	2.015 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.260 s
	<pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded9.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
3	Then Admin should see +Add New Attendance button on the attendance page	SKIPPED	0.001 s

Verify date table on the attendance page

FAILED DURATION - 4.676 s / 9:56:57.696 PM // 9:57:02.372 PM / Manage Attendance Page Verification		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.408 s
2	When Admin clicks Attendance on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...},	FAILED	2.014 s

#	Step / Hook Details	Status	Duration
	<p>goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65426/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded10.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)</p>	FAILED	0.248 s

#	Step / Hook Details	Status	Duration
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
3	Then Admin should see data table on the Manage Attendance Page With column headers	SKIPPED	0.000 s

Verify Edit icon in the data table



FAILED DURATION - 4.763 s / 9:57:02.381 PM // 9:57:07.144 PM / Manage Attendance Page Verification		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.446 s
2	When Admin clicks Attendance on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [Obe83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo..., goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65426/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: Obe83c0d3c6923f49fa4766f5108a9d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	2.059 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded11.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) </pre>	FAILED	0.239 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
3	Then Edit Icon in each row of data table only when entries are available	SKIPPED	0.001 s



Verify edit icon when no data in the table

FAILED DURATION - 4.722 s / 9:57:07.153 PM // 9:57:11.875 PM / Manage Attendance Page Verification		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.418 s
2	When Admin clicks Attendance on the navigation bar <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo..., goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65426/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</pre>	FAILED	2.058 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded12.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>	FAILED	0.237 s
3	Then Edit Icon will not be present in data table	SKIPPED	0.000 s



Verify delete icon in the data table

<div>FAILED</div> <div>DURATION - 4.753 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:57:11.882 PM // 9:57:16.635 PM /</div>				
<div>Manage Attendance Page Verification</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.446 s
2	When Admin clicks Attendance on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65426/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)	FAILED	2.022 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded13.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)	FAILED	0.278 s
3	Then Delete Icon in each row of data table only when entries are available	SKIPPED	0.000 s



Verify delete icon when no data in the table

FAILED DURATION - 4.743 s / 9:57:16.643 PM // 9:57:21.386 PM / Manage Attendance Page Verification		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	---	---

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.423 s
2	<p>When Admin clicks Attendance on the navigation bar</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:65426/devtoo..., se.cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	2.049 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.266 s
	<pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded14.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
3	Then Admin cant see delete Icon in data table	SKIPPED	0.000 s

Verify sort icon the data table



FAILED DURATION - 4.723 s / 9:57:21.394 PM // 9:57:26.117 PM / Manage Attendance Page Verification		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.459 s
2	When Admin clicks Attendance on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...},	FAILED	2.020 s

#	Step / Hook Details	Status	Duration
	<p>goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65426/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendence_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendence on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded15.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)</p>	FAILED	0.237 s

#	Step / Hook Details	Status	Duration
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
3	Then Admin should see sort icon near the column headers except for Edit and Delete	SKIPPED	0.001 s

Verify check box in the data table



FAILED DURATION - 4.798 s / 9:57:26.126 PM // 9:57:30.924 PM / Manage Attendance Page Verification		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.441 s
2	When Admin clicks Attendance on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65426/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	2.064 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded16.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) </pre>	FAILED	0.286 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
3	Then Admin should see check box in the all rows of data table	SKIPPED	0.001 s



Validate the number entries displaying

FAILED	DURATION - 4.742 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:57:30.934 PM // 9:57:35.676 PM /				
Manage Attendance Page Verification				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.421 s
2	When Admin clicks Attendance on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65426/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3 at java.lang.reflect.GeneratedConstructorAccessor27.newInstance(Unknown Source) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)	FAILED	2.070 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded17.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>	FAILED	0.243 s
3	Then Above the footer Admin should see the text as "Showing x to y of z entries" below the table, x- starting record number on that page,y-ending record number on that page,z-Total number of records Note: with or without entries	SKIPPED	0.000 s



Verify Pagination control below the data

<div>FAILED</div> <div>DURATION - 4.799 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:57:35.684 PM // 9:57:40.483 PM /</div>				
<div>Manage Attendance Page Verification</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.493 s
2	When Admin clicks Attendance on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65426/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3 at jdk.internal.reflect.GeneratedConstructorAccessor27.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source)	FAILED	2.020 s

#	Step / Hook Details	Status	Duration
	at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?.Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded18.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)	FAILED	0.280 s
3	Then Admin should see the pagination controls under the data table	SKIPPED	0.000 s



Validate footer text

<div>FAILED</div> <div>DURATION - 4.727 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>2</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>0</td></tr></tbody></table></div>	Step	Count	1	2	2	2	3	0	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
Step	Count											
1	2											
2	2											
3	0											
<div>/ 9:57:40.493 PM // 9:57:45.220 PM /</div>												
<div>Manage Attendance Page Verification</div>												



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login in to the LMS url "https://tutorialsninja.com/demo/index.php"	PASSED	2.404 s
2	<p>When Admin clicks Attendance on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0be83c0d3c6923f49fa4766f5108a9d3, findElement {using=xpath, value=//button[text() = 'Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65426/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0be83c0d3c6923f49fa4766f5108a9d3 at java.lang.reflect.GeneratedConstructorAccessor27.newInstance(Unknown Source) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.PageObjects.ManageAttendance.clickattendanceBtn(ManageAttendance.java:101) at com.StepDefinitions.ManageAttendanceStepDef.admin_clicks_Attendance_on_the_navigation_bar(ManageAttendanceStepDef.java:48) at ?Admin clicks Attendance on the navigation bar(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_1.ManageAttendance.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	2.076 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.237 s
	<pre>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded19.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
3	Then Admin should see the text with total number classes in the data table. (" In total there are number of classes")	SKIPPED	0.000 s

Attendance details popup window verification



FAILED	DURATION - 2.961 s	Scenarios Total - 12 Pass - 0 Fail - 12 Skip - 0		Steps Total - 36 Pass - 0 Fail - 12 Skip - 24	
/ 9:57:45.231 PM // 9:57:48.192 PM /					

Verify all label text

FAILED		DURATION - 0.228 s			Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:57:45.231 PM // 9:57:45.459 PM /						
Attendance details popup window verification						

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in manage attendance page</p> <p>java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null</p> <p>at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22)</p> <p>at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_2_1.AttendanceDetails.feature:4)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.001 s
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \emdedded20.png</p> <p>at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)</p> <p>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)</p> <p>at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)</p> <p>at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)</p> <p>at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)</p> <p>at java.base/java.nio.file.Path.of(Path.java:147)</p> <p>at java.base/java.nio.file.Paths.get(Paths.java:69)</p> <p>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)</p> <p>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)</p> <p>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63)</p> <p>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)</p> <p>at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122)</p> <p>at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)</p> <p>at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)</p> <p>at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)</p> <p>at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)</p> <p>at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)</p> <p>at io.cucumber.java.Scenario.attach(Scenario.java:78)</p> <p>at appHooks.Hooks.afterstep(Hooks.java:53)</p>	FAILED	0.222 s
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then Admin should see correct spellings in the label	SKIPPED	0.000 s



Verify dropdown box is present

<div>FAILED</div> <div>DURATION - 0.226 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:45.466 PM // 9:57:45.692 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded21.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)	FAILED	0.221 s
2	When Admin clicks + a new attendance	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then 4 dropdown should be preasent	SKIPPED	0.000 s



Verify close button in attendance details popup window

FAILED	DURATION - 0.233 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:57:45.698 PM // 9:57:45.931 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'. AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded22.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)	FAILED	0.226 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then Admin should see close button on attendance details pop up window	SKIPPED	0.001 s



Verify the alignment of the close button

FAILED DURATION - 0.235 s / 9:57:45.946 PM // 9:57:46.181 PM / Attendance details popup window verification		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded23.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)	FAILED	0.229 s

#	Step / Hook Details	Status	Duration
	<pre> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then Close button should on the top right corner	SKIPPED	0.000 s



Verify the text on first dropdown select a program name

FAILED DURATION - 0.280 s / 9:57:46.188 PM // 9:57:46.468 PM / Attendance details popup window verification		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded24.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) </pre>	FAILED	0.274 s

#	Step / Hook Details	Status	Duration
	at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then First dropdown box "select a program name" text should be present	SKIPPED	0.000 s

Verify the text on second dropdown select class name

FAILED DURATION - 0.225 s / 9:57:46.476 PM // 9:57:46.701 PM / Attendance details popup window verification		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	---	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded25.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)	FAILED	0.220 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then Second dropdown box "select class name" text should be present	SKIPPED	0.000 s



Verify the text on third dropdown select students

FAILED DURATION - 0.253 s / 9:57:46.708 PM // 9:57:46.961 PM / Attendance details popup window verification		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/ </pre>	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	test/resources/Features/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'. AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)		
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded26.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)	FAILED	0.248 s
2	When Admin clicks + a new attendance	SKIPPED	0.001 s
3	Then Third dropdown box "select students" text should be present	SKIPPED	0.000 s

Verify the text on fourth dropdown select attendance

FAILED	DURATION - 0.246 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:57:46.967 PM // 9:57:47.213 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in manage attendance page</p> <p>java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'. </p>	FAILED	0.001 s
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \emdedded27.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </p>	FAILED	0.242 s
2	When Admin clicks + a new attendance	SKIPPED	0.001 s
3	Then Fourth dropdown box "select attendance" text should be present	SKIPPED	0.000 s



Verify all the text inside the dropdown box is gray color

<div>FAILED</div> <div>DURATION - 0.214 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:47.221 PM // 9:57:47.435 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in manage attendance page</p> <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded28.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>	FAILED	0.209 s
2	When Admin clicks + a new attendance	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then Admin should text in gray color	SKIPPED	0.000 s



Verify save button is present

<div>FAILED</div> <div>DURATION - 0.244 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:47.442 PM // 9:57:47.686 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded29.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)	FAILED	0.239 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then Admin should see save button in the class detail popup window	SKIPPED	0.000 s



Verify cancel button is present

FAILED DURATION - 0.246 s / 9:57:47.693 PM // 9:57:47.939 PM / Attendance details popup window verification		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded30.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)	FAILED	0.241 s

#	Step / Hook Details	Status	Duration
	<pre> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then Admin should see cancel button in the class detail popup window	SKIPPED	0.000 s



Verify order of the label in attendance details page

FAILED	DURATION - 0.246 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:57:47.946 PM // 9:57:48.192 PM /				
Attendance details popup window verification				


#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded31.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) </pre>	FAILED	0.241 s

#	Step / Hook Details	Status	Duration
	at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then Order of the label should be Program name, Class Name, Student Name, Attendance, Attendance Date	SKIPPED	0.001 s

AttendanceDetails popup window validation



FAILED	DURATION - 2.395 s	Scenarios		Steps	
/ 9:57:48.202 PM // 9:57:50.597 PM /		Total - 10		Total - 30	
		Pass - 0	10	Pass - 0	30
		Fail - 10		Fail - 10	
		Skip - 0		Skip - 20	

Validate all program name is reflecting in the dropdown

FAILED	DURATION - 0.214 s		Steps	
/ 9:57:48.202 PM // 9:57:48.416 PM /			Total - 3	
AttendanceDetails popup window validation			Pass - 0	3
			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in attendance details popup window</p> <p>java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.</p>	FAILED	0.001 s
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \emdedded32.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)</p>	FAILED	0.208 s
2	When Admin clicks program name dropdown	SKIPPED	0.000 s
3	Then Program Name in the drop down should match with program name in manage program page table	SKIPPED	0.000 s



Validate all class name is reflecting in the dropdown

FAILED	DURATION - 0.233 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:57:48.424 PM // 9:57:48.657 PM /				
AttendanceDetails popup window validation				

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window <pre>java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) <pre>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded33.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>	FAILED	0.229 s
2	When Admin clicks class name dropdown	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then Class Name in the drop down should match with class name in manage class page table	SKIPPED	0.000 s



Validate attendance field dropdown all mandatory keywords

<div>FAILED</div> <div>DURATION - 0.233 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 9:57:48.664 PM // 9:57:48.897 PM /				
AttendanceDetails popup window validation				

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded34.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)	FAILED	0.229 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin clicks attendance dropdown	SKIPPED	0.001 s
3	Then Attendance field should have keywords such as - present, absent, late, excused	SKIPPED	0.000 s



Verify spellings in the attendance field drop down

FAILED DURATION - 0.218 s / 9:57:48.906 PM // 9:57:49.124 PM / AttendanceDetails popup window validation		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded35.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)	FAILED	0.213 s

#	Step / Hook Details	Status	Duration
	<pre> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>		
2	When Admin clicks attendance dropdown	SKIPPED	0.000 s
3	Then Admin should see correct spellings in dropdown text	SKIPPED	0.001 s

Validate date picker

FAILED	DURATION - 0.250 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:49.135 PM // 9:57:49.385 PM /				
AttendanceDetails popup window validation				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in attendance details popup window</p> <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded36.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) </pre>	FAILED	0.244 s

#	Step / Hook Details	Status	Duration
	at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin clicks date from date picker	SKIPPED	0.000 s
3	Then selected date should be their in class date text box	SKIPPED	0.000 s

validate date picker should be correct format

FAILED DURATION - 0.244 s / 9:57:49.392 PM // 9:57:49.636 PM / AttendanceDetails popup window validation		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded37.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)	FAILED	0.239 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>		
2	When Admin clicks date from date picker	SKIPPED	0.000 s
3	Then selected date should be in mm/dd/yyyy format	SKIPPED	0.000 s



Validate right arrow in data picker to navigate to next month

FAILED	DURATION - 0.245 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:57:49.642 PM // 9:57:49.887 PM /				
AttendanceDetails popup window validation				

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ </pre>	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'. AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)		
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded38.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)	FAILED	0.240 s
2	When Admin clicks right arrow in the date picker near month	SKIPPED	0.000 s
3	Then Next month calender should visible	SKIPPED	0.000 s

Validate left arrow in data picker to navigate to previous month

FAILED	DURATION - 0.237 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:57:49.894 PM // 9:57:50.131 PM /				
AttendanceDetails popup window validation				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in attendance details popup window</p> <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded39.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>	FAILED	0.232 s
2	When Admin clicks left arrow in the date picker near month	SKIPPED	0.000 s
3	Then previous month calender should visible	SKIPPED	0.000 s



Validate current date is highlighted in the date picker

<div>FAILED</div> <div>DURATION - 0.227 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:50.138 PM // 9:57:50.365 PM /				
AttendanceDetails popup window validation				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in attendance details popup window</p> <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded40.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>	FAILED	0.222 s
2	When Admin clicks date picker button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then Admin should see current date is highled in the date picker	SKIPPED	0.001 s



Validate selected date is highlighted in the date picker

FAILED	DURATION - 0.225 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:57:50.372 PM // 9:57:50.597 PM /				
AttendanceDetails popup window validation				



#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window <pre>java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) <pre>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded41.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) </pre>	FAILED	0.221 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin clicks date picker button	SKIPPED	0.000 s
3	Then Admin should see selected date is highled in the date picker	SKIPPED	0.000 s

Add New Attendance

FAILED	DURATION - 1.701 s	Scenarios		Steps	
/ 9:57:50.607 PM // 9:57:52.308 PM /		Total - 7		Total - 21	
		Pass - 0		Pass - 0	
		Fail - 7		Fail - 7	
		Skip - 0		Skip - 14	

Validate admin able to create new attendance data

FAILED	DURATION - 0.243 s		Steps	
/ 9:57:50.607 PM // 9:57:50.850 PM /				
Add New Attendance				

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.238 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded42.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin fills all the values and click save	SKIPPED	0.000 s
3	Then Admin should see success message in popup window and sees new attendance details in manage attendance details DB	SKIPPED	0.000 s



Validate admin able to create new attendance data without program name

FAILED DURATION - 0.224 s / 9:57:50.857 PM // 9:57:51.081 PM / Add New Attendance		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'. AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)		
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded43.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)	FAILED	0.218 s
2	When Admin fills values missing program name and click save	SKIPPED	0.000 s
3	Then Program name is missing	SKIPPED	0.001 s

Validate admin able to create new attendance data without class name

FAILED	DURATION - 0.237 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:51.087 PM // 9:57:51.324 PM /				
Add New Attendance				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in attendance details popup window</p> <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \emdedded44.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>	FAILED	0.233 s
2	When Admin fills values missing class name and click save	SKIPPED	0.000 s
3	Then class name is missing	SKIPPED	0.000 s



Validate admin able to create new attendance data without student name

<div>FAILED</div> <div>DURATION - 0.238 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:51.330 PM // 9:57:51.568 PM /				
Add New Attendance				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in attendance details popup window</p> <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded45.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>	FAILED	0.232 s
2	When Admin fills values missing student name and click save	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then student name is missing	SKIPPED	0.000 s



Validate admin able to create new attendance data without attendances

FAILED	DURATION - 0.239 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:51.579 PM // 9:57:51.818 PM /				
Add New Attendance				

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window <pre>java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) <pre>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded46.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) </pre>	FAILED	0.234 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin fills values missing attendance and click save	SKIPPED	0.000 s
3	Then Attendance is missing	SKIPPED	0.000 s



Validate admin able to create new attendance data without attendance date

FAILED DURATION - 0.228 s / 9:57:51.824 PM // 9:57:52.052 PM / Add New Attendance		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded47.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)	FAILED	0.223 s

#	Step / Hook Details	Status	Duration
	<pre> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>		
2	When Admin fills values missing attendance date and click save	SKIPPED	0.000 s
3	Then Attendance date is missing	SKIPPED	0.000 s



Validate admin able to create new attendance by selecting future date

<div>FAILED</div> <div>DURATION - 0.248 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:52.060 PM // 9:57:52.308 PM /				
Add New Attendance				

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded48.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) </pre>	FAILED	0.244 s

#	Step / Hook Details	Status	Duration
	at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin fills values with future date and click save	SKIPPED	0.001 s
3	Then Invalidate attendance date	SKIPPED	0.000 s

Edit Attendance



FAILED	DURATION - 1.590 s	Scenarios		Steps	
/ 9:57:52.316 PM // 9:57:53.906 PM /		Total - 7		Total - 21	
		Pass - 0		Pass - 0	
		Fail - 7		Fail - 7	
		Skip - 0		Skip - 14	

Validate admin able to update new attendance data

<div><div>FAILED</div><div>DURATION - 0.230 s</div></div>		<div><div><div></div><div></div><div></div></div><div><div>0.15</div><div>0</div></div><div><div>1</div><div>2</div><div>3</div></div></div>	Steps	<div><div><div></div><div></div><div></div></div><div>3</div></div>
/ 9:57:52.316 PM // 9:57:52.546 PM /			Total - 3	
Edit Attendance			Pass - 0	
			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in attendance details popup window</p> <p>java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_4.EditAttendance.feature:4) * Not displayable characters are replaced by '?'. </p>	FAILED	0.000 s
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \emdedded49.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </p>	FAILED	0.224 s
2	When Admin fills all the values and click save to update	SKIPPED	0.000 s
3	Then Admin should see success message in popup window and sees updated attendance details in manage attendance details DB	SKIPPED	0.000 s



Validate admin able to update new attendance data without program name

<div>FAILED</div> <div>DURATION - 0.215 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:52.553 PM // 9:57:52.768 PM /				
<div>Edit Attendance</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in attendance details popup window</p> <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_4.EditAttendance.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded50.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>	FAILED	0.210 s
2	When Admin fills values missing program name and click save to update	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then Program name is missing	SKIPPED	0.000 s



Validate admin able to update new attendance data without class name

<div>FAILED</div> <div>DURATION - 0.230 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:52.773 PM // 9:57:53.003 PM /				
Edit Attendance				

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window <pre>java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_4.EditAttendance.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) <pre>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded51.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) </pre>	FAILED	0.226 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin fills values missing class name and click save to update	SKIPPED	0.000 s
3	Then class name is missing	SKIPPED	0.000 s



Validate admin able to update new attendance data without student name

<div>FAILED</div> <div>DURATION - 0.207 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 9:57:53.009 PM // 9:57:53.216 PM /</div>				
<div>Edit Attendance</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_4.EditAttendance.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded52.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)	FAILED	0.203 s

#	Step / Hook Details	Status	Duration
	<pre> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>		
2	When Admin fills values missing student name and click save to update	SKIPPED	0.000 s
3	Then student name is missing	SKIPPED	0.000 s

Validate admin able to update new attendance data without attendances

<div>FAILED</div> <div>DURATION - 0.211 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0</td></tr></tbody></table></div>	Step	Value	1	0	2	0	3	0	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div><div>3</div></div>
Step	Value											
1	0											
2	0											
3	0											
<div>/ 9:57:53.222 PM // 9:57:53.433 PM /</div>												
<div>Edit Attendance</div>												

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in attendance details popup window</p> <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_4.EditAttendance.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded53.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) </pre>	FAILED	0.206 s

#	Step / Hook Details	Status	Duration
	at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin fills values missing attendance and click save to update	SKIPPED	0.000 s
3	Then Attendance is missing	SKIPPED	0.000 s



Validate admin able to update new attendance data without attendance date

FAILED DURATION - 0.241 s / 9:57:53.439 PM // 9:57:53.680 PM / Edit Attendance		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_4.EditAttendance.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded54.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)	FAILED	0.237 s

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin fills values missing attendance date and click save to update	SKIPPED	0.000 s
3	Then Attendance date is missing	SKIPPED	0.000 s

Validate admin able to update new attendance by selecting future date

FAILED DURATION - 0.220 s / 9:57:53.686 PM // 9:57:53.906 PM / Edit Attendance		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	---	--	--



#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window java.lang.NullPointerException: Cannot invoke "com.PageObjects.AttendanceDetails.ClickNewAttendance()" because "com.StepDefinitions.AttendanceDetails1StepDef.adp" is null at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:26) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/Features/9_4.EditAttendance.feature:4) * Not displayable characters are replaced by '?'. AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)		
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded55.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)	FAILED	0.217 s
2	When Admin fills values with future date and click save to update	SKIPPED	0.000 s
3	Then Invalidate attendance date	SKIPPED	0.000 s

Delete Attendance Validation

FAILED	DURATION - 1.289 s	Scenarios		Steps	
/ 9:57:53.913 PM // 9:57:55.202 PM /		Total - 5		Total - 15	
		Pass - 0		Pass - 0	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 10	



Verify Delete attendance alert

<div>FAILED</div> <div>DURATION - 0.242 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:53.913 PM // 9:57:54.155 PM /				
Delete Attendance Validation				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in manage attendance page</p> <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_5.DeleteAttendance.feature:6) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded56.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>	FAILED	0.237 s
2	When Admin clicks delete button in data table row level	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then Admin should see alert	SKIPPED	0.000 s



Verify accept enabled in alert

<div>FAILED</div> <div>DURATION - 0.226 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:54.162 PM // 9:57:54.388 PM /				
Delete Attendance Validation				

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_5.DeleteAttendance.feature:11) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded57.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)	FAILED	0.223 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin clicks delete button in data table row level	SKIPPED	0.000 s
3	Then Alert should have "yes" button to accept	SKIPPED	0.000 s



Verify reject enabled in alert

<div>FAILED</div> <div>DURATION - 0.229 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 9:57:54.395 PM // 9:57:54.624 PM /				
Delete Attendance Validation				

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_5.DeleteAttendance.feature:16) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded58.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)	FAILED	0.224 s

#	Step / Hook Details	Status	Duration
	<pre> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>		
2	When Admin clicks delete button in data table row level	SKIPPED	0.000 s
3	Then Alert should have "No" button to accept	SKIPPED	0.000 s

Validate accept in alert

FAILED DURATION - 0.251 s / 9:57:54.631 PM // 9:57:54.882 PM / Delete Attendance Validation		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is in delete alert after clicking row level delete button <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.DeleteAttendance.DisplayAlert()" because "com.StepDefinitions.DeleteAttendanceStepDef.dp" is null at com.StepDefinitions.DeleteAttendanceStepDef.admin_is_in_delete_alert_after_clicking_row_level_delete_button(DeleteAttendanceStepDef.java:40) at ?.Admin is in delete alert after clicking row level delete button(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUncorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_5.DeleteAttendance.feature:21) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded59.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) </pre>	FAILED	0.247 s

#	Step / Hook Details	Status	Duration
	at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin clicks yes button	SKIPPED	0.001 s
3	Then Success message and selected attendance details are deleted from the data table	SKIPPED	0.000 s



Validate reject in alert

FAILED DURATION - 0.313 s / 9:57:54.889 PM // 9:57:55.202 PM / Delete Attendance Validation		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--



#	Step / Hook Details	Status	Duration
1	Given Admin is in delete alert after clicking row level delete button java.lang.NullPointerException: Cannot invoke "com.PageObjects.DeleteAttendance.DisplayAlert()" because "com.StepDefinitions.DeleteAttendanceStepDef.dp" is null at com.StepDefinitions.DeleteAttendanceStepDef. admin_is_in_delete_alert_after_clicking_row_level_delete_button(DeleteAttendanceStepDef.java:40) at ?.Admin is in delete alert after clicking row level delete button(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_5.DeleteAttendance.feature:26) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.309 s

#	Step / Hook Details	Status	Duration
	<pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded60.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>		
2	When Admin clicks no button	SKIPPED	0.000 s
3	Then Redirected attendance page and selected attendance details are not deleted from the data table	SKIPPED	0.001 s

Delete Multiple Attendances

FAILED	DURATION - 1.674 s	Scenarios		Steps	
/ 9:57:55.210 PM // 9:57:56.884 PM /		Total - 7		Total - 21	
		Pass - 0		Pass - 0	
		Fail - 7		Fail - 7	
		Skip - 0		Skip - 14	



Verify delete multiple class button is enabled

<div>FAILED</div> <div>DURATION - 0.242 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:55.210 PM // 9:57:55.452 PM /				
Delete Multiple Attendances				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in manage attendance page</p> <pre>java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:6) * Not displayable characters are replaced by '?'. AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</pre>	FAILED	0.001 s
	<pre>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded61.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)</pre>	FAILED	0.237 s
2	When Admin clicks single row level check box in the data table	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then Admin should see delete icon below the header is enabled	SKIPPED	0.001 s

verify tick mark is visible after clicking on check box for single data

<div><div>FAILED</div><div>DURATION - 0.225 s</div></div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:55.458 PM // 9:57:55.683 PM /				
Delete Multiple Attendances				

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:11) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded62.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)	FAILED	0.221 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin clicks single row level check box in the data table	SKIPPED	0.000 s
3	Then Admin should see tick mark in check box	SKIPPED	0.000 s

verify admin able to click multiple check box

FAILED DURATION - 0.225 s / 9:57:55.690 PM // 9:57:55.915 PM / Delete Multiple Attendances		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:16) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded63.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)	FAILED	0.222 s

#	Step / Hook Details	Status	Duration
	<pre> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>		
2	When Admin clicks multiple row level check box in the data table	SKIPPED	0.000 s
3	Then Admin should see tick mark in check box of the selected rows	SKIPPED	0.000 s

Verify accept alert in delete multiple attendance by selecting single checkbox

FAILED DURATION - 0.224 s / 9:57:55.921 PM // 9:57:56.145 PM / Delete Multiple Attendances		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in alert after Admin clicks delete button under header after selecting the check box in the data <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.DeleteMultipleAttendance.Alertbox()" because "com.StepDefinitions.DeleteMultipleAttendanceStepDef.dmp" is null at com.StepDefinitions.DeleteMultipleAttendanceStepDef.admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_check_box_in_the_data(DeleteMultipleAttendanceStepDef.java:54) at ?.Admin is in alert after Admin clicks delete button under header after selecting the check box in the data(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:21) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded64.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) </pre>	FAILED	0.219 s

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin clicks yes button	SKIPPED	0.001 s
3	Then Success message and selected attendance detail are deleted from the data table	SKIPPED	0.000 s

Verify reject alert in delete multiple attendance by selecting single checkbox

FAILED DURATION - 0.236 s / 9:57:56.153 PM // 9:57:56.389 PM / Delete Multiple Attendances		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in alert after Admin clicks delete button under header after selecting the check box in the data java.lang.NullPointerException: Cannot invoke "com.PageObjects.DeleteMultipleAttendance.Alertbox()" because "com.StepDefinitions.DeleteMultipleAttendanceStepDef.dmp" is null at com.StepDefinitions.DeleteMultipleAttendanceStepDef. admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_check_box_in_the_data(DeleteMultipleAttendanceStepDef.java:54) at ?.Admin is in alert after Admin clicks delete button under header after selecting the check box in the data(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:26) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded65.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>	FAILED	0.231 s
2	When Admin clicks yes button	SKIPPED	0.000 s
3	Then Redirected to attendance page and selected attendance details are not deleted from the data table	SKIPPED	0.000 s



Verify accept alert in delete multiple attendance by selecting multiple checkbox

FAILED DURATION - 0.255 s / 9:57:56.395 PM // 9:57:56.650 PM / Delete Multiple Attendances		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.DeleteMultipleAttendance.AlertMultipleCheckBox()" because "com. </pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<p>StepDefinitions.DeleteMultipleAttendanceStepDef.dmp" is null at com.StepDefinitions.DeleteMultipleAttendanceStepDef. admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_multiple_check_box_in_the_data_table(DeleteMultipleAttendanceStepDef.java:70) at ?.Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:31) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded66.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </p>	FAILED	0.250 s
2	When Admin clicks yes button	SKIPPED	0.000 s
3	Then Success message and validate particular attendance details are deleted from the data table	SKIPPED	0.000 s



Verify reject alert in delete multiple attendance by selecting multiple checkbox

<div>FAILED</div> <div>DURATION - 0.229 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:56.655 PM // 9:57:56.884 PM /				
Delete Multiple Attendances				



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table</p> <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.DeleteMultipleAttendance.AlertMultipleCheckBox()" because "com.StepDefinitions.DeleteMultipleAttendanceStepDef.dmp" is null at com.StepDefinitions.DeleteMultipleAttendanceStepDef.admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_multiple_check_box_in_the_data_table(DeleteMultipleAttendanceStepDef.java:70) at ?.Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_6.DeleteMultipleAttendance.feature:36) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded67.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) </pre>	FAILED	0.225 s

#	Step / Hook Details	Status	Duration
	at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin clicks no button	SKIPPED	0.000 s
3	Then Redirected to attendance page and selected attendance details are not deleted from the data table	SKIPPED	0.000 s

Pagination in manage attendance

FAILED	DURATION - 0.567 s	Scenarios		Steps	
/ 9:57:56.921 PM // 9:57:57.488 PM /		Total - 10		Total - 30	
		Pass - 0		Pass - 0	
		Fail - 10		Fail - 10	
		Skip - 0		Skip - 20	

Verify sheet one is displayed on default in data table

FAILED	DURATION - 0.007 s		Steps	
/ 9:57:56.921 PM // 9:57:56.928 PM /			Total - 3	
Pagination in manage attendance			Pass - 0	
			Fail - 1	
		Skip - 2		

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.001 s
	Step undefined		
2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.000 s
3	Then Data table should display first page when entries available	SKIPPED	0.001 s

Verify right arrow is enable when sheet one is displayed in data table

FAILED	DURATION - 0.004 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:57:56.935 PM // 9:57:56.939 PM /				
Pagination in manage attendance				



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.001 s
	Step undefined		
2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.000 s
3	Then Right arrow should be enabled in page one when entries are more than 5 available	SKIPPED	0.000 s

Verify left arrow is disable when sheet one is displayed in data table

FAILED	DURATION - 0.004 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:57:56.948 PM // 9:57:56.952 PM /				
Pagination in manage attendance				



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.001 s
	Step undefined		
2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.000 s
3	Then Left arrow should be disabled in page one when entries are more than 5 available	SKIPPED	0.001 s

Verify right arrow is enable when sheet two is displayed in data table

<div>FAILED</div> <div>DURATION - 0.003 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:56.959 PM // 9:57:56.962 PM /				
Pagination in manage attendance				



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.000 s
	Step undefined		
2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.000 s
3	Then Right arrow should be enabled in page two when entries are more than 10 available	SKIPPED	0.000 s

Verify left arrow is enable when sheet two is displayed in data table

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:56.969 PM // 9:57:56.973 PM /				
Pagination in manage attendance				



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.000 s
	Step undefined		
2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.000 s
3	Then Left arrow should be enabled in page two when entries are more than 10 available	SKIPPED	0.000 s

Verify right arrow is disable when sheet two is displayed in data table when entries are less than 10

<div>FAILED</div> <div>DURATION - 0.003 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:56.979 PM // 9:57:56.982 PM /				
Pagination in manage attendance				



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.001 s
	Step undefined		
2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.000 s
3	Then Data table should display page one when entries available	SKIPPED	0.000 s

Verify pagination controls enabled

<div>FAILED</div>	<div>DURATION - 0.004 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:56.989 PM // 9:57:56.993 PM /				
Pagination in manage attendance				



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.001 s
	Step undefined		
2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.000 s
3	Then when entries are more than 5 in data table pagination controls enabled	SKIPPED	0.000 s

Verify pagination controls enabled

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:57.000 PM // 9:57:57.004 PM /				
Pagination in manage attendance				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.000 s
	Step undefined		
2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.000 s
3	Then when entries are less than 5 in data table pagination controls disabled	SKIPPED	0.000 s

Verify next page is enabled

<div>FAILED</div> <div>DURATION - 0.242 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:57.010 PM // 9:57:57.252 PM /				
Pagination in manage attendance				

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details pop up after clicking +Add New attendance	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "com.PageObjects.PaginationAttendance.newattendance()" because "com.StepDefinitions.PaginationAttendanceStepDef.pa" is null at com.StepDefinitions.PaginationAttendanceStepDef. admin_is_in_attendance_details_pop_up_after_clicking_add_new_attendance(PaginationAttendanceStepDef.java:71) at ?.Admin is in attendance details pop up after clicking +Add New attendance(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_7.Pagination.feature:47) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.236 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded68.png		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>		
2	When Admin creates 6 new attendance	SKIPPED	0.000 s
3	Then when total attendance entries above 5 next page is enabled (On multiples of 5 new page will be enabled)	SKIPPED	0.000 s



Verify next page is enabled

FAILED DURATION - 0.230 s / 9:57:57.258 PM // 9:57:57.488 PM / Pagination in manage attendance		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	--



#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details pop up after clicking +Add New attendance <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.PaginationAttendance.newattendance()" because "com.StepDefinitions.PaginationAttendanceStepDef.pa" is null at com.StepDefinitions.PaginationAttendanceStepDef. </pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	admin_is_in_attendance_details_pop_up_after_clicking_add_new_attendance(PaginationAttendanceStepDef.java:71) at ?.Admin is in attendance details pop up after clicking +Add New attendance(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_7.Pagination.feature:52) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded69.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)	FAILED	0.225 s
2	When Admin creates less than or equal to 5 new attendance	SKIPPED	0.001 s
3	Then when total attendance entries 5 or below next page is disabled	SKIPPED	0.000 s

Navigation function validation from manage attendance page to other pages

FAILED	DURATION - 1.479 s	Scenarios		Steps	
/ 9:57:57.496 PM // 9:57:58.975 PM /		Total - 6		Total - 18	
		Pass - 0		Pass - 0	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 12	



Verify admin is able to navigate from manage attendance to student page

<div>FAILED</div> <div>DURATION - 0.237 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:57.496 PM // 9:57:57.733 PM /				
Navigation function validation from manage attendance page to other pages				

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page <pre>java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_8.NavigationAttendance.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) <pre>java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded70.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>	FAILED	0.232 s
2	When Admin clicks " Student" button in the navigation bar	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then Admin should able to land on student page	SKIPPED	0.000 s



Verify admin is able to navigate from manage attendance to program page

<div>FAILED</div> <div>DURATION - 0.264 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:57.741 PM // 9:57:58.005 PM /				
Navigation function validation from manage attendance page to other pages				

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_8.NavigationAttendance.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded71.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)	FAILED	0.261 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin clicks " Program" button in the navigation bar	SKIPPED	0.000 s
3	Then Admin should able to land on program page	SKIPPED	0.000 s



Verify admin is able to navigate from manage attendance to batch page

FAILED	DURATION - 0.255 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:57:58.011 PM // 9:57:58.266 PM /				
Navigation function validation from manage attendance page to other pages				

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_8.NavigationAttendance.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario) java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded72.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125)	FAILED	0.251 s

#	Step / Hook Details	Status	Duration
	<pre> at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>		
2	When Admin clicks " Batch" button in the navigation bar	SKIPPED	0.000 s
3	Then Admin should able to land on batch page	SKIPPED	0.000 s



Verify admin is able to navigate from manage attendance to assignment page

FAILED		DURATION - 0.219 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:57:58.272 PM // 9:57:58.491 PM /						
Navigation function validation from manage attendance page to other pages						

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in manage attendance page</p> <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/test/resources/Features/9_8.NavigationAttendance.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
	<p>AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded73.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) </pre>	FAILED	0.215 s

#	Step / Hook Details	Status	Duration
	at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)		
2	When Admin clicks " Assignment" button in the navigation bar	SKIPPED	0.001 s
3	Then Admin should able to land on Assignment page	SKIPPED	0.000 s



Verify admin is able to navigate from manage attendance to class page

FAILED	DURATION - 0.219 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:57:58.502 PM // 9:57:58.721 PM /				
Navigation function validation from manage attendance page to other pages				

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/.src/test/resources/Features/9_8.NavigationAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.213 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded74.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53) </pre>		
2	When Admin clicks " Class" button in the navigation bar	SKIPPED	0.000 s
3	Then Admin should able to land on class page	SKIPPED	0.000 s

Verify admin should able to do logout function from manage attendance

FAILED		DURATION - 0.248 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>		
/ 9:57:58.727 PM // 9:57:58.975 PM /							
Navigation function validation from manage attendance page to other pages							

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page <pre> java.lang.NullPointerException: Cannot invoke "com.PageObjects.ManageAttendance.clickattendanceBtn()" because "com.StepDefinitions.AttendanceDetailsStepDef.mp" is null at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:22) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/src/ </pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	test/resources/Features/9_8.NavigationAttendance.feature:4) * Not displayable characters are replaced by '?'. AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)		
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 21-56-06//screenshots/ \embedded75.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access\$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter\$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier\$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:53)	FAILED	0.245 s
2	When Admin clicks "Logout" button in the navigation bar	SKIPPED	0.000 s
3	Then Admin should able to land on login page	SKIPPED	0.000 s