Cucumber Report

| Start : Sep 12, 2:24:40.602 PM	End : Sep 12, 2:26:31.147 PM	Duration : 1 m 50.545 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 8 SKIPPED - 0	PASSED - 0 FAILED - 77 SKIPPED - 0	PASSED - 0 FAILED - 77 SKIPPED - 154
8	77	231

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Manage Attendence Page Verification	*10.873 s*	19	0	19	0	57	0	19	38
Attendance details popup window verification	*26.365 s*	12	0	12	0	36	0	12	24
AttendenceDetails popup window validation	*22.121 s*	10	0	10	0	30	0	10	20
Add New Attendance	*15.600 s*	7	0	7	0	21	0	7	14
Edit Attendance	*15.531 s*	7	0	7	0	21	0	7	14
Delete Attendance Validation	*6.927 s*	5	0	5	0	15	0	5	10
Delete Multiple Attendances	*11.432 s*	7	0	7	0	21	0	7	14
Pagination in manage attendance	*1.642 s*	10	0	10	0	30	0	10	20

#	Feature Name	T	P	F	S	Duration
1	Manage Attendence Page Verification	19	0	19	0	10.873 s
2	Attendance details popup window verification	12	0	12	0	26.365 s
3	AttendenceDetails popup window validation	10	0	10	0	22.121 s
4	Add New Attendance	7	0	7	0	15.600 s
5	Edit Attendance	7	0	7	0	15.531 s
6	Delete Attendance Validation	5	0	5	0	6.927 s
7	Delete Multiple Attendances	7	0	7	0	11.432 s
8	Pagination in manage attendance	10	0	10	0	1.642 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Manage Attendence Page Verification	Validate the header of the page	3	0	1	2	7.360 s
2	Manage Attendence Page Verification	Validate response time from dashboard page to attendence page	3	0	1	2	0.192 s
3	Manage Attendence Page Verification	Validate the broken link	3	0	1	2	0.197 s
4	Manage Attendence Page Verification	Verify LMS title	3	0	1	2	0.187 s
5	Manage Attendence Page Verification	Verify the alignment of the Manage attendence header	3	0	1	2	0.188 s
6	Manage Attendence Page Verification	Validate text in manage attendence page	3	0	1	2	0.173 s
7	Manage Attendence Page Verification	Verify delete icon below the header	3	0	1	2	0.155 s
8	Manage Attendence Page Verification	Verify search bar on the attendence page	3	0	1	2	0.158 s
9	Manage Attendence Page Verification	Verify add new Attendence button on	3	0	1	2	0.156 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10	Manage Attendence Page Verification	Verify date table on the attendence page	3	0	1	2	0.167 s
11	Manage Attendence Page Verification	Verify Edit icon in the data table	3	0	1	2	0.195 s
12	Manage Attendence Page Verification	Verify edit icon when no data in the table	3	0	1	2	0.198 s
13	Manage Attendence Page Verification	Verify delete icon in the data table	3	0	1	2	0.177 s
14	Manage Attendence Page Verification	Verify delete icon when no data in the table	3	0	1	2	0.172 s
15	Manage Attendence Page Verification	Verify sort icon the data table	3	0	1	2	0.172 s
16	Manage Attendence Page Verification	Verify check box in the data table	3	0	1	2	0.181 s
17	Manage Attendence Page Verification	Validate the number entries displaying	3	0	1	2	0.180 s
18	Manage Attendence Page Verification	Verify Pagination control below the data	3	0	1	2	0.179 s
19	Manage Attendence Page Verification	Validate footer text	3	0	1	2	0.180 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
20	Attendance details popup window verification	Verify all label text	3	0	1	2	2.217 s
21	Attendance details popup window verification	Verify dropdown box is present	3	0	1	2	2.199 s
22	Attendance details popup window verification	Verify close button in attendance details popup window	3	0	1	2	2.214 s
23	Attendance details popup window verification	Verify the alignment of the close button	3	0	1	2	2.203 s
24	Attendance details popup window verification	Verify the text on first dropdown select a program name	3	0	1	2	2.163 s
25	Attendance details popup window verification	Verify the text on second dropdown select class name	3	0	1	2	2.196 s
26	Attendance details popup window verification	Verify the text on third dropdown select students	3	0	1	2	2.180 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
27	Attendance details popup window verification	Verify the text on fourth dropdown select attendance	3	0	1	2	2.208 s
28	Attendance details popup window verification	Verify all the text inside the dropdown box is gray color	3	0	1	2	2.154 s
29	Attendance details popup window verification	Verify save button is present	3	0	1	2	2.210 s
30	Attendance details popup window verification	Verify cancel button is present	3	0	1	2	2.196 s
31	Attendance details popup window verification	Verify order of the label in attendance details page	3	0	1	2	2.172 s
32	AttendenceDetails popup window validation	Validate all program name is reflecting in the dropdown	3	0	1	2	2.204 s
33	AttendenceDetails popup window validation	Validate all class name is reflecting in the dropdown	3	0	1	2	2.178 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
34	AttendenceDetails popup window validation	Validate attendance field dropdown all mandatory keywords	3	0	1	2	2.205 s
35	AttendenceDetails popup window validation	Verify spellings in the attendance field drop down	3	0	1	2	2.215 s
36	AttendenceDetails popup window validation	Validate date picker	3	0	1	2	2.216 s
37	AttendenceDetails popup window validation	validate date picker should be correct format	3	0	1	2	2.205 s
38	AttendenceDetails popup window validation	Validate right arrow in data picker to navigate to next month	3	0	1	2	2.227 s
39	AttendenceDetails popup window validation	Validate left arrow in data picker to navigate to previous month	3	0	1	2	2.178 s
40	AttendenceDetails popup window validation	Validate current date is highlighted in the date picker	3	0	1	2	2.241 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
41	AttendenceDetails popup window validation	Validate selected date is highlighted in the date picker	3	0	1	2	2.211 s
42	Add New Attendance	Validate admin able to create new attendance data	3	0	1	2	2.191 s
43	Add New Attendance	Validate admin able to create new attendance data without program name	3	0	1	2	2.203 s
44	Add New Attendance	Validate admin able to create new attendance data without class name	3	0	1	2	2.248 s
45	Add New Attendance	Validate admin able to create new attendance data without student name	3	0	1	2	2.228 s
46	Add New Attendance	Validate admin able to create new attendance data without attendances	3	0	1	2	2.219 s
47	Add New Attendance	Validate admin able to create new attendance data without attendance date	3	0	1	2	2.237 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
48	Add New Attendance	Validate admin able to create new attendance by selecting future date	3	0	1	2	2.252 s
49	Edit Attendance	Validate admin able to update new attendance data	3	0	1	2	2.187 s
50	Edit Attendance	Validate admin able to update new attendance data without program name	3	0	1	2	2.204 s
51	Edit Attendance	Validate admin able to update new attendance data without class name	3	0	1	2	2.219 s
52	Edit Attendance	Validate admin able to update new attendance data without student name	3	0	1	2	2.230 s
53	Edit Attendance	Validate admin able to update new attendance data without attendances	3	0	1	2	2.244 s
54	Edit Attendance	Validate admin able to update new attendance data without attendance date	3	0	1	2	2.179 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
55	Edit Attendance	Validate admin able to update new attendance by selecting future date	3	0	1	2	2.245 s
56	Delete Attendance Validation	Verify Delete attendance alert	3	0	1	2	2.159 s
57	Delete Attendance Validation	Verify accept enabled in alert	3	0	1	2	2.227 s
58	Delete Attendance Validation	Verify reject enabled in alert	3	0	1	2	2.168 s
59	Delete Attendance Validation	Validate accept in alert	3	0	1	2	0.200 s
60	Delete Attendance Validation	Validate reject in alert	3	0	1	2	0.159 s
61	Delete Multiple Attendances	Verify delete multiple class button is enabled	3	0	1	2	2.244 s
62	Delete Multiple Attendances	verify tick mark is visible after clicking on check box for single data	3	0	1	2	2.234 s
63	Delete Multiple Attendances	verify admin able to click multiple check box	3	0	1	2	2.190 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
64	Delete Multiple Attendances	Verify accept alert in delete multiple attendance by selecting single checkbox	3	0	1	2	2.190 s
65	Delete Multiple Attendances	Verify reject alert in delete multiple attendance by selecting single checkbox	3	0	1	2	2.188 s
66	Delete Multiple Attendances	Verify accept alert in delete multiple attendance by selecting multiple checkbox	3	0	1	2	0.189 s
67	Delete Multiple Attendances	Verify reject alert in delete multiple attendance by selecting multiple checkbox	3	0	1	2	0.175 s
68	Pagination in manage attendance	Verify sheet one is displayed on default in data table	3	0	1	2	0.156 s
69	Pagination in manage attendance	Verify right arrow is enable when sheet one is displayed in data table	3	0	1	2	0.148 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
70	Pagination in manage attendance	Verify left arrow is disable when sheet one is displayed in data table	3	0	1	2	0.148 s
71	Pagination in manage attendance	Verify right arrow is enable when sheet two is displayed in data table	3	0	1	2	0.175 s
72	Pagination in manage attendance	Verify left arrow is enable when sheet two is displayed in data table	3	0	1	2	0.156 s
73	Pagination in manage attendance	Verify right arrow is disable when sheet two is displayed in data table when entries are less than 10	3	0	1	2	0.167 s
74	Pagination in manage attendance	Verify pagination controls enabled	3	0	1	2	0.154 s
75	Pagination in manage attendance	Verify pagination controls enabled	3	0	1	2	0.150 s
76	Pagination in manage attendance	Verify next page is enabled	3	0	1	2	0.200 s
77	Pagination in manage attendance	Verify next page is enabled	3	0	1	2	0.159 s

Manage Attendence Page Verification

FAILED	DURATION - 10.873 s	Scenarios		Steps	
		Total - 19		Total - 57	
/ 2:24:40.602 PM // 2:24:51.475 PM /		Pass - 0	19	Pass - 0	57
		Fail - 19		Fail - 19	
		Skip - 0		Skip - 38	

Validate the header of the page

FAILED	DURATION - 7.360 s		Steps	
			Total - 3	
/ 2:24:40.643 PM // 2:24:48.003 PM /			Pass - 0	3
Manage Attendence Page Verification			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.110 s

	java.lang.NullPointerException: null value in entry: url=null
	  at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	  at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	  at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	  at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	  at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)
	  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)
	  at com.Utils.Helper.openPage(Helper.java:41)
	  at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)
	  at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.139 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded1.png
	  at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	  at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see the Manage attendence in header	SKIPPED	0.001 s

Validate response time from dashboard page to attendence page

FAILED	DURATION - 0.192 s		Steps	
/ 2:24:48.135 PM // 2:24:48.327 PM /			Total - 3 Pass - 0 Fail - 1 Skip - 2	
Manage Attendence Page Verification				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.009 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at com.Utils.Helper.openPage(Helper.java:41) at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.176 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded2.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.000 s
3	Then Maximum navigation time in milliseconds,default to 30 seconds	SKIPPED	0.000 s

Validate the broken link

| FAILED	DURATION - 0.197 s
/ 2:24:48.344 PM // 2:24:48.541 PM /	
Manage Attendence Page Verification	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.012 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)
	    at com.Utils.Helper.openPage(Helper.java:41)
	    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)
	    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/
	./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.179 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded3.png
	    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	    at java.base/java.nio.file.Path.of(Path.java:147)
	    at java.base/java.nio.file.Paths.get(Paths.java:69)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)
	    at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)
	    at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.000 s
3	Then HTTP response>=400.Then the link is broken	SKIPPED	0.000 s

Verify LMS title

FAILED	DURATION - 0.187 s
/ 2:24:48.556 PM // 2:24:48.743 PM /	
Manage Attendence Page Verification	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.012 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)
	    at com.Utils.Helper.openPage(Helper.java:41)
	    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)
	    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.168 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded4.png
	    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)		

| #	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see LMS-Learning management system as title	SKIPPED	0.000 s

Verify the alignment of the Manage attendence header

FAILED	DURATION - 0.188 s		Steps	
/ 2:24:48.755 PM // 2:24:48.943 PM /			Total - 3	
			Pass - 0	
Manage Attendence Page Verification			Fail - 1	3
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.016 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at com.Utils.Helper.openPage(Helper.java:41) at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/ ./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.167 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded5.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.001 s
3	Then Manage attendence header should be in left side of page	SKIPPED	0.000 s

Validate text in manage attendence page

FAILED	DURATION - 0.173 s

/ 2:24:48.951 PM // 2:24:49.124 PM /

Manage Attendence Page Verification

Steps

Total - 3

Pass - 0

Fail - 1

Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.009 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)
	    at com.Utils.Helper.openPage(Helper.java:41)
	    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)
	    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.159 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded6.png
	    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	    at java.base/java.nio.file.Path.of(Path.java:147)
	    at java.base/java.nio.file.Paths.get(Paths.java:69)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)
	    at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)
	    at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see correct spelling for the all the fields	SKIPPED	0.000 s

Verify delete icon below the header

FAILED	DURATION - 0.155 s	
/ 2:24:49.130 PM // 2:24:49.285 PM /		
Manage Attendence Page Verification		

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.009 s
	java.lang.NullPointerException: null value in entry: url=null at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33) at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43) at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81) at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at com.Utils.Helper.openPage(Helper.java:41) at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.142 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded7.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see disabled delete icon below the "Manage Attendance"	SKIPPED	0.001 s

Verify search bar on the attendence page

FAILED	DURATION - 0.158 s		Steps
/ 2:24:49.291 PM // 2:24:49.449 PM /			Total - 3
Manage Attendence Page Verification			Pass - 0 Fail - 1 Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.009 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at com.Utils.Helper.openPage(Helper.java:41) at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.144 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded8.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.000 s
3	Then Admin should see search bar on the attendance page	SKIPPED	0.000 s

Verify add new Attendence button on

FAILED	DURATION - 0.156 s

/ 2:24:49.457 PM // 2:24:49.613 PM /

Manage Attendence Page Verification

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.008 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)
	    at com.Utils.Helper.openPage(Helper.java:41)
	    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)
	    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/
	./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.145 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded9.png
	    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	    at java.base/java.nio.file.Path.of(Path.java:147)
	    at java.base/java.nio.file.Paths.get(Paths.java:69)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)
	    at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)
	    at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.000 s
3	Then Admin should see +Add New Attendance button on the attendance page	SKIPPED	0.001 s

Verify date table on the attendence page

FAILED	DURATION - 0.167 s
/ 2:24:49.618 PM // 2:24:49.785 PM /	
Manage Attendence Page Verification	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.008 s
	java.lang.NullPointerException: null value in entry: url=null at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33) at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43) at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81) at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at com.Utils.Helper.openPage(Helper.java:41) at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/ ./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.156 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded10.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)		

| #	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.000 s
3	Then Admin should see data table on the Manage Attendance Page With column headers	SKIPPED	0.000 s

Verify Edit icon in the data table

FAILED	DURATION - 0.195 s
/ 2:24:49.793 PM // 2:24:49.988 PM /	
Manage Attendence Page Verification	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.010 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at com.Utils.Helper.openPage(Helper.java:41) at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/ ./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.181 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded11.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.000 s
3	Then Edit Icon in each row of data table only when entries are available	SKIPPED	0.000 s

Verify edit icon when no data in the table

FAILED	DURATION - 0.198 s

/ 2:24:49.996 PM // 2:24:50.194 PM /

Manage Attendence Page Verification

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.010 s
	java.lang.NullPointerException: null value in entry: url=null 　　at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33) 　　at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43) 　　at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81) 　　at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128) 　　at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) 　　at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) 　　at com.Utils.Helper.openPage(Helper.java:41) 　　at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) 　　at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/ ./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.185 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded12.png 　　at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) 　　at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) 　　at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) 　　at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) 　　at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) 　　at java.base/java.nio.file.Path.of(Path.java:147) 　　at java.base/java.nio.file.Paths.get(Paths.java:69) 　　at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) 　　at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) 　　at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) 　　at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) 　　at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) 　　at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) 　　at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.001 s
3	Then Edit Icon will not be present in data table	SKIPPED	0.001 s

Verify delete icon in the data table

FAILED	DURATION - 0.177 s		Steps
/ 2:24:50.203 PM // 2:24:50.380 PM /			Total - 3
			Pass - 0
Manage Attendence Page Verification			Fail - 1
			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.012 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)
	    at com.Utils.Helper.openPage(Helper.java:41)
	    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)
	    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.161 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded13.png
	    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)		

| #	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.000 s
3	Then Delete Icon in each row of data table only when entries are available	SKIPPED	0.001 s

Verify delete icon when no data in the table

FAILED	DURATION - 0.172 s		Steps
/ 2:24:50.384 PM // 2:24:50.556 PM /			Total - 3
			Pass - 0
Manage Attendence Page Verification			Fail - 1
			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.007 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at com.Utils.Helper.openPage(Helper.java:41) at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/ ./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.162 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded14.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.001 s
3	Then Admin cant see delete Icon in data table	SKIPPED	0.000 s

Verify sort icon the data table

FAILED	DURATION - 0.172 s
/ 2:24:50.562 PM // 2:24:50.734 PM /	
Manage Attendence Page Verification	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.008 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)
	    at com.Utils.Helper.openPage(Helper.java:41)
	    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)
	    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/
	./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.161 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded15.png
	    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	    at java.base/java.nio.file.Path.of(Path.java:147)
	    at java.base/java.nio.file.Paths.get(Paths.java:69)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)
	    at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)
	    at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.000 s
3	Then Admin should see sort icon near the column headers except for Edit and Delete	SKIPPED	0.000 s

Verify check box in the data table

FAILED	DURATION - 0.181 s
/ 2:24:50.738 PM // 2:24:50.919 PM /	
Manage Attendence Page Verification	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.006 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)
	    at com.Utils.Helper.openPage(Helper.java:41)
	    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)
	    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.169 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded16.png
	    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)		

| #	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see check box in the all rows of data table	SKIPPED	0.000 s

Validate the number entries displaying

FAILED	DURATION - 0.180 s
/ 2:24:50.926 PM // 2:24:51.106 PM /	
Manage Attendence Page Verification	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.010 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at com.Utils.Helper.openPage(Helper.java:41) at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.167 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded17.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.000 s
3	Then Above the footer Admin should see the text as "Showing x to y of z entries" below the table, x- starting record number on that page,y-ending record number on that page,z-Total number of records Note: with or without entries	SKIPPED	0.001 s

Verify Pagination control below the data

FAILED	DURATION - 0.179 s

/ 2:24:51.111 PM // 2:24:51.290 PM /

Manage Attendence Page Verification

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.011 s

	java.lang.NullPointerException: null value in entry: url=null
	   at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	   at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	   at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	   at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	   at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)
	   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)
	   at com.Utils.Helper.openPage(Helper.java:41)
	   at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)
	   at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.164 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded18.png
	   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	   at java.base/java.nio.file.Path.of(Path.java:147)
	   at java.base/java.nio.file.Paths.get(Paths.java:69)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)
	   at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)
	   at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.000 s
3	Then Admin should see the pagination controls under the data table	SKIPPED	0.000 s

Validate footer text

FAILED	DURATION - 0.180 s
/ 2:24:51.295 PM // 2:24:51.475 PM /	
Manage Attendence Page Verification	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.009 s
	java.lang.NullPointerException: null value in entry: url=null at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33) at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43) at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81) at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at com.Utils.Helper.openPage(Helper.java:41) at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/ ./src/test/resources/AttendanceFeatures/9_1.ManageAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.169 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded19.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks Attendence on the navigation bar	SKIPPED	0.000 s
3	Then Admin should see the text with total number classes in the data table. (" In total there are number of classes")	SKIPPED	0.000 s

Attendance details popup window verification

FAILED	DURATION - 26.365 s	Scenarios Total - 12 Pass - 0 Fail - 12 Skip - 0	12	Steps Total - 36 Pass - 0 Fail - 12 Skip - 24	36
/ 2:24:51.485 PM // 2:25:17.850 PM /					

Verify all label text

FAILED	DURATION - 2.217 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	3
/ 2:24:51.485 PM // 2:24:53.702 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.071 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)
	    at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)
	    at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)
	    at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/ test/resources/AttendanceFeatures/9_2_1.AttendanceDetails.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.143 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded20.png
	    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks + a new attendance	SKIPPED	0.001 s
3	Then Admin should dee correct spellings in the label	SKIPPED	0.000 s

Verify dropdown box is present

FAILED	DURATION - 2.199 s
/ 2:24:53.708 PM // 2:24:55.907 PM /	
Attendance details popup window verification	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.055 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		

#	Step / Hook Details	Status	Duration

	WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)
	   at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)
	   at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)
	   at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_1.AttendanceDetails.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.141 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded21.png
	   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	   at java.base/java.nio.file.Path.of(Path.java:147)
	   at java.base/java.nio.file.Paths.get(Paths.java:69)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)		

#	Step / Hook Details	Status	Duration
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then 4 dropdown should be preasent	SKIPPED	0.000 s

## Verify close button in attendance details popup window

FAILED	DURATION - 2.214 s
/ 2:24:55.911 PM // 2:24:58.125 PM /	
Attendance details popup window verification	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.042 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99) at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.169 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded22.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then Admin should see close button on attendance details pop up window	SKIPPED	0.000 s

Verify the alignment of the close button

FAILED	DURATION - 2.203 s		Steps
/ 2:24:58.129 PM // 2:25:00.332 PM /			Total - 3
			Pass - 0
Attendance details popup window verification			Fail - 1
			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.059 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99) at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.141 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded23.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then Close button should on the top right corner	SKIPPED	0.000 s

**Verify the text on first dropdown select a program name**

FAILED	DURATION - 2.163 s
/ 2:25:00.336 PM // 2:25:02.499 PM /	
Attendance details popup window verification	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.022 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
 at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
 at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
 at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
 at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
 at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)

#	Step / Hook Details	Status	Duration
	at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99) at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.139 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded24.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then First dropdown box "select a program name" text should be present	SKIPPED	0.000 s

Verify the text on second dropdown select class name

FAILED	DURATION - 2.196 s		Steps
/ 2:25:02.504 PM // 2:25:04.700 PM /			Total - 3
			Pass - 0
Attendance details popup window verification			Fail - 1
			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.047 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)
	   at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)
	   at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)
	   at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_1.AttendanceDetails.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.147 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded25.png
	   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then Second dropdown box "select class name" text should be present	SKIPPED	0.001 s

Verify the text on third dropdown select students

FAILED	DURATION - 2.180 s		Steps	
/ 2:25:04.703 PM // 2:25:06.883 PM /			Total - 3 Pass - 0 Fail - 1 Skip - 2	3
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.024 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		

#	Step / Hook Details	Status	Duration

	WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)
	   at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)
	   at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)
	   at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_1.AttendanceDetails.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.153 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded26.png
	   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	   at java.base/java.nio.file.Path.of(Path.java:147)
	   at java.base/java.nio.file.Paths.get(Paths.java:69)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)		

#	Step / Hook Details	Status	Duration
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then Third dropdown box "select students" text should be present	SKIPPED	0.000 s

### Verify the text on fourth dropdown select attendance

FAILED	DURATION - 2.208 s
/ 2:25:06.887 PM // 2:25:09.095 PM /	
Attendance details popup window verification	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.059 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)		
	at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)		
	at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)		
	at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_1.AttendanceDetails.feature:4)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.146 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded27.png		
	at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)		
	at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)		
	at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)		
	at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)		
	at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)		
	at java.base/java.nio.file.Path.of(Path.java:147)		
	at java.base/java.nio.file.Paths.get(Paths.java:69)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)		
	at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)		
	at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)		
	at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)		
	at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)		
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks + a new attendance	SKIPPED	0.001 s
3	Then Fourth dropdown box "select attendance" text should be present	SKIPPED	0.000 s

### Verify all the text inside the dropdown box is gray color

FAILED	DURATION - 2.154 s
/ 2:25:09.099 PM // 2:25:11.253 PM /	
Attendance details popup window verification	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.012 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99) at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.139 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded28.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then Admin should text in gray color	SKIPPED	0.001 s

Verify save button is present

FAILED	DURATION - 2.210 s
/ 2:25:11.260 PM // 2:25:13.470 PM /	
Attendance details popup window verification	

Steps

Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.025 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99) at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.182 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded29.png
	  at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	  at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	  at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	  at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	  at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	  at java.base/java.nio.file.Path.of(Path.java:147)
	  at java.base/java.nio.file.Paths.get(Paths.java:69)
	  at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	  at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	  at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)
	  at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)
	  at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)
	  at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)
	  at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)
	  at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)
	  at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)
	  at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)
	  at io.cucumber.java.Scenario.attach(Scenario.java:78)
	  at appHooks.Hooks.afterstep(Hooks.java:52)		

2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then Admin should see save button in the class detail popup window	SKIPPED	0.000 s

## Verify cancel button is present

FAILED	DURATION - 2.196 s		Steps
/ 2:25:13.477 PM // 2:25:15.673 PM /			Total - 3
			Pass - 0
Attendance details popup window verification			Fail - 1
			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.032 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99) at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/ test/resources/AttendanceFeatures/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.160 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded30.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then Admin should see cancel button in the class detail popup window	SKIPPED	0.000 s

Verify order of the label in attendance details page

FAILED	DURATION - 2.172 s
/ 2:25:15.678 PM // 2:25:17.850 PM /	
Attendance details popup window verification	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.020 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		

| #	Step / Hook Details	Status	Duration
	WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99) at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_1.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.149 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded31.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)		

#	Step / Hook Details	Status	Duration
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks + a new attendance	SKIPPED	0.000 s
3	Then Order of the label should be Program name, Class Name, Student Name, Attendance, Attendance Date	SKIPPED	0.000 s

AttendenceDetails popup window validation

FAILED	DURATION - 22.121 s	Scenarios Total - 10 Pass - 0 Fail - 10 Skip - 0	10	Steps Total - 30 Pass - 0 Fail - 10 Skip - 20	30
/ 2:25:17.860 PM // 2:25:39.981 PM /					

Validate all program name is reflecting in the dropdown

FAILED	DURATION - 2.204 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	3
/ 2:25:17.860 PM // 2:25:20.064 PM /				
AttendenceDetails popup window validation				

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.029 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement		

#	Step / Hook Details	Status	Duration

	{using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)
	  at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)
	  at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_2.AttendanceDetails.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.171 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded32.png
	  at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	  at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	  at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	  at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	  at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	  at java.base/java.nio.file.Path.of(Path.java:147)
	  at java.base/java.nio.file.Paths.get(Paths.java:69)
	  at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)		

#	Step / Hook Details	Status	Duration
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks program name dropdown	SKIPPED	0.000 s
3	Then Program Name in the drop down should match with program name in manage program page table	SKIPPED	0.000 s

Validate all class name is reflecting in the dropdown

FAILED	DURATION - 2.178 s
/ 2:25:20.068 PM // 2:25:22.246 PM /	
AttendenceDetails popup window validation	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.029 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76) at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.147 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded33.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks class name dropdown	SKIPPED	0.000 s
3	Then Class Name in the drop down should match with class name in manage class page table	SKIPPED	0.000 s

Validate attendance field dropdown all mandatory keywords

FAILED	DURATION - 2.205 s
/ 2:25:22.250 PM // 2:25:24.455 PM /	
AttendenceDetails popup window validation	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.024 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76) at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.179 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded34.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks attendance dropdown	SKIPPED	0.000 s
3	Then Attendance field should have keywords such as - present, absent, late, excused	SKIPPED	0.000 s

Verify spellings in the attendance field drop down

FAILED	DURATION - 2.215 s		Steps
			Total - 3
/ 2:25:24.459 PM // 2:25:26.674 PM /			Pass - 0
			Fail - 1
AttendenceDetails popup window validation			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.050 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76) at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.162 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded35.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks attendance dropdown	SKIPPED	0.001 s
3	Then Admin should see correct spellings in dropdown text	SKIPPED	0.000 s

Validate date picker

FAILED	DURATION - 2.216 s

/ 2:25:26.678 PM // 2:25:28.894 PM /

AttendenceDetails popup window validation

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.055 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	
	  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)		

#	Step / Hook Details	Status	Duration
	at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.160 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded36.png 　at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) 　at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) 　at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) 　at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) 　at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) 　at java.base/java.nio.file.Path.of(Path.java:147) 　at java.base/java.nio.file.Paths.get(Paths.java:69) 　at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) 　at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) 　at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) 　at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) 　at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) 　at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) 　at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) 　at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) 　at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) 　at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) 　at io.cucumber.java.Scenario.attach(Scenario.java:78) 　at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks date from date picker	SKIPPED	0.000 s
3	Then selected date should be their in class date text box	SKIPPED	0.000 s

### validate date picker should be correct format

FAILED	DURATION - 2.205 s		Steps
/ 2:25:28.903 PM // 2:25:31.108 PM /			Total - 3
			Pass - 0
AttendenceDetails popup window validation			Fail - 1
			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.030 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	    at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)
	    at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)
	    at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_2.AttendanceDetails.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.173 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded37.png
	    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks date from date picker	SKIPPED	0.000 s
3	Then selected date should be in mm/dd/yyyy format	SKIPPED	0.000 s

Validate right arrow in data picker to navigate to next month

FAILED	DURATION - 2.227 s
/ 2:25:31.111 PM // 2:25:33.338 PM /	
AttendenceDetails popup window validation	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.042 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true,		

#	Step / Hook Details	Status	Duration

	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)
	   at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)
	   at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_2.AttendanceDetails.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.182 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded38.png
	   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	   at java.base/java.nio.file.Path.of(Path.java:147)
	   at java.base/java.nio.file.Paths.get(Paths.java:69)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)		

#	Step / Hook Details	Status	Duration
	at io.cumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks right arrow in the date picker near month	SKIPPED	0.000 s
3	Then Next month calender should visible	SKIPPED	0.000 s

## Validate left arrow in data picker to navigate to previous month

FAILED	DURATION - 2.178 s
/ 2:25:33.342 PM // 2:25:35.520 PM /	
AttendenceDetails popup window validation	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.027 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76) at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.148 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded39.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks left arrow in the date picker near month	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then previous month calender should visible	SKIPPED	0.001 s

Validate current date is highlighted in the date picker

FAILED	DURATION - 2.241 s		Steps	
	/ 2:25:35.525 PM // 2:25:37.766 PM /		Total - 3	
			Pass - 0	
	AttendenceDetails popup window validation		Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.069 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76) at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.169 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded40.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks date picker button	SKIPPED	0.000 s
3	Then Admin should see current date is highled in the date picker	SKIPPED	0.001 s

Validate selected date is highlighted in the date picker

FAILED	DURATION - 2.211 s
/ 2:25:37.770 PM // 2:25:39.981 PM /	
AttendenceDetails popup window validation	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.060 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	    at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)		

#	Step / Hook Details	Status	Duration
	at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_2_2.AttendanceDetails.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.148 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded41.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks date picker button	SKIPPED	0.000 s
3	Then Admin should see selected date is highled in the date picker	SKIPPED	0.000 s

Add New Attendance

FAILED	DURATION - 15.600 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0	7	Steps Total - 21 Pass - 0 Fail - 7 Skip - 14	21
/ 2:25:39.990 PM // 2:25:55.590 PM /					

Validate admin able to create new attendance data

FAILED	DURATION - 2.191 s

/ 2:25:39.990 PM // 2:25:42.181 PM /

Add New Attendance

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.040 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"}   (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
   at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)

| #	Step / Hook Details	Status	Duration
	at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.148 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded42.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin fills all the values and click save	SKIPPED	0.000 s
3	Then Admin should see success message in popup window and sees new attendance details in manage attendance details DB	SKIPPED	0.001 s

Validate admin able to create new attendance data without program name

FAILED DURATION - 2.203 s		Steps
/ 2:25:42.185 PM // 2:25:44.388 PM /		Total - 3 Pass - 0 Fail - 1 Skip - 2
Add New Attendance		

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.043 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	    at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)
	    at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)
	    at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_3.AddNewAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cumcumber.java.Scenario)	FAILED	0.158 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded43.png
	    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin fills values missing program name and click save	SKIPPED	0.000 s
3	Then Program name is missing	SKIPPED	0.000 s

Validate admin able to create new attendance data without class name

FAILED	DURATION - 2.248 s
/ 2:25:44.392 PM // 2:25:46.640 PM /	
Add New Attendance	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.057 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true,		

#	Step / Hook Details	Status	Duration

	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)
	   at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)
	   at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_3.AddNewAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.190 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded44.png
	   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	   at java.base/java.nio.file.Path.of(Path.java:147)
	   at java.base/java.nio.file.Paths.get(Paths.java:69)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)		

#	Step / Hook Details	Status	Duration
	at io.cumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin fills values missing class name and click save	SKIPPED	0.000 s
3	Then class name is missing	SKIPPED	0.000 s

## Validate admin able to create new attendance data without student name

FAILED	DURATION - 2.228 s
/ 2:25:46.643 PM // 2:25:48.871 PM /	
Add New Attendance	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.036 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	    at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76) at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.189 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded45.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin fills values missing student name and click save	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then student name is missing	SKIPPED	0.000 s

Validate admin able to create new attendance data without attendances

FAILED	DURATION - 2.219 s
/ 2:25:48.876 PM // 2:25:51.095 PM /	
Add New Attendance	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.054 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04 at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76) at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.162 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded46.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin fills values missing attendance and click save	SKIPPED	0.000 s
3	Then Attendance is missing	SKIPPED	0.000 s

Validate admin able to create new attendance data without attendance date

FAILED	DURATION - 2.237 s

/ 2:25:51.098 PM // 2:25:53.335 PM /

Add New Attendance

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.068 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	
	    at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)		

#	Step / Hook Details	Status	Duration
	at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_3.AddNewAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.167 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded47.png
	   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	   at java.base/java.nio.file.Path.of(Path.java:147)
	   at java.base/java.nio.file.Paths.get(Paths.java:69)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)
	   at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)
	   at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)
	   at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)
	   at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)
	   at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)
	   at io.cucumber.java.Scenario.attach(Scenario.java:78)
	   at appHooks.Hooks.afterstep(Hooks.java:52)		

2	When Admin fills values missing attendance date and click save	SKIPPED	0.000 s
3	Then Attendance date is missing	SKIPPED	0.000 s

Validate admin able to create new attendance by selecting future date

FAILED DURATION - 2.252 s		Steps	
/ 2:25:53.338 PM // 2:25:55.590 PM /		Total - 3 Pass - 0 Fail - 1 Skip - 2	**3**
Add New Attendance			

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.071 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)
	  at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)
	  at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_3.AddNewAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.177 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded48.png
	  at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	  at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	  at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	  at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin fills values with future date and click save	SKIPPED	0.000 s
3	Then Invalidate attendance date	SKIPPED	0.000 s

Edit Attendance

FAILED	DURATION - 15.531 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0	7	Steps Total - 21 Pass - 0 Fail - 7 Skip - 14	21
/ 2:25:55.595 PM // 2:26:11.126 PM /					

Validate admin able to update new attendance data

FAILED	DURATION - 2.187 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	3
/ 2:25:55.596 PM // 2:25:57.783 PM /				
Edit Attendance				

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.037 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector"://a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)
	   at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)
	   at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_4.EditAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.149 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded49.png
	   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin fills all the values and click save to update	SKIPPED	0.001 s
3	Then Admin should see success message in popup window and sees updated attendance details in manage attendance details DB	SKIPPED	0.000 s

Validate admin able to update new attendance data without program name

FAILED	DURATION - 2.204 s
/ 2:25:57.786 PM // 2:25:59.990 PM /	
Edit Attendance	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.047 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		

#	Step / Hook Details	Status	Duration

	WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)
	   at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)
	   at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_4.EditAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.154 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded50.png
	   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	   at java.base/java.nio.file.Path.of(Path.java:147)
	   at java.base/java.nio.file.Paths.get(Paths.java:69)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)		

#	Step / Hook Details	Status	Duration
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin fills values missing program name and click save to update	SKIPPED	0.001 s
3	Then Program name is missing	SKIPPED	0.001 s

Validate admin able to update new attendance data without class name

FAILED	DURATION - 2.219 s
/ 2:25:59.993 PM // 2:26:02.212 PM /	
Edit Attendance	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.046 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)		
	at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)		
	at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)		
	at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_4.EditAttendance.feature:4)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.171 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded51.png		
	at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)		
	at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)		
	at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)		
	at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)		
	at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)		
	at java.base/java.nio.file.Path.of(Path.java:147)		
	at java.base/java.nio.file.Paths.get(Paths.java:69)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)		
	at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)		
	at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)		
	at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)		
	at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)		
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)		
	at io.cucumber.java.Scenario.attach(Scenario.java:78)		
	at appHooks.Hooks.afterstep(Hooks.java:52)		

| #	Step / Hook Details	Status	Duration
2	When Admin fills values missing class name and click save to update	SKIPPED	0.000 s
3	Then class name is missing	SKIPPED	0.000 s

Validate admin able to update new attendance data without student name

FAILED	DURATION - 2.230 s
/ 2:26:02.215 PM // 2:26:04.445 PM /	
Edit Attendance	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.056 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	    at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76) at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_4.EditAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.171 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded52.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin fills values missing student name and click save to update	SKIPPED	0.000 s
3	Then student name is missing	SKIPPED	0.000 s

Validate admin able to update new attendance data without attendances

FAILED	DURATION - 2.244 s
/ 2:26:04.449 PM // 2:26:06.693 PM /	
Edit Attendance	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.053 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)		

#	Step / Hook Details	Status	Duration
	at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27) at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_4.EditAttendance.feature:4) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.189 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded53.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin fills values missing attendance and click save to update	SKIPPED	0.000 s
3	Then Attendance is missing	SKIPPED	0.000 s

Validate admin able to update new attendance data without attendance date

FAILED	DURATION - 2.179 s		Steps
/ 2:26:06.698 PM // 2:26:08.877 PM /			Total - 3
			Pass - 0
Edit Attendance			Fail - 1
			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.037 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	
	   at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)
	   at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)
	   at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/ Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_4.EditAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.138 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded54.png
	   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin fills values missing attendance date and click save to update	SKIPPED	0.000 s
3	Then Attendance date is missing	SKIPPED	0.001 s

Validate admin able to update new attendance by selecting future date

FAILED	DURATION - 2.245 s		Steps	
/ 2:26:08.881 PM // 2:26:11.126 PM /			Total - 3 Pass - 0 Fail - 1 Skip - 2	3
Edit Attendance				

| #	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details popup window	FAILED	2.085 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = '+ A New Attendance']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a[text() = '+ A New Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true,		

#	Step / Hook Details	Status	Duration

	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	   at com.PageObjects.AttendanceDetails.ClickNewAttendance(AttendanceDetails.java:76)
	   at com.StepDefinitions.AttendanceDetails1StepDef.admin_is_in_attendance_details_popup_window(AttendanceDetails1StepDef.java:27)
	   at ?.Admin is in attendance details popup window(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_4.EditAttendance.feature:4)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.158 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded55.png
	   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	   at java.base/java.nio.file.Path.of(Path.java:147)
	   at java.base/java.nio.file.Paths.get(Paths.java:69)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)		

#	Step / Hook Details	Status	Duration
	at io.cumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin fills values with future date and click save to update	SKIPPED	0.000 s
3	Then Invalidate attendance date	SKIPPED	0.000 s

Delete Attendance Validation

FAILED	DURATION - 6.927 s		Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0	5	Steps Total - 15 Pass - 0 Fail - 5 Skip - 10	15
/ 2:26:11.132 PM // 2:26:18.059 PM /						

Verify Delete attendance alert

FAILED	DURATION - 2.159 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	3
/ 2:26:11.132 PM // 2:26:13.291 PM /				
Delete Attendance Validation				

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.011 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...},		

#	Step / Hook Details	Status	Duration

	goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source)
	   at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)
	   at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23)
	   at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_5.DeleteAttendance.feature:6)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.146 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded56.png
	   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	   at java.base/java.nio.file.Path.of(Path.java:147)
	   at java.base/java.nio.file.Paths.get(Paths.java:69)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)		

| #	Step / Hook Details	Status	Duration
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks delete button in data table row level	SKIPPED	0.001 s
3	Then Admin should see alert	SKIPPED	0.000 s

Verify accept enabled in alert

FAILED	DURATION - 2.227 s
/ 2:26:13.295 PM // 2:26:15.522 PM /	
Delete Attendance Validation	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.054 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99) at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_5.DeleteAttendance.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.170 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded57.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78)		

#	Step / Hook Details	Status	Duration
	at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks delete button in data table row level	SKIPPED	0.001 s
3	Then Alert should have "yes" button to accept	SKIPPED	0.000 s

Verify reject enabled in alert

FAILED	DURATION - 2.168 s		Steps
/ 2:26:15.525 PM // 2:26:17.693 PM /			Total - 3
			Pass - 0
Delete Attendance Validation			Fail - 1
			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.025 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	    at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99) at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_5.DeleteAttendance.feature:16) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.141 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded58.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks delete button in data table row level	SKIPPED	0.000 s
3	Then Alert should have "No" button to accept	SKIPPED	0.000 s

Validate accept in alert

FAILED	DURATION - 0.200 s
/ 2:26:17.697 PM // 2:26:17.897 PM /	
Delete Attendance Validation	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in delete alert after clicking row level delete button	FAILED	0.041 s

	java.lang.ExceptionInInitializerError
	    at com.PageObjects.DeleteAttendance.DisplayAlert(DeleteAttendance.java:42)
	    at com.StepDefinitions.DeleteAttendanceStepDef.
	admin_is_in_delete_alert_after_clicking_row_level_delete_button(DeleteAttendanceStepDef.java:45)
	    at ?.Admin is in delete alert after clicking row level delete button(file:///C:/Users/Ashrith/eclipse-workspace/
	Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_5.DeleteAttendance.feature:21)
	Caused by: java.lang.RuntimeException: Excel file path not specified in the Configuration.properties file.
	    at com.Utils.ConfigReader.getexcelfilepath(ConfigReader.java:63)
	    at com.Utils.Utils.<clinit>(Utils.java:26)
	    at com.PageObjects.DeleteAttendance.DisplayAlert(DeleteAttendance.java:42)
	    at com.StepDefinitions.DeleteAttendanceStepDef.
	admin_is_in_delete_alert_after_clicking_row_level_delete_button(DeleteAttendanceStepDef.java:45)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	    at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	    at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.156 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded59.png
	    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks yes button	SKIPPED	0.000 s
3	Then Success message and selected attendance details are deleted from the data table	SKIPPED	0.000 s

Validate reject in alert

FAILED	DURATION - 0.159 s
/ 2:26:17.900 PM // 2:26:18.059 PM /	
Delete Attendance Validation	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in delete alert after clicking row level delete button	FAILED	0.016 s

	java.lang.NoClassDefFoundError: Could not initialize class com.Utils.Utils
	    at com.PageObjects.DeleteAttendance.DisplayAlert(DeleteAttendance.java:42)
	    at com.StepDefinitions.DeleteAttendanceStepDef.
	admin_is_in_delete_alert_after_clicking_row_level_delete_button(DeleteAttendanceStepDef.java:45)
	    at ?.Admin is in delete alert after clicking row level delete button(file:///C:/Users/Ashrith/eclipse-workspace/
	Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_5.DeleteAttendance.feature:26)
	Caused by: java.lang.ExceptionInInitializerError: Exception java.lang.RuntimeException: Excel file path not specified in the Configuration.
	properties file. [in thread "main"]		

| #	Step / Hook Details	Status	Duration
	at com.Utils.ConfigReader.getexcelfilepath(ConfigReader.java:63)		
	at com.Utils.Utils.<clinit>(Utils.java:26)		
	at com.PageObjects.DeleteAttendance.DisplayAlert(DeleteAttendance.java:42)		
	at com.StepDefinitions.DeleteAttendanceStepDef. admin_is_in_delete_alert_after_clicking_row_level_delete_button(DeleteAttendanceStepDef.java:45)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.140 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded60.png		
	at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)		
	at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)		
	at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)		
	at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)		
	at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)		
	at java.base/java.nio.file.Path.of(Path.java:147)		
	at java.base/java.nio.file.Paths.get(Paths.java:69)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)		
	at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)		
	at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)		
	at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)		
	at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)		
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)		
	at io.cucumber.java.Scenario.attach(Scenario.java:78)		
	at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks no button	SKIPPED	0.000 s
3	Then Redirected attendance page and selected attendance details are not deleted from the data table	SKIPPED	0.000 s

Delete Multiple Attendances

| FAILED	DURATION - 11.432 s		Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0		Steps Total - 21 Pass - 0 Fail - 7 Skip - 14	
/ 2:26:18.064 PM // 2:26:29.496 PM /				7		21

Verify delete multiple class button is enabled

FAILED	DURATION - 2.244 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 2:26:18.064 PM // 2:26:20.308 PM /				3
Delete Multiple Attendances				

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.066 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	    at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99) at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_6.DeleteMultipleAttendance.feature:6) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.176 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded61.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks single row level check box in the data table	SKIPPED	0.000 s
3	Then Admin should see delete icon below the header is enabled	SKIPPED	0.000 s

verify tick mark is visible after clicking on check box for single data

FAILED	DURATION - 2.234 s
/ 2:26:20.311 PM // 2:26:22.545 PM /	
Delete Multiple Attendances	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.055 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	    at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		

| #	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99) at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_6.DeleteMultipleAttendance.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.176 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded62.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks single row level check box in the data table	SKIPPED	0.000 s
3	Then Admin should see tick mark in check box	SKIPPED	0.000 s

verify admin able to click multiple check box

FAILED	DURATION - 2.190 s
/ 2:26:22.549 PM // 2:26:24.739 PM /	
Delete Multiple Attendances	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in manage attendance page	FAILED	2.017 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text() = 'Attendence']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//button[text() = 'Attendence']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04 　at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source) 　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) 　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) 　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) 　at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) 　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) 　at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) 　at com.PageObjects.ManageAttendence.clickattendenceBtn(ManageAttendence.java:99)		

#	Step / Hook Details	Status	Duration
	at com.StepDefinitions.AttendanceDetailsStepDef.admin_is_in_manage_attendance_page(AttendanceDetailsStepDef.java:23) at ?.Admin is in manage attendance page(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/ test/resources/AttendanceFeatures/9_6.DeleteMultipleAttendance.feature:16) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.170 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded63.png
	    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	    at java.base/java.nio.file.Path.of(Path.java:147)
	    at java.base/java.nio.file.Paths.get(Paths.java:69)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)
	    at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)
	    at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)
	    at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)
	    at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)
	    at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)
	    at io.cucumber.java.Scenario.attach(Scenario.java:78)
	    at appHooks.Hooks.afterstep(Hooks.java:52)		

2	When Admin clicks multiple row level check box in the data table	SKIPPED	0.001 s
3	Then Admin should see tick mark in check box of the selected rows	SKIPPED	0.000 s

Verify accept alert in delete multiple attendance by selecting single checkbox

FAILED	DURATION - 2.190 s		Steps	
/ 2:26:24.742 PM // 2:26:26.932 PM /			Total - 3	
			Pass - 0	
Delete Multiple Attendances			Fail - 1	3
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Admin is in alert after Admin clicks delete button under header after selecting the check box in the data	FAILED	2.046 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id = 'content']/div[1]/div[2]/button[@id = 'delete']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os. arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//*[@id = 'content']/div[1]/div[2]/button[@id = 'delete']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo. .., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	    at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at com.PageObjects.DeleteMultipleAttendance.Alertbox(DeleteMultipleAttendance.java:61)
	    at com.StepDefinitions.DeleteMultipleAttendanceStepDef. admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_check_box_in_the_data(DeleteMultipleAttendanceStepDef.java:59)
	    at ?.Admin is in alert after Admin clicks delete button under header after selecting the check box in the data(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_6.DeleteMultipleAttendance. feature:21)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.142 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded64.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks yes button	SKIPPED	0.000 s
3	Then Success message and selected attendance detail are deleted from the data table	SKIPPED	0.000 s

Verify reject alert in delete multiple attendance by selecting single checkbox

FAILED	DURATION - 2.188 s		Steps	
/ 2:26:26.936 PM // 2:26:29.124 PM /			Total - 3	
Delete Multiple Attendances			Pass - 0 Fail - 1 Skip - 2	3

#	Step / Hook Details	Status	Duration
1	Given Admin is in alert after Admin clicks delete button under header after selecting the check box in the data	FAILED	2.032 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id = 'content']/div[1]/div[2]/button[@id = 'delete']"} (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os. arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//*[@id = 'content']/div[1]/div[2]/button[@id = 'delete']}] Capabilities		

#	Step / Hook Details	Status	Duration

	{acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo. .., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at com.PageObjects.DeleteMultipleAttendance.Alertbox(DeleteMultipleAttendance.java:61)
	  at com.StepDefinitions.DeleteMultipleAttendanceStepDef. admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_check_box_in_the_data(DeleteMultipleAttendanceStepDef.java:59)
	  at ?.Admin is in alert after Admin clicks delete button under header after selecting the check box in the data(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_6.DeleteMultipleAttendance. feature:26)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.154 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded65.png
	  at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	  at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	  at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	  at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	  at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	  at java.base/java.nio.file.Path.of(Path.java:147)
	  at java.base/java.nio.file.Paths.get(Paths.java:69)		

#	Step / Hook Details	Status	Duration
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks yes button	SKIPPED	0.000 s
3	Then Redirected to attendance page and selected attendance details are not deleted from the data table	SKIPPED	0.000 s

Verify accept alert in delete multiple attendance by selecting multiple checkbox

FAILED	DURATION - 0.189 s
/ 2:26:29.127 PM // 2:26:29.316 PM /	
Delete Multiple Attendances	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table	FAILED	0.032 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a/table/ tr/[@id = 'checkbox'][i] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a/table/ tr/[@id = 'checkbox'][i]' is not a valid XPath expression. (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a/table/ tr/[@id = 'checkbox'][i]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration

	65bec41a92281135e85c7d85afc18c04
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at com.PageObjects.DeleteMultipleAttendance.AlertMultipleCheckBox(DeleteMultipleAttendance.java:88)
	    at com.StepDefinitions.DeleteMultipleAttendanceStepDef.admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_multiple_check_box_in_the_data_table(DeleteMultipleAttendanceStepDef.java:75)
	    at ?.Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_6.DeleteMultipleAttendance.feature:31)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.155 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded66.png
	    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	    at java.base/java.nio.file.Path.of(Path.java:147)
	    at java.base/java.nio.file.Paths.get(Paths.java:69)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)
	    at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks yes button	SKIPPED	0.001 s
3	Then Success message and validate particular attendance details are deleted from the data table	SKIPPED	0.000 s

Verify reject alert in delete multiple attendance by selecting multiple checkbox

FAILED	DURATION - 0.175 s
/ 2:26:29.321 PM // 2:26:29.496 PM /	
Delete Multiple Attendances	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table	FAILED	0.029 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a/table/ tr/[@id = 'checkbox'][i] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a/table/ tr/[@id = 'checkbox'][i]' is not a valid XPath expression. (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElement {using=xpath, value=//a/table/ tr/[@id = 'checkbox'][i]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at com.PageObjects.DeleteMultipleAttendance.AlertMultipleCheckBox(DeleteMultipleAttendance.java:88) at com.StepDefinitions.DeleteMultipleAttendanceStepDef. admin_is_in_alert_after_admin_clicks_delete_button_under_header_after_selecting_the_multiple_check_box_in_the_data_table(DeleteMultipleAttendanceStepDef.java:75) at ?.Admin is in alert after Admin clicks delete button under header after selecting the multiple check box in the data table(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_6.DeleteMultipleAttendance.feature:36) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.144 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded67.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		

#	Step / Hook Details	Status	Duration
2	When Admin clicks no button	SKIPPED	0.000 s
3	Then Redirected to attendance page and selected attendance details are not deleted from the data table	SKIPPED	0.000 s

Pagination in manage attendance

FAILED	DURATION - 1.642 s		Scenarios		Steps	
/ 2:26:29.505 PM // 2:26:31.147 PM /			Total - 10 Pass - 0 Fail - 10 Skip - 0	10	Total - 30 Pass - 0 Fail - 10 Skip - 20	30

Verify sheet one is displayed on default in data table

FAILED	DURATION - 0.156 s		Steps	
/ 2:26:29.505 PM // 2:26:29.661 PM /			Total - 3	
Pagination in manage attendance			Pass - 0 Fail - 1 Skip - 2	3

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.006 s
	java.lang.NullPointerException: null value in entry: url=null at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33) at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43) at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81) at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at com.Utils.Helper.openPage(Helper.java:41) at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_7.Pagination.feature:6) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.148 s

#	Step / Hook Details	Status	Duration

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded68.png
	   at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	   at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	   at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	   at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	   at java.base/java.nio.file.Path.of(Path.java:147)
	   at java.base/java.nio.file.Paths.get(Paths.java:69)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)
	   at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)
	   at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)
	   at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)
	   at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)
	   at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)
	   at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)
	   at io.cucumber.java.Scenario.attach(Scenario.java:78)
	   at appHooks.Hooks.afterstep(Hooks.java:52)		

2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.000 s
3	Then Data table should display first page when entries available	SKIPPED	0.000 s

Verify right arrow is enable when sheet one is displayed in data table

FAILED DURATION - 0.148 s		
/ 2:26:29.664 PM // 2:26:29.812 PM /		Steps
		Total - 3
Pagination in manage attendance		Pass - 0
		Fail - 1
		Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.007 s
	java.lang.NullPointerException: null value in entry: url=null at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)		

#	Step / Hook Details	Status	Duration
	at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43) at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81) at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at com.Utils.Helper.openPage(Helper.java:41) at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_7.Pagination.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.138 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded69.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.001 s
3	Then Right arrow should be enabled in page one when entries are more than 5 available	SKIPPED	0.000 s

Verify left arrow is disable when sheet one is displayed in data table

FAILED	DURATION - 0.148 s
/ 2:26:29.815 PM // 2:26:29.963 PM /	
Pagination in manage attendance	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.007 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)
	    at com.Utils.Helper.openPage(Helper.java:41)
	    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)
	    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/
	./src/test/resources/AttendanceFeatures/9_7.Pagination.feature:16)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.140 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded70.png
	    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)
	    at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)
	    at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)
	    at java.base/java.nio.file.Path.of(Path.java:147)
	    at java.base/java.nio.file.Paths.get(Paths.java:69)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)
	    at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)
	    at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)
	    at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.000 s
3	Then Left arrow should be disabled in page one when entries are more than 5 available	SKIPPED	0.000 s

Verify right arrow is enable when sheet two is displayed in data table

FAILED	DURATION - 0.175 s
/ 2:26:29.966 PM // 2:26:30.141 PM /	
Pagination in manage attendance	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.004 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)
	    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)
	    at com.Utils.Helper.openPage(Helper.java:41)
	    at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37)
	    at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_7.Pagination.feature:21)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.168 s

	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded71.png
	    at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153)
	    at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.000 s
3	Then Right arrow should be enabled in page two when entries are more than 10 available	SKIPPED	0.001 s

Verify left arrow is enable when sheet two is displayed in data table

FAILED	DURATION - 0.156 s
/ 2:26:30.144 PM // 2:26:30.300 PM /	
Pagination in manage attendance	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.006 s
	java.lang.NullPointerException: null value in entry: url=null at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33) at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43) at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81) at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at com.Utils.Helper.openPage(Helper.java:41) at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/ ./src/test/resources/AttendanceFeatures/9_7.Pagination.feature:26) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.149 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded72.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.001 s
3	Then Left arrow should be enabled in page two when entries are more than 10 available	SKIPPED	0.000 s

Verify right arrow is disable when sheet two is displayed in data table when entries are less than 10

FAILED	DURATION - 0.167 s
/ 2:26:30.303 PM // 2:26:30.470 PM /	
Pagination in manage attendance	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.006 s
	java.lang.NullPointerException: null value in entry: url=null at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33) at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43) at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81) at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at com.Utils.Helper.openPage(Helper.java:41) at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/ ./src/test/resources/AttendanceFeatures/9_7.Pagination.feature:32) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.159 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded73.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.001 s
3	Then Data table should display page one when entries available	SKIPPED	0.000 s

Verify pagination controls enabled

FAILED	DURATION - 0.154 s
/ 2:26:30.475 PM // 2:26:30.629 PM /	
Pagination in manage attendance	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.005 s
	java.lang.NullPointerException: null value in entry: url=null at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33) at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43) at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81) at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at com.Utils.Helper.openPage(Helper.java:41) at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_7.Pagination.feature:37) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.146 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded74.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92)		
	at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232)		
	at java.base/java.nio.file.Path.of(Path.java:147)		
	at java.base/java.nio.file.Paths.get(Paths.java:69)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125)		
	at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122)		
	at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51)		
	at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12)		
	at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47)		
	at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62)		
	at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74)		
	at io.cucumber.java.Scenario.attach(Scenario.java:78)		
	at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.000 s
3	Then when entries are more than 5 in data table pagination controls enabled	SKIPPED	0.000 s

Verify pagination controls enabled

FAILED	DURATION - 0.150 s		Steps	
/ 2:26:30.632 PM // 2:26:30.782 PM /			Total - 3	
			Pass - 0	3
Pagination in manage attendance			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.005 s
	java.lang.NullPointerException: null value in entry: url=null		
	at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)		
	at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)		
	at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:81)		
	at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:128)		
	at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at com.Utils.Helper.openPage(Helper.java:41) at com.StepDefinitions.ManageAttendenceStepDef.admin_is_on_dashboard_page_after_login(ManageAttendenceStepDef.java:37) at ?.Admin is on dashboard page after Login(file:///C:/Users/Ashrith/eclipse-workspace/Team15_UIUnicorns_LMS_Selenium_Hackathon/./src/test/resources/AttendanceFeatures/9_7.Pagination.feature:42) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.143 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded75.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin clicks "attendance" button on the navigation bar	SKIPPED	0.000 s
3	Then when entries are less than 5 in data table pagination controls disabled	SKIPPED	0.001 s

Verify next page is enabled

FAILED	DURATION - 0.200 s

/ 2:26:30.785 PM // 2:26:30.985 PM /

Pagination in manage attendance

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details pop up after clicking +Add New attendance	FAILED	0.049 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class com.StepDefinitions.PaginationAttendanceStepDef
	    at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	    at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	    at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)
	    at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)
	    at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	    at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)
	    at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)
	    at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)
	    at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)
	    at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
	    at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
	    at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
	    at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
	    at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)
	    at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)
	    at org.junit.runners.ParentRunner.run(ParentRunner.java:413)
	    at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)
	    at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 45 more Caused by: org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression .//8[@id ='leftcontainer']/table/tbody/tr/td[1] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string './/8[@id ='leftcontainer']/table/tbody/tr/td[1]' is not a valid XPath expression. (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElements {using=xpath, value=.//8[@id ='leftcontainer']/table/tbody/tr/td[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElements(ElementLocation.java:179) at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:102) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:359) at com.PageObjects.PaginationAttendance.<init>(PaginationAttendance.java:43) at com.StepDefinitions.PaginationAttendanceStepDef.<init>(PaginationAttendanceStepDef.java:18)		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.149 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded76.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin creates 6 new attendance	SKIPPED	0.000 s
3	Then when total attendance entries above 5 next page is enabled (On multiples of 5 new page will be enabled)	SKIPPED	0.000 s

Verify next page is enabled

FAILED	DURATION - 0.159 s
/ 2:26:30.988 PM // 2:26:31.147 PM /	
Pagination in manage attendance	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin is in attendance details pop up after clicking +Add New attendance	FAILED	0.011 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class com.StepDefinitions.PaginationAttendanceStepDef
	    at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	    at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	    at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)
	    at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)
	    at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	    at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)
	    at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)
	    at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)
	    at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)
	    at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
	    at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
	    at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
	    at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
	    at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)
	    at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)
	    at org.junit.runners.ParentRunner.run(ParentRunner.java:413)
	    at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)
	    at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 45 more Caused by: org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression .//8[@id ='leftcontainer']/table/tbody/tr/td[1] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string './/8[@id ='leftcontainer']/table/tbody/tr/td[1]' is not a valid XPath expression. (Session info: chrome=109.0.5414.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [65bec41a92281135e85c7d85afc18c04, findElements {using=xpath, value=.//8[@id ='leftcontainer']/table/tbody/tr/td[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.149, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Ashrith\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:58319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58319/devtoo..., se:cdpVersion: 109.0.5414.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 65bec41a92281135e85c7d85afc18c04		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElements(ElementLocation.java:179) at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:102) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:359) at com.PageObjects.PaginationAttendance.<init>(PaginationAttendance.java:43) at com.StepDefinitions.PaginationAttendanceStepDef.<init>(PaginationAttendanceStepDef.java:18)		
	AFTER_STEP - appHooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.147 s
	java.nio.file.InvalidPathException: Trailing char < > at index 45: ExtentReports 12-09-23 14-24-35//screenshots/ \embedded77.png at java.base/sun.nio.fs.WindowsPathParser.normalize(WindowsPathParser.java:172) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:153) at java.base/sun.nio.fs.WindowsPathParser.parse(WindowsPathParser.java:77) at java.base/sun.nio.fs.WindowsPath.parse(WindowsPath.java:92) at java.base/sun.nio.fs.WindowsFileSystem.getPath(WindowsFileSystem.java:232) at java.base/java.nio.file.Path.of(Path.java:147) at java.base/java.nio.file.Paths.get(Paths.java:69) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.toUrl(ExtentCucumberAdapter.java:286) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.handleEmbed(ExtentCucumberAdapter.java:248) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter.access$400(ExtentCucumberAdapter.java:63) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:125) at com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter$6.receive(ExtentCucumberAdapter.java:122) at io.cucumber.core.eventbus.AbstractEventPublisher.send(AbstractEventPublisher.java:51) at io.cucumber.core.eventbus.AbstractEventBus.send(AbstractEventBus.java:12) at io.cucumber.core.runtime.SynchronizedEventBus.send(SynchronizedEventBus.java:47) at io.cucumber.core.runtime.ThreadLocalRunnerSupplier$LocalEventBus.send(ThreadLocalRunnerSupplier.java:62) at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:74) at io.cucumber.java.Scenario.attach(Scenario.java:78) at appHooks.Hooks.afterstep(Hooks.java:52)		
2	When Admin creates less than or equal to 5 new attendance	SKIPPED	0.000 s
3	Then when total attendance entries 5 or below next page is disabled	SKIPPED	0.000 s