10/17/25, 1:47 PM Untitled8

```
In [3]: int(21.4,3.7)
        TypeError
                                                  Traceback (most recent call last)
        Cell In[3], line 1
        ---> 1 int(21.4,3.7)
       TypeError: 'float' object cannot be interpreted as an integer
In [13]: int(10.5)
Out[13]: 10
In [4]: int(true)
        NameError
                                                  Traceback (most recent call last)
        Cell In[4], line 1
        ----> 1 int(true)
        NameError: name 'true' is not defined
In [14]: int('55')
Out[14]: 55
In [5]: int(True)
Out[5]: 1
 In [6]: int(False)
Out[6]: 0
 In [7]: int('123')
 Out[7]: 123
 In [8]: int(10+20j)
        TypeError
                                                  Traceback (most recent call last)
        Cell In[8], line 1
        ----> 1 int(10+20j)
        TypeError: int() argument must be a string, a bytes-like object or a real number,
        not 'complex'
```

## All other data types to float

```
In [9]: float(12)
Out[9]: 12.0
```

10/17/25, 1:47 PM Untitled8

## all other data types to String

```
In [1]: str(12)
Out[1]: '12'
In [2]: str(True)
Out[2]: 'True'
In [3]: str(25.5)
Out[3]: '25.5'
In [4]: str(20+50j)
Out[4]: '(20+50j)'
```

## all other data types to boolean

```
In [1]: bool(12)
Out[1]: True
In [2]: bool(10.50)
Out[2]: True
In [4]: bool('swapna')
Out[4]: True
```

10/17/25, 1:47 PM Untitled8

```
In [5]: bool(20+10j)
Out[5]: True
In [6]: bool(0)
Out[6]: False
```

## all other data types to complex

```
In [7]: complex(10)
Out[7]: (10+0j)
 In [8]: complex('swapna')
        ValueError
                                                  Traceback (most recent call last)
        Cell In[8], line 1
        ----> 1 complex('swapna')
       ValueError: complex() arg is a malformed string
In [9]: complex(True)
Out[9]: (1+0j)
In [10]: complex(False)
Out[10]: 0j
In [11]: complex(10.5)
Out[11]: (10.5+0j)
In [12]: complex(20.5,10.4)
Out[12]: (20.5+10.4j)
In [ ]:
```