•:enago

Dear Editor, Please find enclosed our manuscript titled " 'as a Case Report for publication in Hepatic failure resulting in fatalities has been reported in children receiving . Research has indicated that infants are at a considerable increased risk of developing cases are , but there are no recent data. We conducted a retrospective study to clarify the epidemiology of fatal hepatotoxicity in recent years in Japan. Data was collected from 150 patients through a questionnaire survey. The incidence of hepatotoxicity was approximately 0.08 cases per million per year during the 5 years from 1999 to 2003. Children on multiple , those with , and those with high incidence of . Children under 4 months of age showed is used in this patient group, it should be used with extreme . Therefore, when caution and as a sole agent. We believe these findings are of particular interest to the readers of they describe the recent trend of and also identify children on multiple , those with and those with group with higher disease risk. This manuscript has not been published and is not under consideration for publication elsewhere. The authors report no conflicts of interest. The manuscript has been carefully reviewed by an experienced editor whose first language is English and who specializes in editing papers written by scientists whose native language is not English. We appreciate your review of this manuscript for publication in Sincerely, Author Name E-mail: xxx@yahoo.com Tel: 000-444-222-3330

March 2, 2012

Comment [Editor1]: Please enter the date of submission here.

Comment [Editor2]: Please enter the name of the editor-in-chief of your target journal here.

All material in this document is the intellectual property of Crimson Interactive Pvt. Ltd. The use of information and content in this document in whole or in part is forbidden unless express permission has been given in writing by Crimson Interactive Pvt. Ltd.

Fax: 00-33-444-66666

