

</> HTML Cheatsheet

A one-stop quick reference for writing modern HTML.

1. Document Structure

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Page Title</title>
</head>
<body>
  <!-- Visible content goes here -->
</body>
</html>
```

2. Text & Headings

```
<h1>Main heading</h1> ... <h6>Smallest heading</h6>
<p>Paragraph</p>   <br> line break   <hr> horizontal rule
<strong>important</strong> <em>emphasis</em> <b>bold</b> <i>italic</i>
<u>underline</u> <mark>highlight</mark> <small>fine print</small>
<del>removed</del> <ins>added</ins> <sub>sub</sub> <sup>sup</sup>
<code>inline code</code> <pre>preformatted</pre> <blockquote>quote</blockquote>
<abbr title="HyperText Markup Language">HTML</abbr>
```

Use `<strong>/<em>` for meaning, `<b>/<i>` for pure styling — screen readers treat them differently.

3. Links

```
<a href="https://example.com">External link</a>
<a href="page.html">Another page of this site</a>
<a href="#section-id">Jump to a section on this page</a>
<a href="mailto:hi@example.com">Send email</a>
<a href="tel:+911234567890">Call us</a>
<a href="file.pdf" download>Download a file</a>
<a href="https://example.com" target="_blank" rel="noopener">New tab</a>
```

4. Images

```

 <!-- responsive -->
<a href="index.html"></a>           <!-- image link -->
<figure>
  
  <figcaption>Sales grew 40% in 2026.</figcaption>
</figure>
```

5. Lists

```
<ul><li>Bullet item</li></ul>
<ol start="3" type="a"><li>Numbered item</li></ol>
<dl><dt>Term</dt><dd>Definition</dd></dl>
```

6. Tables

```
<table>
  <caption>Monthly sales</caption>
  <thead><tr><th>Month</th><th>Sales</th></tr></thead>
  <tbody><tr><td>January</td><td>50,000</td></tr></tbody>
</table>
<td colspan="2"> spans two columns   <td rowspan="2"> spans two rows
```

7. Forms & Inputs

```
<form action="/submit" method="post">
  <label for="name">Name</label>
  <input type="text" id="name" name="name" placeholder="Your name" required>
  <input type="email"> <input type="password"> <input type="number">
  <input type="date"> <input type="checkbox"> <input type="radio">
  <input type="file"> <input type="range">   <input type="color">
  <select><option value="del" selected>Delhi</option></select>
  <textarea rows="4" cols="40"></textarea>
  <button type="submit">Send</button>
</form>
```

Attribute	What it does
required	Field must be filled before submit.
placeholder	Hint text shown inside the field.
name / value	Key / value sent when the form is submitted.
disabled / readonly	Field can't be edited (disabled is also not submitted).

8. Semantic Layout

```
<header>   site/section header   <nav>     navigation links
<main>     main content (one/page) <section> thematic group
<article>  self-contained content <aside>  sidebar
<footer>   page/section footer   <figure>+<figcaption> captioned media
<details>+<summary> collapsible  <div>/<span> generic containers
```

9. Media

```
<video src="demo.mp4" controls width="480" poster="thumb.jpg"></video>
<audio src="song.mp3" controls loop></audio>
<iframe src="page.html" width="600" height="400" title="Embedded page"></iframe>
<embed src="file.pdf" type="application/pdf" width="600" height="400">
```

10. Head & Meta Tags

```
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="description" content="Short page summary for search engines">
<title>Shown in the browser tab</title>
<link rel="stylesheet" href="style.css">   <link rel="icon" href="favicon.ico">
<script src="app.js" defer></script>
```

11. Common Entities

Entity	Renders as	Entity	Renders as
<	<	"	"
>	>	 	(non-breaking space)
&	&	©	©

12. Global Attributes

Attribute	Purpose
id	Unique identifier — target for links (#id), CSS and JS.
class	Reusable label for styling multiple elements.
style	Inline CSS (use sparingly).
title	Tooltip text on hover.
hidden	Hides the element.
data-*	Custom data attributes, e.g. data-user-id="7".