SKITII TRIALS PLATFORM

Weekly Clinical Review Forms

Field-level reference for each Weekly Clinical Review form step — dynamic / configurable per trial (Yenepoya catalogue).

VERSION
1.0

DATE
July 2026

AUTHOR
Swapnil Sagvekar

CUSTOMER
Yenepoya Hospital

SCOPE
Field-level reference for each Weekly Clinical Review form step (dynamic / configurable per trial)

1. Overview

Weekly Clinical Review is a **multi-step assessment** shown from the Dashboard Weekly action. Which steps appear for a given even study week (Week 0, 2, 4, 6, 8…) is driven by trial config (`weeklyFormDefinitions`) — the same dynamic model as patient intake schema.

> **`trialDurationWeeks` ≠ form weeks.** Duration (Yenepoya = **4**) → `completionDate` = enrollment + **27** days (sessions through that day). Which even-week forms exist — and how many — comes **only** from `weeklyFormDefinitions` . Each Week 2+ form is a **7-day** window: start = enrollment + (week × 7). Forms may still be submitted after `completionDate` while their window is open. Reminder = **day before** `windowEnd` only (skip if Done; no Week 0 reminder).

Important: The step set below is the **current Yenepoya / design catalogue**. Steps and fields **will change in future trials**. Do not hardcode this list in the mobile app; render from backend config.

1.1 Current form catalogue (step keys)

#	Step key (suggested)	Display name
1	`vitals`	Vital Signs (Weekly Clinical Review: vitals + past history + meds + investigations)
2	`gad7_phq9`	GAD-7 & PHQ-9
3	`nccn_distress`	NCCN Distress Thermometer
4	`hads`	HADS-A & HADS-D
5	`qlq_c30`	QLQ-C30
6	`qlq_hn35`	QLQ-H&N35
7	`treatment_adherence`	Treatment Adherence
8	`satisfaction_survey`	Satisfaction Survey (Intervention Group)
9	`hrv`	HRV (5-Minute Resting)

> A given week may use a **subset** of these steps. Progress is always **Step X of N** where **N = number of steps configured for that week** (not the catalogue size of 9). Example: if that week has **7** forms → **Step 1 of 7** … **Step 7 of 7** (percent = X/N × 100).

2. Form: Vital Signs (`vitals`)

Screen title: Weekly Clinical Review
Step key: `vitals` (single Mixed payload on `weeklyForms.vitals`)

UI sections on this step: **Vital Signs** → **Past History** → **Current Medication** → **Investigations**. Client gate before Next: vital signs complete + past-history section addressed + **≥1** current medication. Investigations are optional.

2.1 Vital Signs

Field	UI label	Required	Type / control	Notes / example
`bpSystolic`	Blood Pressure (Systolic)*	Yes	Number (text input)	Placeholder: `120` (mmHg). **No min/max range validation.**
`bpDiastolic`	Blood Pressure (Diastolic)*	Yes	Number (text input)	Placeholder: `80` (mmHg). **No min/max range validation.**
`spo2`	SpO_2* / SpO2 %*	Yes	Number / percent input	Placeholder: `98%` — store as number `98` (unit: %). **No min/max range validation.**
`ecogScore`	ECOG Performance Status*	Yes	Dropdown (“ECOG Status*”)	Store `0` – `4` (see below)

ECOG Performance Status options

Value	UI label
`0`	0 — Fully active
`1`	1 — Restricted strenuous activity
`2`	2 — Ambulatory, unable to work
`3`	3 — Limited self-care
`4`	4 — Completely disabled

2.2 Past History

Instruction: Tick any known condition and record how many years the patient has had it.

Field	UI label	Required	Type / control	Notes
`pastHistory.conditions[]`	Condition cards	Section required; each tick optional	Array of selected conditions	Omit unchecked codes
`pastHistory.conditions[].code`	—	Yes if selected	Enum string	`dm` | `htn` | `asthma` | `allergy`
`pastHistory.conditions[].yearsSince`	How many years since*	Yes if condition ticked	Number	Duration in years (not calendar year of diagnosis)
`pastHistory.notes`	Anything else (descriptive)	No	Text	Placeholder: prior radiotherapy, surgery, family history…

code	UI label
`dm`	Diabetes mellitus (DM)
`htn`	Hypertension (HTN)
`asthma`	Asthma
`allergy`	Allergy

2.3 Current Medication

Instruction: At least one drug with its dose, frequency and route is required.
UI: **+ Add drug** rows; trash to remove.

Field	UI label	Required	Type / control	Notes
`currentMedications`	—	Yes (≥1 row)	Array	
`currentMedications[].drugName`	Drug name	Yes	Text	e.g. `Cisplatin`
`currentMedications[].dose`	Dose	Yes	Text	e.g. `50 mg`
`currentMedications[].frequency`	Frequency	Yes	Dropdown	Enum — see below
`currentMedications[].mode`	Mode (route)	Yes	Dropdown	Enum — see below

Frequency options

Value	UI label
`od`	Once daily (OD)
`bd`	Twice daily (BD)
`tds`	Three times daily (TDS)
`qid`	Four times daily (QID)
`weekly`	Weekly
`prn`	As needed (PRN)

Mode (route) options

Value	UI label
`oral`	Oral
`intravenous`	Intravenous
`intramuscular`	Intramuscular
`subcutaneous`	Subcutaneous
`topical`	Topical
`inhalation`	Inhalation

2.4 Investigations

Instruction: Enter recorded values for routine tests, or add any other test.
Optional section. UI: **+ Add other test** for custom rows.

Field	UI label	Unit (display)	Required	Type
`investigations.wbc`	WBC	cells/µL	No	Number
`investigations.platelet`	Platelet	$\times 10^3$/µL	No	Number
`investigations.hb`	Hb	g/dL	No	Number
`investigations.fbs`	FBS	mg/dL	No	Number
`investigations.ppbs`	PPBS	mg/dL	No	Number
`investigations.hba1c`	HbA1c	%	No	Number
`investigations.other[]`	Other tests	—	No	Array
`investigations.other[].name`	Test name	—	Yes if row present	String
`investigations.other[].value`	Value	—	Yes if row present	Number
`investigations.other[].unit`	Unit	—	Yes if row present	String

2.5 Suggested payload fragment

```
{
  "bpSystolic": 120,
  "bpDiastolic": 80,
  "spo2": 98,
  "ecogScore": 1,
  "pastHistory": {
    "conditions": [
      { "code": "htn", "yearsSince": 5 },
      { "code": "allergy", "yearsSince": 5 }
    ],
    "notes": "Prior radiotherapy in 2021, thyroid surgery, family history..."
  },
  "currentMedications": [
    {
      "drugName": "Cisplatin",
      "dose": "50 mg",
      "frequency": "od",
      "mode": "intravenous"
    }
  ],
  "investigations": {
```

```
    "wbc": 7200,
    "platelet": 250,
    "hb": 12.4,
    "fbs": 96,
    "ppbs": 132,
    "hba1c": 5.8,
    "other": [
      { "name": "Serum creatinine", "value": 0.9, "unit": "mg/dL" }
    ]
  }
}
```

Submitted under `submitWeeklyAssessment` as:

```
{
  "patientId": "...",
  "studyWeek": 0,
  "vitals": { "...": "see fragment above" }
}
```

Backend stores the object as-is on `weeklyForms.vitals` (`SchemaTypes.Mixed`); no server-side field validation of the nested shape.

---

3. Form: GAD-7 & PHQ-9 (`gad7_phq9`)

Recall window: “Over the last **2 weeks**…” (aligns with 14-day study form cadence)

3.1 Shared response scale

Same 4 options for every GAD-7 and PHQ-9 item (single choice, required):

Label	Score
Not at all	0
Several days	1
More than half the days	2
Nearly every day	3

3.2 GAD-7 — Generalized Anxiety Disorder-7

Instruction: Over the last 2 weeks, how often have you been bothered by the following problems?

#	Key	Item text (required *)
1	`gad7_1`	Feeling nervous, anxious, or on edge
2	`gad7_2`	Not being able to stop or control worrying
3	`gad7_3`	Worrying too much about different things
4	`gad7_4`	Trouble relaxing
5	`gad7_5`	Being so restless that it is hard to sit still
6	`gad7_6`	Becoming easily annoyed or irritable
7	`gad7_7`	Feeling afraid, as if something awful might happen

Subscale total: sum of 7 items → `gad7Total` (0–21)

3.3 PHQ-9 — Patient Health Questionnaire-9

Instruction: Over the last 2 weeks, how often have you been bothered by any of the following problems?

#	Key	Item text (required *)
1	`phq9_1`	Little interest or pleasure in doing things
2	`phq9_2`	Feeling down, depressed, or hopeless
3	`phq9_3`	Trouble falling or staying asleep, or sleeping too much
4	`phq9_4`	Feeling tired or having little energy
5	`phq9_5`	Poor appetite or overeating
6	`phq9_6`	Feeling bad about yourself — or that you are a failure or have let yourself or your family down
7	`phq9_7`	Trouble concentrating on things, such as reading the newspaper or watching television
8	`phq9_8`	Moving or speaking so slowly that other people could have noticed; or the opposite — being so fidgety or restless that you have been moving around a lot more than usual
9	`phq9_9`	Thoughts that you would be better off dead, or of hurting yourself in some way

Subscale total: sum of 9 items → `phq9Total` (0–27)

3.4 Suggested payload fragment

```
{
  "step": "gad7_phq9",
```

```
  "gad7": {
    "items": [0, 1, 2, 1, 0, 1, 0],
    "total": 5
  },
  "phq9": {
    "items": [1, 1, 2, 1, 0, 1, 1, 0, 0],
    "total": 7
  }
}
```

3.5 Decisions (confirmed)

Topic	Decision
Licensing	**Yes** — approved for this trial
Totals (`gad7Total` , `phq9Total`)	Computed on **both** tablet and backend
Self-harm item (`phq9_9`)	**Store data only** — no special alert / escalation in the app

4. Form: NCCN Distress Thermometer (`nccn_distress`)

4.1 Distress Thermometer

Field	UI label / question	Required	Type	Notes
`distressLevel`	How much distress have you been experiencing in the past week?*	Yes	Slider 0–10	Left: “No distress” · Right: “Extreme distress”. Must interact / set value (default 0 shown in design).

4.2 Problem Checklist*

Zero checked is allowed. Store selected keys as a string array.

Practical Problems

Key	Label
`housing`	Housing
`transportation`	Transportation
`insurance`	Insurance
`work_school`	Work/School

Family Problems

Key	Label
`dealing_with_children`	Dealing with children
`dealing_with_partner`	Dealing with partner

Emotional Problems

Key	Label
`worry`	Worry
`sadness`	Sadness
`nervousness`	Nervousness
`fears`	Fears
`depression`	Depression
`loss_of_interest`	Loss of interest

Spiritual Problems

Key	Label
`loss_of_faith`	Loss of faith
`loss_of_meaning`	Loss of meaning

Physical Problems

Key	Label
`pain`	Pain
`fatigue`	Fatigue
`eating`	Eating
`breathing`	Breathing
`nausea`	Nausea
`sleep_problems`	Sleep problems
`bathing`	Bathing
`mouth_sores`	Mouth sores

4.3 Suggested payload fragment

```
{
  "step": "nccn_distress",
  "distressLevel": 0,
  "problems": ["worry", "fatigue", "sleep_problems"]
}
```

5. Form: HADS-A & HADS-D (`hads`)

All items required (*). Each item has **4 options**; option **wording and left-to-right order must match the validated HADS instrument** (do not reorder). Scores are 0–3 per item using standard HADS scoring (some items are reverse-scored relative to display order).

5.1 Anxiety — HADS-A (A1–A7)

#	Key	Question	Options (left → right, as in UI)
A1	`hads_a1`	I feel tense or wound up*	Most of the time · A lot of the time · From time to time · Not at all
A2	`hads_a2`	I get a sort of frightened feeling as if something awful is about to happen*	Very definitely and quite badly · Yes, but not too badly · A little, but it doesn't worry me · Not at all
A3	`hads_a3`	Worrying thoughts go through my mind*	A great deal of the time · A lot of the time · From time to time, but not too often · Only occasionally
A4	`hads_a4`	I can sit at ease and feel relaxed*	Not at all · Not often · Usually · Definitely
A5	`hads_a5`	I get a sort of frightened feeling like "butterflies" in the stomach*	Very often · Quite often · Occasionally · Not at all
A6	`hads_a6`	I feel restless as if I have to be on the move*	Very much indeed · Quite a lot · Not very much · Not at all
A7	`hads_a7`	I get sudden feelings of panic*	Very much indeed · Quite a lot · Not very much · Not at all

Anxiety subscale total: `hadsAnxietyTotal` (0–21)

5.2 Depression — HADS-D (D1–D7)

#	Key	Question	Options (left → right, as in UI)
D1	`hads_d1`	I still enjoy the things I used to enjoy*	Hardly at all · Only a little · Not quite so much · Definitely as much
D2	`hads_d2`	I can laugh and see the funny side of things*	Not at all · Definitely not so much now · Not quite so much now · As much as I always could
D3	`hads_d3`	I feel cheerful*	Not at all · Not often · Sometimes · Most of the time
D4	`hads_d4`	I feel as if I am slowed down*	Nearly all the time · Very often · Sometimes · Not at all
D5	`hads_d5`	I have lost interest in my appearance*	Definitely · I don't take as much care as I should · I may not take quite as much care · I take just as much care as ever
D6	`hads_d6`	I look forward with enjoyment to things*	Hardly at all · Definitely less than I used to · Rather less than I used to · As much as I ever did
D7	`hads_d7`	I can enjoy a good book or radio or TV program*	Very seldom · Not often · Sometimes · Often

Depression subscale total: `hadsDepressionTotal` (0–21)

5.3 Suggested payload fragment

```
{
  "step": "hads",
  "anxiety": {
    "items": [1, 0, 2, 1, 0, 1, 0],
    "total": 5
  },
  "depression": {
    "items": [2, 1, 1, 0, 1, 2, 1],
    "total": 8
  }
}
```

> Store per-item **selected option index** (0–3 left→right) and/or score after applying official HADS scoring rules.

6. Form: EORTC QLQ-C30 (`qlq_c30`)

6.1 Instructions (UI)

About your health

> We are interested in some things about you and your health. Please answer all questions yourself by selecting the answer that best applies to you. There are no right or wrong answers. Your information will remain strictly confidential.

Time frame for items 1–28: During the past week.

6.2 Response scale — items 1–28

Label	Suggested score
Not at all	1
A little	2
Quite a bit	3
Very much	4

> Official EORTC scoring transforms raw scores to 0–100 scales — compute per EORTC QLQ-C30 scoring manual (on tablet and/or backend). Store raw item responses 1–4.

6.3 Items 1–28 (4-point scale)

#	Key	Question
1	`qlq_c30_1`	Do you have any trouble doing strenuous activities, like carrying a heavy shopping bag or a suitcase?
2	`qlq_c30_2`	Do you have any trouble taking a long walk?
3	`qlq_c30_3`	Do you have any trouble taking a short walk outside of the house?
4	`qlq_c30_4`	Do you need to stay in bed or a chair during the day?
5	`qlq_c30_5`	Do you need help with eating, dressing, washing yourself or using the toilet?
6	`qlq_c30_6`	Were you limited in doing either your work or other daily activities?
7	`qlq_c30_7`	Were you limited in pursuing your hobbies or other leisure time activities?
8	`qlq_c30_8`	Were you short of breath?
9	`qlq_c30_9`	Have you had pain?
10	`qlq_c30_10`	Did you need to rest?
11	`qlq_c30_11`	Have you had trouble sleeping?
12	`qlq_c30_12`	Have you felt weak?
13	`qlq_c30_13`	Have you lacked appetite?
14	`qlq_c30_14`	Have you felt nauseated?
15	`qlq_c30_15`	Have you vomited?
16	`qlq_c30_16`	Have you been constipated?
17	`qlq_c30_17`	Have you had diarrhea?
18	`qlq_c30_18`	Were you tired?
19	`qlq_c30_19`	Did pain interfere with your daily activities?
20	`qlq_c30_20`	Have you had difficulty in concentrating on things, like reading a newspaper or watching television?
21	`qlq_c30_21`	Did you feel tense?
22	`qlq_c30_22`	Did you worry?
23	`qlq_c30_23`	Did you feel irritable?
24	`qlq_c30_24`	Did you feel depressed?
25	`qlq_c30_25`	Have you had difficulty remembering things?

#	Key	Question
26	`qlq_c30_26`	Has your physical condition or medical treatment interfered with your family life?
27	`qlq_c30_27`	Has your physical condition or medical treatment interfered with your social activities?
28	`qlq_c30_28`	Has your physical condition or medical treatment caused you financial difficulties?

6.4 Overall health and quality of life — items 29–30

Section title: Overall health and quality of life

Scale: 1 (Very poor) … 7 (Excellent)

#	Key	Question
29	`qlq_c30_29`	How would you rate your overall health during the past week?
30	`qlq_c30_30`	How would you rate your overall quality of life during the past week?

6.5 Suggested payload fragment

```
{
  "step": "qlq_c30",
  "version": 3,
  "items": {
    "1": 2, "2": 1, "3": 1, "4": 2, "5": 1,
    "6": 3, "7": 2, "8": 1, "9": 2, "10": 3,
    "11": 2, "12": 2, "13": 1, "14": 1, "15": 1,
    "16": 1, "17": 1, "18": 3, "19": 2, "20": 2,
    "21": 2, "22": 2, "23": 1, "24": 2, "25": 1,
    "26": 2, "27": 2, "28": 1,
    "29": 5, "30": 5
  }
}
```

7. Form: EORTC QLQ-H&N35 (`qlq_hn35`)

7.1 Instructions (UI)

During the past week

> Patients sometimes report that they have the following symptoms or problems. Please indicate the extent to which you have experienced these symptoms or problems during the past week. Select the answer that best applies to you.

7.2 Response scale — items 1–30

Label	Suggested raw score
Not at all	1
A little	2
Quite a bit	3
Very much	4

7.3 Symptoms and daily functioning — items 1–30

#	Key	Question
1	`qlq_hn35_1`	Have you had pain in your mouth?
2	`qlq_hn35_2`	Have you had pain in your jaw?
3	`qlq_hn35_3`	Have you had soreness in your mouth?
4	`qlq_hn35_4`	Have you had a painful throat?
5	`qlq_hn35_5`	Have you had problems swallowing liquids?
6	`qlq_hn35_6`	Have you had problems swallowing pureed food?
7	`qlq_hn35_7`	Have you had problems swallowing solid food?
8	`qlq_hn35_8`	Have you choked when swallowing?
9	`qlq_hn35_9`	Have you had problems with your teeth?
10	`qlq_hn35_10`	Have you had problems opening your mouth wide?
11	`qlq_hn35_11`	Have you had a dry mouth?
12	`qlq_hn35_12`	Have you had sticky saliva?
13	`qlq_hn35_13`	Have you had problems with your sense of smell?
14	`qlq_hn35_14`	Have you had problems with your sense of taste?
15	`qlq_hn35_15`	Have you coughed?
16	`qlq_hn35_16`	Have you been hoarse?
17	`qlq_hn35_17`	Have you felt ill?
18	`qlq_hn35_18`	Has your appearance bothered you?
19	`qlq_hn35_19`	Have you had trouble eating?
20	`qlq_hn35_20`	Have you had trouble eating in front of your family?
21	`qlq_hn35_21`	Have you had trouble eating in front of other people?
22	`qlq_hn35_22`	Have you had trouble enjoying your meals?
23	`qlq_hn35_23`	Have you had trouble talking to other people?
24	`qlq_hn35_24`	Have you had trouble talking on the telephone?
25	`qlq_hn35_25`	Have you had trouble having social contact with your family?
26	`qlq_hn35_26`	Have you had trouble having social contact with friends?
27	`qlq_hn35_27`	Have you had trouble going out in public?

#	Key	Question
28	`qlq_hn35_28`	Have you had trouble having physical contact with family or friends?
29	`qlq_hn35_29`	Have you felt less interest in sex?
30	`qlq_hn35_30`	Have you felt less sexual enjoyment?

7.4 Treatments, nutrition and weight — items 31–35

Section title: Treatments, nutrition and weight

Time frame: During the past week

Scale: No / Yes — store as `1` **= No**, `2` **= Yes** (EORTC-style numeric; same family as items 1–30)

#	Key	Question
31	`qlq_hn35_31`	Have you used pain-killers?
32	`qlq_hn35_32`	Have you taken any nutritional supplements (excluding vitamins)?
33	`qlq_hn35_33`	Have you used a feeding tube?
34	`qlq_hn35_34`	Have you lost weight?
35	`qlq_hn35_35`	Have you gained weight?

7.5 Suggested payload fragment

```
{
  "step": "qlq_hn35",
  "items": {
    "1": 2, "2": 1, "3": 2, "4": 1, "5": 2,
    "6": 1, "7": 3, "8": 1, "9": 1, "10": 2,
    "11": 3, "12": 2, "13": 1, "14": 2, "15": 2,
    "16": 1, "17": 1, "18": 2, "19": 2, "20": 1,
    "21": 1, "22": 2, "23": 1, "24": 1, "25": 1,
    "26": 1, "27": 2, "28": 1, "29": 1, "30": 1,
    "31": 2, "32": 1, "33": 1, "34": 2, "35": 1
  }
}
```

8. Form: Treatment Adherence (`treatment_adherence`)

8.1 Meta (from UI)

Meta	Value
Subtitle	Dropout-risk Assessment
Timepoints	Week 4 (Yenepoya)
Duration	5–10 minutes
Mode	Face-to-face interview
Administrator	Principal Investigator
Intro	“I’d like to ask a few yes/no questions about your cancer treatment over the past two weeks. There are no right or wrong answers.”

> Configure this step only on weeks where it applies (Yenepoya: Week **4**) via `weeklyFormDefinitions`.

8.2 Response scale

Label	Store as
Yes	`true` / `yes`
No	`false` / `no`

All 10 statements required (Yes/No radio).

8.3 Statements (1–10)

#	Key	Statement
1	`ta_1`	Have you attended all of your scheduled radiotherapy / chemotherapy sessions in the past two weeks?
2	`ta_2`	Have you missed or postponed any treatment session for a reason other than a medical instruction?
3	`ta_3`	Do you feel confident that you will complete your full planned course of treatment?
4	`ta_4`	Have treatment side effects made you consider stopping treatment?
5	`ta_5`	Do you have reliable transport to reach the hospital for each session?
6	`ta_6`	Are the costs of treatment or travel making it hard for you to continue?
7	`ta_7`	Do you have someone at home who supports you in attending treatment?
8	`ta_8`	Do you clearly understand your treatment plan and how many sessions remain?
9	`ta_9`	Have you thought about withdrawing from treatment in the past two weeks?
10	`ta_10`	Would you like additional support (counselling, financial, or social) to help you continue?

8.4 Suggested payload fragment

```
{
  "step": "treatment_adherence",
  "items": {
    "1": true,
    "2": false,
    "3": true,
    "4": false,
    "5": true,
    "6": false,
    "7": true,
    "8": true,
    "9": false,
    "10": false
  }
}
```

9. Form: Satisfaction Survey — Intervention Group (`satisfaction_survey`)

Section title: About your Skitii sessions

9.1 Meta (from UI)

Meta	Value
Audience	**Intervention group only**
Anonymity	Anonymous — answers do not affect care; **no name or Study ID** captured on this screen
Instruction	"Please tell us about your experience using the Skitii music sessions."
Privacy copy	"This survey is anonymous and intervention-group only. Your answers will not affect your care and no name or Study ID is captured."

> Show this step only for intervention-group patients on weeks where it applies (e.g. Week 4) via `weeklyFormDefinitions` + group type.

9.2 Response scale (5-point Likert)

Label	Store as
Strongly disagree	`1`
Disagree	`2`
Neutral	`3`
Agree	`4`
Strongly agree	`5`

All 9 statements required (single choice per row).

9.3 Statements (1–9)

#	Key	Statement
1	`sat_1`	Overall, I am satisfied with the Skitii music sessions.
2	`sat_2`	The Skitii app was easy to use.
3	`sat_3`	The chest strap (heart-rate sensor) was comfortable to wear.
4	`sat_4`	The music helped me feel more relaxed during treatment.
5	`sat_5`	The music helped reduce my anxiety about treatment.
6	`sat_6`	The sessions fit well into my hospital visits.
7	`sat_7`	I received enough support from staff to use the device.
8	`sat_8`	I would recommend the Skitii sessions to other patients.
9	`sat_9`	I would like to continue using the Skitii sessions.

9.4 Suggested payload fragment

```
{
  "step": "satisfaction_survey",
  "items": {
    "1": 5,
    "2": 4,
    "3": 4,
    "4": 5,
    "5": 4,
    "6": 4,
    "7": 5,
    "8": 5,
    "9": 4
  }
}
```

> Backend still associates the response with the patient/session for trial ops; the **device UI** must not display name or Study ID on this step (per privacy copy).

10. Form: HRV (`hrv`)

10.1 Meta / behaviour

Meta	Value
Duration	**5 minutes** resting (`durationSec` = `300`)
Device	BLE heart-rate monitor connected
Instruction (UI)	“Please remain still and relaxed”
Submit	**Automatic** when timer completes — no manual Submit button
API	`POST /weekly-assessments/:id/hrv` (PIN token) with full payload including `readings`
After success	**Weekly Form Submitted Successfully!** screen → **Return to Dashboard**
Completion	Week is `fully_completed` only after HRV auto-post succeeds when this step is configured

> Runs after non-HRV steps are completed (if any), or alone if it is the only remaining configured step.

10.2 Live UI (during measurement)

UI block	Content
Timer	Circular timer (`MM:SS Mins`) + progress arc — runs to **05:00**
Instruction	Please remain still and relaxed
Instant Rate Monitor	Live **Heart Rate** (bpm) — e.g. `80 bpm`
	SD of HR — e.g. `±11.4 bpm`
	Heart-rate waveform (live trace)

Fields are **auto-filled from BLE** — not entered manually.

10.3 Auto-submit + success screen

```
5-minute recording ends
    ↓
Frontend computes meanHr, sdHr, rmssd, sdnn, pnn50 from readings
    ↓
POST /weekly-assessments/:id/hrv  (automatic — no user tap)
    ↓ (success)
“Weekly Form Submitted Successfully!” + patient name / Patient ID
    ↓
Return to Dashboard  →  Weekly chip Done
```

If the auto-post fails (network / expired PIN token), show error and allow retry without re-measuring when possible (re-verify PIN if `WEEKLY_PIN_TOKEN_EXPIRED`).

10.4 Metrics to compute / store (after 5 minutes)

Same pattern as session **baseline** (`meanHr`, `sdHr`, `durationSec`, `readings`), plus clinical HRV metrics. **No** standalone `heartRate` — current HR comes from `readings`; average is `meanHr`.

Field	Meaning	Store
Start / end	Recording window	`hrv.startedAt`, `hrv.endedAt`
Duration	Expected 300 s	`hrv.durationSec`
Mean HR	Average bpm	`hrv.meanHr`
SD of HR	Standard deviation of HR	`hrv.sdHr`
Readings	Sample stream `[{ hr, timestamp }]`	`hrv.readings`
RMSSD	ms	`hrv.rmssd`
SDNN	ms	`hrv.sdnn`
pNN50	%	`hrv.pnn50`
Submitted at	Timestamp	`hrv.submittedAt`

10.5 Suggested payload fragment

```
{
  "step": "hrv",
  "startedAt": "2026-07-17T11:20:00.000Z",
  "endedAt": "2026-07-17T11:25:00.000Z",
  "durationSec": 300,
  "meanHr": 80,
  "sdHr": 11.4,
  "rmssd": 42.5,
  "sdnn": 55.0,
  "pnn50": 18.2,
  "readings": [
    { "hr": 78, "timestamp": "2026-07-17T11:20:01.000Z" },
    { "hr": 80, "timestamp": "2026-07-17T11:20:02.000Z" }
  ]
}
```

11. Config example (trial `weeklyFormDefinitions`)

```
{
  "weeklyFormDefinitions": [
    {
      "week": 0,
      "label": "Week 0",
      "steps": ["vitals", "gad7_phq9", "hrv"]
    },
    {
      "week": 2,
      "label": "Week 2",
      "steps": [
        "vitals",
        "gad7_phq9",
        "nccn_distress",
        "hads",
        "qlq_c30",
        "qlq_hn35",
        "hrv"
      ]
    },
    {
      "week": 4,
      "label": "Week 4",
      "steps": [
        "vitals",
        "gad7_phq9",
        "nccn_distress",
        "hads",
        "qlq_c30",
        "qlq_hn35",
        "treatment_adherence",
        "satisfaction_survey",
        "hrv"
      ]
    }
```

```
  ]
}
```

Yenepoya: `trialDurationWeeks` = **4** → sessions through enrollment + **27** days. Seed `weeklyFormDefinitions` above = Week **0, 2, 4** — more form weeks may be added (each Week 2+ = **7-day** window). `satisfaction_survey` = **intervention** only. Progress = **Step X of N** for that week's `steps` array length.