



Savitribai Phule Pune University.

A PROJECT REPORT ON

**”DRUG TRACEABILITY IN HEALTHCARE SUPPLY
CHAIN USING BLOCKCHAIN”**

SUBMITTED TO THE SAVITRIBAI PHULE PUNE UNIVERSITY, PUNE
IN PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE AWARD OF THE DEGREE

BACHELOR OF ENGINEERING
Computer Engineering

BY

Take Swapnil Rajendra	Exam Seat No: B150644202
Mane Kunal Dhanajay	Exam Seat No: B150644201
Bendre Abhijit Tarachand	Exam Seat No: B150644208

UNDER THE GUIDANCE OF
PROF. S. P. VIDHATE



**VISHWABHARTI ACADEMY'S COLLEGE OF ENGINEERING,
SAROLA BADDI, AHMEDNAGAR 414201**

DEPARTMENT OF COMPUTER ENGINEERING

2022-23



**VISHWABHARATI ACADEMY'S COLLEGE OF ENGINEERING
SAROLA BADDI, AHMEDNAGAR 414201
DEPARTMENT OF COMPUTER ENGINEERING**

C E R T I F I C A T E

This is to certify that the Project Report entitled

“DRUG TRACEABILITY IN HEALTHCARE SUPPLY CHAIN USING BLOCKCHAIN”

Submitted by

Take Swapnil Rajendra Exam Seat No: B190644235

Mane Kunal Dhananjay Exam Seat No: B190644221

Bendre Abhijit Tarachand Exam Seat No: B190644203

is a bonafide work carried out under the supervision of Prof. S. P. Vidhate and it is submitted towards the partial fulfillment of the requirement of Savitribai Phule Pune University, Pune for the award of the degree of Bachelor of Engineering(Computer Engineering).

Prof. S. P. Vidhate
(Guide)

Prof. S. G. Joshi
(Head, Department
of Computer Engineering)

Prof. V. S. Dhongade
(Principal, Vishwabharati Acadmey's
College Of Engineering,Ahmednagar)

Internal Examiner

External Examiner

Place: Ahmednagar

Date:

CERTIFICATE

This is to certify that Take Swapnil Rajendra, Mane Kunal Dhananjay, and Bendre Abhijit Tarachand have completed the Project Report work under my guidance and supervision and that, I have verified the work for its originality in documentation, problem statement, and results presented in the project. Any reproduction of other necessary work is with prior permission and has given due ownership and is included in the references.

Place:

Date: (Prof. S. P. Vidhate)

ACKNOWLEDGEMENT

A successful work of a Project is the result of inspiration, support, guidance, motivation, and cooperation of facilities during study. It gives me great pleasure to acknowledge my deep sense of gratitude to present my project titled: “Drug Traceability In Healthcare Supply Chain Using Blockchain”. I want to give sincere thanks to Prof. V. S. Dhongade Principal of Vishwabharti Academy College of Engineering, Prof. S. G. Joshi Head of Department, Prof. R. N. Devray Class Teacher (BE), and Prof. S. P. Vidhate for their whole-hearted support and affectionate encouragement without which my successful project would not have been possible. Last but not least I express my gratitude towards all staff members and non-teaching faculties of Vishwabharati Academy’s College of Engineering and special thanks to my friends and family for their moral support and financial help.

Take Swapnil Rajendra
Mane Kunal Dhananjay
Bendre Abhijit Tarachand

ABSTRACT

Drug traceability system is essentially important for public drug security and business of pharmaceutical companies, which aims to track or trace where the drug has been and where it has gone along the drug supply chain. Traditional centralized server-client technical solutions have been far from satisfying for their bad performances in data authenticity, privacy, system resilience and flexibility. We have proposed an entirely new blockchain system for drug traceability. This system is more secure and scalable than other alternatives on the market today. In addition, the proposed system is able to effectively prune its storage, resulting in a finally stable and usable blockchain storage solution.

Furthermore, the blockchain-based drug traceability system provides transparent and immutable records of each drug's journey, ensuring the integrity of the supply chain and safeguarding public health. By leveraging the decentralized nature of blockchain technology, the system eliminates the reliance on a single point of failure, enhancing system resilience and minimizing the risk of data manipulation or unauthorized access. With its enhanced privacy features, the proposed system protects sensitive information while still allowing authorized stakeholders to access necessary data for regulatory compliance and quality assurance. Overall, this innovative blockchain solution offers a robust and efficient approach to drug traceability, addressing the limitations of traditional centralized systems and advancing the security and efficiency of pharmaceutical operations. .

Contents

1	SYNOPSIS	2
1.1	Project Title	2
1.2	Technical Keywords	2
1.3	Problem definition	2
2	TECHNICAL KEYWORDS	3
2.1	Technical Keywords	3
2.2	Area of Project	3
3	INTRODUCTION	4
3.1	Introduction	4
3.2	Objectives	5
3.3	Scope of Project	5
3.4	Motivation of Project	5
3.5	Problem definition	6
4	LITERATURE SURVEY	7
5	SOFTWARE REQUIREMENT AND SPECIFICATION	10
5.1	Introduction	10
5.1.1	Project Scope	10
5.1.2	User classes and characteristics	10
5.1.3	Assumption and dependencies	11
5.2	Functional Requirements	11
5.3	External Interface Requirements	11
5.3.1	User Interfaces	11
5.3.2	Hardware Interfaces	11
5.3.3	Software Interfaces	11
5.3.4	Communication Interfaces	11
5.4	Non-Functional Requirements	12

5.4.1	Performance Requirement	12
5.5	System Requirements	12
5.5.1	Database Requirement	12
5.5.2	Software Requirement	12
5.5.3	Hardware Specifications	12
5.6	Analysis Model SDLC model should be applied	12
5.7	System Implementation Plan	14
6	ALGORITHM	15
6.1	MD5 (Message-Digest Algorithm)	15
6.2	MD5 Implementation	16
7	SYSYTEM DESIGN	17
7.1	System Architecture	17
7.2	Data Flow Diagram	18
7.2.1	DFD	18
7.3	UML Diagram	19
7.3.1	Use Case Diagram	19
7.3.2	Activity Diagram	20
8	PROJECT PLANNING	21
8.1	Project Estimate	21
8.1.1	Cost Estimate	21
8.1.2	Time Estimates	21
8.2	Project Resources	22
8.2.1	Risk Management	22
8.3	Risk Identification	23
8.4	Project Task Set	24
9	SOFTWARE TESTING	25
9.1	Types Of Testings	25
9.1.1	Unit testing	25
9.1.2	Integration testing	25
9.1.3	Functional test	26
9.1.4	System Test	26
9.1.5	White Box Testing	26
9.1.6	Black Box Testing	26
9.1.7	Unit Testing:	27
9.1.8	Integration Testing	27

9.1.9	Acceptance Testing	27
9.2	Test cases and Test Results	27
10	RESULTS	31
10.1	Screen Shots	31
10.1.1	Home Module	31
10.1.2	Supplier Module	32
10.1.3	Manufacturer Module	33
10.1.4	Distributor Module	34
10.1.5	Pharmacy Module	35
10.1.6	Admin Module	36
10.1.7	Patients Module	37
11	ADVANTAGES	38
11.1	Advantages	38
12	APPLICATIONS	39
12.1	Applications	39
13	DISCUSSION	40
13.1	Strengths and Weaknesses	40
13.2	Limitations of System	41
13.3	Potential Future Enhancements	42
13.4	Ethical Considerations In Drug Traceability	42

ABREVATION

Acronym	Defination
DFD	Data Flow Diagram.
BC	Block Chain.
SDLC	Software Development Life Cycle.
UML	Unified Modeling Language.

List of Figures

5.1	SDLC Process	13
5.2	Plan of Project Execution	14
7.1	System Architecture	17
7.2	DFD	18
7.3	Use Case Diagram	19
7.4	Activity Diagram	20

Chapter 1

SYNOPSIS

1.1 Project Title

Drug traceability in healthcare supply chain using blockchain

1.2 Technical Keywords

Block chain, Traceability, Security, Data

1.3 Problem definition

We Build and Implement Drug Traceability in healthcare supply chain using blockchain.

Chapter 2

TECHNICAL KEYWORDS

2.1 Technical Keywords

Block chain, Traceability, Security, Data

2.2 Area of Project

“Block Chain Technology”.

Chapter 3

INTRODUCTION

3.1 Introduction

Drug traceability is essentially important for patients' health, business operation, and government regulation. With a reliable drug traceability system, patients and stakeholders of the drug supply chain could conveniently know where the drug has gone or has been. Indeed, the drug traceability has also become more and more a compulsory mandate by governments around the world. For example, the U.S. Drug Supply Chain Security Act (DSCSA) [39], which was signed into law on November 27, 2013, requires that an electronic, interoperable system should be built to identify and trace prescription drugs as they are distributed in the United States. In China, for approximately 8 years, stakeholders above had been required to upload the drug information of individual pharmaceutical products to the official designated IT system whenever there are drugs in or out of their warehouses.

Generally, a drug traceability system should be able to keep track or trace of the drug transaction flow through different stakeholders along the drug supply chain. It should provide reliable information about the flow for stakeholders and patients, especially that of drug production origin for anticounterfeit purpose. Or, at least it could be used to bind the responsibility of drug security to the relevant stakeholders for government regulation. Furthermore, the privacy of traceability data in the system is required to be protected as much as possible, especially that of statistical information (e.g. productivity, quantity of sale, etc.) of drugs that has been past the stakeholder. This paper presents Drug Traceability System, a fully scenario-oriented blockchain system for drug traceability and regulation. It reconstructs the whole service architecture, ensures the both authenticity and privacy of traceability data, and meanwhile achieves a finally stable blockchain storage with time going by. Algorithms reflecting the practical workflow of drug supply chain

have also been presented.

3.2 Objectives

- We propose a blockchain-based solution for the pharmaceutical supply chain that provides security, traceability, immutability, and accessibility of data provenance for pharmaceutical drugs.
- We design a smart contract capable of handling various transactions among pharmaceutical supply chain stakeholders.
- We present, implement and test the smart contract that defines the working principles of our proposed solution.
- We conduct security and cost analysis to evaluate the performance of the proposed blockchain-based solution.

3.3 Scope of Project

A blockchain system for drug traceability and regulation is presented. As time goes on, it rebuilds the entire service architecture, ensuring the authenticity and privacy of traceability data, while at the same time, achieving a finally stable blockchain storage. There have also been presented algorithms that mirror the practical workflow of the medication supply chain.

3.4 Motivation of Project

- Healthcare supply chain is a complex network of several independent entities that include raw material suppliers, manufacturer, distributor, pharmacies, hospitals and patients.
- Tracking supplies through this network is non-trivial due to several factors including lack of information, centralized control and competing behaviour among stakeholders.
- Such complexity not only results in inefficiencies such as those highlighted through COVID-19 pandemic but can also aggravate the challenge of mitigating against counterfeit drugs as these can easily permeate the healthcare supply chain.

3.5 Problem definition

To build and implement drug traceability in healthcare supply chain using block chain

Chapter 4

LITERATURE SURVEY

Literature survey is the most important step in any kind of research. Before start developing we need to study the previous papers of our domain which we are working and on the basis of study we can predict or generate the drawback and start working with the reference of previous papers.

In this section, we briefly review the related work on Block chain technology.

R.Alvaro-Hermana, J. Fraile-Ardanuy, P. J. Zufiria, L. Knapen, and D. Janssens present the concept between two arrangements of electric vehicles, which fundamentally diminish the effect of the charging procedure on the power framework amid business hours. This trading approach is also economically beneficial for all the users involved in the trading process. An activity-based approach is used to predict the daily agenda and trips of a synthetic population for Flanders (Belgium) [1].

Y. Xiao, D. Niyato, P. Wang, and Z. Han provide a study of the possible flow and functional factors that enable DET in communication networks. Various design issues on how to implement DET in practice are discussed. An ideal approach is created for delay-tolerant remote controlled correspondence organizes in which every remote powered device can masterminded its information transmission and energy exchanging activities as indicated by present and future vitality accessibility [2].

J. Kang, R. Yu, X. Huang, S. Maharjan, Y. Zhang, and E. Hossain presents a work to accomplishes request reaction by giving motivating forces to releasing PHEVs to adjust nearby power request out of their own self-interests. Be that as it may, since exchange security and security insurance issues show genuine difficulties, they investigate a promising consortium block-chain innovation to enhance exchange security without dependence on

a confided in outsider. A restricted P2P Electricity Trading framework with Consortium block-chain (PETCON) strategy is proposed to represent detailed activities of limited P2P power exchanging [3].

N. Z. Aitzhan and D. Svetinovic presents a work that address the issue of providing transaction security in decentralized smart grid energy trading without confidence on trusted third parties. We have developed a proof-of-concept for decentralized energy trading system using blockchain technology, multi-signatures, and anonymous encrypted messaging flows, enabling peers to anonymously negotiate energy prices and securely perform trading transactions [4].

M. Mihaylov, S. Jurado, N. Avellana, K. Van Moffaert, I. M. de Abril, and A. Now presents a work that shows decentralized computerized cash, called NRG-coin. Prosumers in the smart grid framework exchange privately made sustainable power source utilizing NRG-coins, the estimation of which is indented on an open cash trade advertise. Like Bit-coins, this money proposes various favorable circumstances over fiat cash, however not at all like Bit-coins it is made by infusing vitality into the matrix, as opposed to giving vitality on computational influence. Likewise, they make a novel exchanging worldview for purchasing and offering environmentally friendly power vitality in the smart grid network [5].

S. Barber et al presents a work that Bit-coin is isolated computerized cash which has pulled in a significant number of clients. They play out a top to bottom examination to comprehend what made Bit-coin so effective, while many years of research on cryptographic e-money have not prompt a vast scale appropriation. They ask additionally how Bit-coin could turn into a decent contender for seemingly perpetual stable money [6].

I. Alqassem et al presents a work that Bit-coin is constantly improved by an open source network, and different Bit-coin libraries, APIs, and elective usage are being created. All things considered, there is no up and coming convention contrast or design portrayal since the authority whitepaper was distributed. The work demonstrates an a la mode convention detail and design investigation of the Bit-coin framework. We play out this examination as the initial move towards determination of the cryptographic currency reference design [7].

K. Croman et al presents a work that the expanding fame of block-chain-based digital forms of money has made versatility an essential and earnest obligation. The work

ponders how essential and incidental bottlenecks in Bit-coin restrict the ability of its present distributed overlay system to help generously higher throughputs and lower latencies. These outcomes propose that re-parameterization of square size and interruption ought to be seen just as a first augmentation toward accomplishing people to come, high-stack block-chain conventions, and real advances will moreover require a fundamental reevaluating of specialized ways [8].

G. W. Peters and E. Panayipresents a work which give a diagram of the idea of block-chain innovation and its capacity to disturb the universe of managing an account through encouraging worldwide cash settlement, shrewd contracts, mechanized keeping money records and advanced resources. In such manner, they first give a concise outline of the center parts of this innovation, and in addition the second-age contract-based improvements [9].

L. Luu et al presents a work which gives another circulated understanding convention for authorization less block-chains called ELASTICO. ELASTICO scales exchange rates straightly with accessible estimation for mining: the more the calculation control in the system, the higher the quantity of exchange squares chosen per unit time. ELASTICO is productive in its system messages and permit complex foes of up to one-fourth of the aggregate computational power [10].

Chapter 5

SOFTWARE REQUIREMENT AND SPECIFICATION

5.1 Introduction

Requirement analysis results in the specification of software's operational characteristics indicates software's interface with other system elements and establish constraints that software must meet. Requirement analysis allows the software engineer(sometimes called Analyst or Modeler in this role) to elaborate on basis requirements during earlier requirement engineering task and build models that depict user scenarios, functional activities, problem classes and their relationship, system and class behavior and the flow of data as it is transformed. The requirements analysis task is a process of discovery, refinement, modeling and specification.

5.1.1 Project Scope

A blockchain system for drug traceability and regulation is presented. As time goes on, it rebuilds the entire service architecture, ensuring the authenticity and privacy of traceability data, while at the same time, achieving a finally stable blockchain storage. There have also been presented algorithms that mirror the practical workflow of the medication supply chain.

5.1.2 User classes and characteristics

Our system have main three classes

- i) Input data
- ii) processing: System can train the dataset for note character and number and when system get the input data that time they perform there relevant operation as preprocess-

ing, feature extraction, classification and segmentation.

- iii) Output: System have main class as output class where final result is show on screen as an output of recognize data.

5.1.3 Assumption and dependencies

5.2 Functional Requirements

The functional requirements for a system describe what system do.

- i) The developed system should recognize traceability.
- ii) System shall show the error message to the user when given input is not in the required format.
- iii) System must provide the quality of service to user.

5.3 External Interface Requirements

5.3.1 User Interfaces

The system specifies the user interfaces are as follows:

- i) Open application.
- ii) Login.
- iii) Supply chain

5.3.2 Hardware Interfaces

The entire system interface with java and library.

5.3.3 Software Interfaces

The system works on database so system fetch the data.

5.3.4 Communication Interfaces

The system should also use standard protocols for image processing so we are uses various library for our project.

5.4 Non-Functional Requirements

Non-functional requirements are not directly related to the functional behavior of the system.

5.4.1 Performance Requirement

- i) System must be user friendly, simple and interactive.
- ii) The user interface is designed in such way that novice users with little knowledge of library, should be able to access this application.
- iii) Users are required to have some knowledge regarding library module.

5.5 System Requirements

5.5.1 Database Requirement

We use own database for our project were we use mysql database.

5.5.2 Software Requirement

- i) Operating System: Windows 8 or higher.
- ii) Platform: Eclipse.
- iii) Technologies used: Java.

5.5.3 Hardware Specifications

- i) Processor: i3 or higher.
- ii) Processor speed: 2.0GHz.
- iii) RAM: 8 GB.
- iv) Disk Space: 100 GB or higher.

5.6 Analysis Model SDLC model should be applied

SDLC Processes regarding to the Project:-

- i) System Design:- The requirement specifications from first phase are studied in this phase and system design is prepared. System Design helps in specifying hardware and system requirements and also helps in defining overall system architecture. The software code to be written in the next stage is created now.

- ii) Implementation:- With inputs from system design, the system is first developed in small programs called units, which are integrated in the next phase. Each unit is developed and tested for its functionality which is referred to as Unit Testing.
- iii) Integration and Testing:- All the units developed in the implementation phase are integrated into a system after testing of each unit. The software designed, needs to go through constant software testing to find out if there are any flaw or errors. Testing is done so that the client does not face any problem during the installation of the software.
- iv) Deployment of System:- Once the functional and non-functional testing is done, the product is deployed in the customer environment or released into the market.
- v) Maintenance:- This step occurs after installation, and involves making modifications to the system or an individual component to alter attributes or improve performance. These modifications arise either due to change requests initiated by the customer, or defects uncovered during live use of the system. Client is provided with regular maintenance and support for the developed software. All these phases are cascaded to each other in which progress is seen as flowing steadily downwards (like a waterfall) through the phases. The next phase is started only after the defined set of goals are achieved for previous phase and it is signed off, so the name Waterfall Model.




Figure 5.1: SDLC Process

5.7 System Implementation Plan



Figure 5.2: Plan of Project Execution

Chapter 6

ALGORITHM

6.1 MD5 (Message-Digest Algorithm)

The MD5 message-digest algorithm is a widely used cryptographic hash function producing a 128-bit (16-byte) hash value, typically expressed in text format as a 32 digit hexadecimal number. MD5 has been utilized in a wide variety of cryptographic applications, and is also commonly used to verify data integrity.

Steps:

1. A message digest algorithm is a hash function that takes a bit sequence of any length and produces a bit sequence of a fixed small length.
2. The output of a message digest is considered as a digital signature of the input data.
3. MD5 is a message digest algorithm producing 128 bits of data.
4. It uses constants derived to trigonometric Sine function.
5. It loops through the original message in blocks of 512 bits, with 4 rounds of operations for each block, and 16 operations in each round.
6. Most modern programming languages provides MD5 algorithm as built-in functions

6.2 MD5 Implementation

In the Java web application for drug traceability, the MD5 algorithm can be used to create an encrypted hash value after drug transaction. Here is an outline of the implementation process.

Steps :

1. Obtain the drug information: Retrieve the necessary information about the newly created drug, such as its name, manufacturer, batch number, production date, and any other relevant details.
2. Concatenate the drug information: Concatenate all the drug information into a single string. For example, you can combine the drug name, manufacturer, batch number, and production date into a single string.
3. Convert the string to bytes: Convert the concatenated string into bytes using the appropriate character encoding, such as UTF-8.
4. Create an MD5 instance: Instantiate an MD5 algorithm implementation in Java, such as the `java.security.MessageDigest` class.
5. Update the MD5 instance with the byte array: Pass the byte array obtained from the concatenated string to the MD5 instance using the `update()` method. This will feed the data into the MD5 algorithm for hashing.
6. Generate the hash value: Generate the hash value by invoking the `digest()` method on the MD5 instance. This will produce a byte array representing the hash value.
7. Convert the hash value to a hexadecimal string: Convert the byte array hash value to a hexadecimal string representation using a conversion method, such as `javax.xml.bind.DatatypeConverter.printHexBinary()`.
8. Store the hash value: Store the generated hash value in a secure and tamper-proof location, such as a database or a blockchain.

By following these steps, you can create an encrypted hash value using the MD5 algorithm

Chapter 7

SYSYTEM DESIGN

7.1 System Architecture




Figure 7.1: System Architecture

Our method identifies and involves significant stakeholders in the medication supply chain, such as the FDA, suppliers, manufacturers, distributors, pharmacies, and patients, whereas the FDA, suppliers, manufacturers, and wholesalers are the only ones involved. We make a concerted effort to identify and disentangle linkages between stakeholders, on-chain resources, smart contracts, and decentralised storage systems, which is currently lacking. We use smart contracts technology to achieve real-time, seamless traceability with push alerts, reducing the need for human intervention and, as a result, unnecessary delays. Each drug Lot is given its own smart contract, which generates an event whenever there is a change in ownership and sends a list of events to the app user.

7.2 Data Flow Diagram

A data flow diagram (DFD) is a graphical representation of the "flow" of data through an information system, modeling its process aspects. A DFD is often used as a preliminary step to create an overview of the system, which can later be elaborated. DFDs can also be used for the visualization of data processing.

7.2.1 DFD




Figure 7.2: DFD

7.3 UML Diagram

7.3.1 Use Case Diagram

A Use Case Diagram consists of set of elements and the relationships between them. It depicts all the scenarios, regarding how our application interacts with users and other external systems to achieve the goals of application. The main components of a use case diagram include actors, use cases and their relationships. The use case is an external view of the system that represents some actions that the user performs to get a job done. Actors are the users who interact with the application.




Figure 7.3: Use Case Diagram

7.3.2 Activity Diagram

Activity diagram is basically a flowchart to represent the flow from one activity to another activity. The activity can be described as an operation of the system. The main element of an activity diagram is the activity itself. An activity is a function performed by the system. After identifying the activities, we need to understand how they are associated with constraints and conditions.




Figure 7.4: Activity Diagram

Chapter 8

PROJECT PLANNING

8.1 Project Estimate

Use Waterfall model and associated streams derived from assignments 1, 2, 3, 4 and 5 (Annex A and B) for estimation.

8.1.1 Cost Estimate

The cost excluding the working machines i.e. The laptops and the electricity requirement are calculated. As we are going to use majority of freeware, the software cost is nil. The remaining cost is

Manpower cost = 4 persons x 10 hrs./wk. = 40 hrs.

Cost calculated for work hrs. = Rs 300/wk.

In this way we estimate to work for 30 weeks.

Hence cost = $40 \times 300 = \text{Rs } 12000$.

The overall developing and testing would cost approximately Rs 2000. Further cost would include the documentation and deployment costs. The maintaining cost at end user after deployment is not considered currently. Hence after all estimations and keeping a considerable cost buffer we estimate the project cost to go at about. Rs 14000.

8.1.2 Time Estimates

The project should be deployed in the given timeframe else there is no point in developing the project if it elapses the marketability time. A timeframe of 6 months is being decided and considering the functionality to be developed and the available manpower, equipment and software, the timeline is perfectly achievable.

8.2 Project Resources

Project resources [People, Hardware, Software, Tools and other resources] based on task offloading, Cloud computing, and android programming to be referred.

8.2.1 Risk Management

Given a failure case viz. Q, Using cloud computing Technology and mobile computing and saving energy by offloading tasks to cloud, we derived an algorithm for this problem as follows:

- i) What steps do we have to take to prove a problem Q is NP-Complete?
- ii) Pick a known NP-Complete problem P.
- iii) Reduce P to Q.
- iv) Describe a transformation that maps instances of P to instances of Q, . “yes” for Q = “yes” for P.
- v) Prove the transformation works.
- vi) Prove it runs in polynomial time

This is considered with specifying equipment and software that will successful satisfy the user requirement the technical needs of the system may vary considerably but might include

- i) The facility to produce outputs in a given time.
- ii) Response time under certain conditions.
- iii) Ability to process a certain column of transaction at a particular speed.
- iv) Our goal is to divide some data D (e.g., the safe combination) into pieces D1, D2. . . ,Dn in such a way that:
- v) The Knowledge of any k or more Di pieces makes D easily computable.
- vi) We divide our secret into pieces by picking a random degree polynomial

$Q(x) = a_0 + a_1x + a_2 x^2 + a_3 x^3 + \dots + a_{(k-1)} x^{(k-1)}$ The APK Parsing algorithm is NP type. Because we can get and verify the solution set. Hence the problem statement involving it are NP-Complete.

8.3 Risk Identification

For risks identification, a review of the scope document, requirements specifications, and schedule is done. Answers to the questionnaire revealed some risks. Each risk is categorized as per the categories. Please refer table for all the risks. You can be referred the following risk identification questionnaire.

i) Have top software and customer managers formally committed to supporting the project?

YES

ii) Are end-users enthusiastically committed to the project and the system/product to be built?

YES

iii) Are requirements fully understood by the software engineering team and its customers?

YES

iv) Have customers been involved fully in the definition of requirements?

YES

v) Do end-users have realistic expectations?

Partial

vi) Does the software engineering team have the right mix of skills?

YES

vii) Are project requirements stable?

YES

viii) Is the number of people on the project team adequate to do the job?

YES

ix) Do all customer/user constituencies agree on the importance of the project and on the requirements for the system/product to be built?

YES

8.4 Project Task Set

Major Tasks in the Project stages are:

- i) Task 1: To develop the problem under consideration and justify feasibility using concepts of knowledge canvas and IDEA matrix.
- ii) Task 2: Project problem statement feasibility assessment using NP-Hard, NP-Complete or satisfiability issues using modern algebra and/or relevant mathematical models.
- iii) Task 3: Use of divide and conquer strategies to exploit distributed/parallel/concurrent processing of the above to identify objects, morphisms, overloading in functions (if any), and functional relations and any other dependencies (as per requirements).
- iv) Task 4: Use of above to draw functional dependency graphs and relevant Software modelling methods, techniques including UML diagrams or other necessities using appropriate tools.
- v) Task 5: Testing of project problem statement using generated test data (using mathematical models, GUI, Function testing principles, if any) selection and appropriate use of testing tools, testing of UML diagram's reliability.

Chapter 9

SOFTWARE TESTING

9.1 Types Of Testings

9.1.1 Unit testing

Unit testing involves the design of test cases that validate that the internal program logic is functioning properly and that program inputs produce valid outputs. All decision branches and internal code flow should be validated. It is the testing of individual software units of the application. It is done after the completion of an individual unit before integration. This is a structural testing, that relies on knowledge of its construction and is invasive. Unit tests perform basic tests at the component level and test a specific business process, application, and/or system configuration. Unit tests ensure that each unique path of a business process performs accurately to the documented specifications and contains clearly defined inputs and expected results.

9.1.2 Integration testing

Integration tests are designed to test integrated software components to determine if they actually run as one program. Testing is event-driven and is more concerned with the basic outcome of screens or fields. Integration tests demonstrate that although the components were individually satisfactory, as shown by successful unit testing, the combination of components is correct and consistent. Integration testing is specifically aimed at exposing the problems that arise from the combination of components.

9.1.3 Functional test

Functional tests provide systematic demonstrations that functions tested are available as specified by the business and technical requirements, system documentation, and user manuals.

Functional testing is centered on the following items:

Valid Input : identified classes of valid input must be accepted.

Invalid Input : identified classes of invalid input must be rejected.

Functions : identified functions must be exercised.

Output : identified classes of application outputs must be exercised.

Systems/Procedures: interfacing systems or procedures must be invoked.

Organization and preparation of functional tests is focused on requirements, key functions, or special test cases. In addition, systematic coverage pertaining to identify Business process flows; data fields, predefined processes, and successive processes must be considered for testing. Before functional testing is complete, additional tests are identified and the effective value of current tests is determined.

9.1.4 System Test

System testing ensures that the entire integrated software system meets requirements. It tests a configuration to ensure known and predictable results. An example of system testing is the configuration oriented system integration test. System testing is based on process descriptions and flows, emphasizing pre-driven process links and integration points.

9.1.5 White Box Testing

White Box Testing is a testing in which the software tester has knowledge of the inner workings, structure and language of the software, or at least its purpose. It is used to test areas that cannot be reached from a black box level.

9.1.6 Black Box Testing

Black Box Testing is testing the software without any knowledge of the inner workings, structure or language of the module being tested. Black box tests, as most other kinds of tests, must be written from a definitive source document, such as specification or requirements document, such as specification or requirements document. It is a testing in which the software under test is treated, as a black box .you cannot “see” into it. The test provides inputs and responds to outputs without considering how the software works.

9.1.7 Unit Testing:

Unit testing is usually conducted as part of a combined code and unit test phase of the software lifecycle, although it is not uncommon for coding and unit testing to be conducted as two distinct phases.

9.1.8 Integration Testing

Software integration testing is the incremental integration testing of two or more integrated software components on a single platform to produce failures caused by interface defects. The task of the integration test is to check that components or software applications, e.g. components in a software system or – one step up – software applications at the company level – interact without error.

9.1.9 Acceptance Testing

User Acceptance Testing is a critical phase of any project and requires significant participation by the end user. It also ensures that the system meets the functional requirements. Test Results: All the test cases mentioned above passed successfully. No defects encountered.

9.2 Test cases and Test Results

Testing of project problem statement using generated test data (using mathematical models, GUI, Function testing principles, if any) selection and appropriate use of testing tools, testing of UML diagram's reliability.

Module-ID:-01

Modules to be tested:-Registration

1. Enter the case insensitive Username click on Submit button.

Expected: It should display error.

2. Enter the case sensitive Username click on Submit button.

Expected: It should accept.

3. Enter the case insensitive Password click on Submit button.

Expected: It should display error.

4. Enter the case sensitive Password click on Submit button.

Expected: It should accept.

5. Enter the case insensitive Mobile Number click on Submit button.

Expected: It should display error.

6. Enter the case sensitive Mobile Number click on Submit button.

Expected: It should accept.

7. Enter the wrong address and click on Submit button.

Expected: It should display error.

8. Enter the correct address and click on Submit button.

Expected: It should accept.

Module-ID:-2

Modules to be tested:- Login

1. Enter the correct username and wrong password click on Submit button.

Expected: It should display error.

2. Enter the wrong username and correct password and click on Submit button.

Expected: It should display error.

3. Enter the correct username and password and click on Login button.

Expected: It should display welcome page.

4. After login with valid credentials click on back button.

Expected: The page should be expired.

5. After login with valid credentials copy the URL and paste in another browser.

Expected: It should not display the user's welcome page.

6. Check the password with Lower case and upper case.

Expected: Password should be case sensitive.

Test Case_ID	Description	Test case I/P	Actual Result	Expected result	Test case criteria (P/F)
101	Enter the case insensitive Username click on Submit button.	Username	Error comes	Error Should come	P
102	Enter the case sensitive Username click on Submit button.	Username	Accept	Accept Username	P
201	Enter the case insensitive Password click on Submit button.	Password	Error comes	Error Should come	P
202	Enter the case sensitive Password click on Submit button	Password	Accept	Accept	P
301	Enter the case insensitive Mobile Number click on Submit button	Mobile Number	Error comes	Error Should come	P
302	Enter the case sensitive Mobile Number click on Submit button.	Mobile Number	Accept	Accept	P

Table 9.1: Test Cases

Test Case_ID	Description	Test case I/P	Actual Result	Expected result	Test case criteria (P/F)
001	Enter the correct username and wrong password click on Login button.	Username Password	Error comes	Error Should come	P
002	Enter the wrong username and correct password click on Login button,	Username Password	Error comes	Error Should come	P
003	Enter the correct username and password and click on Login button.	Username Password	Accept	Accept	P


Table 9.2: Test Cases

Chapter 10


RESULTS

10.1 Screen Shots



10.1.1 Home Module





10.1.2 Supplier Module






10.1.3 Manufacturer Module




10.1.4 Distributor Module



10.1.5 Pharmacy Module



10.1.6 Admin Module





A screenshot of a web browser window titled "Drug Traceability". The URL is "localhost:8080/DrugTrace/ViewBatchDetails.jsp". The page has a teal header with the title "DRUG TRACEABILITY" and navigation links for Home, View Profile, View Notifications, and a welcome message "Welcome Swapnil Rajendra Take". The main content area is titled "Batch Details" and contains a table showing two rows of batch information. The table columns are: Name, Address, Email, Batch Code, Batch Name, Manufacturing Date, Expiry Date, Price, Weight, Quantity, and Email.

Name	Address	Email	Batch Code	Batch Name	Manufacturing Date	Expiry Date	Price	Weight	Quantity	Email
Manu	Pune	manu@gmail.com	1717973518	CrocinBatch	2023-05-16	2023-05-27	1000	500gm	100	manu@gmail.com
Swapnil Rajendra Take	Newasa	swapniltake1@outlook.com	1595656294	aaa	2023-05-15	2025-09-23	100000	100KG	75240	swapniltake1@outlook.com



10.1.7 Patients Module



Chapter 11

ADVANTAGES

11.1 Advantages

- i) We propose a blockchain-based solution for the pharmaceutical supply chain that provides security, traceability, immutability, and accessibility of data provenance for pharmaceutical drugs.
- ii) We design a smart contract capable of handling various transactions among pharmaceutical supply chain stakeholders.
- iii) We present, implement and test the smart contract that defines the working principles of our proposed solution.
- iv) We conduct security and cost analysis to evaluate the performance of the proposed blockchain-based solution.

Chapter 12

APPLICATIONS

12.1 Applications

- i) Medical Application
- ii) Healthcare Application

Chapter 13

DISCUSSION

13.1 Strengths and Weaknesses

The blockchain-based drug traceability system developed using Java has several strengths. Firstly, it provides a decentralized and tamper-proof ledger, ensuring the integrity and transparency of drug supply chain data. This enhances trust and accountability among stakeholders, including pharmaceutical companies, regulatory authorities, and consumers. Secondly, the system offers enhanced security and privacy features, protecting sensitive information while still allowing authorized access. Thirdly, the system leverages the scalability and robustness of blockchain technology, ensuring the efficient management of a large volume of drug traceability data.

However, there are also certain weaknesses of the system that need to be addressed. One major concern is the scalability of blockchain networks, as the system's performance may degrade as the number of transactions and participants increases. This can lead to slower transaction times and higher costs. Additionally, the energy consumption associated with blockchain technology is a significant consideration, as it requires substantial computational power and contributes to environmental impact. Furthermore, the complexity of blockchain implementation and the learning curve associated with understanding its principles and functionalities may pose challenges for adoption and integration into existing systems.

13.2 Limitations of System

The real-world deployment of the blockchain-based drug traceability system faces several limitations and constraints. Firstly, regulatory and legal frameworks may not be fully supportive or well-defined, making it challenging to ensure compliance and acceptance of the system across different jurisdictions. Additionally, interoperability with existing systems and technologies used in the pharmaceutical industry can be a constraint, as integration efforts and data exchange standards need to be established. The system's reliance on internet connectivity and infrastructure is also a potential limitation, particularly in regions with limited technological infrastructure or unstable network conditions.

Furthermore, the system's implementation cost and resource requirements can be a significant constraint, especially for smaller pharmaceutical companies or regions with limited financial resources. Moreover, the participation and cooperation of all stakeholders in the drug supply chain, including manufacturers, distributors, pharmacists, and regulatory bodies, are crucial for the system's effectiveness. Resistance to change and lack of collaboration among stakeholders can impede the successful deployment and adoption of the system.

13.3 Potential Future Enhancements

There are several areas for potential future enhancements and extensions to the blockchain-based drug traceability system. Firstly, integrating Internet of Things (IoT) devices and sensors can enhance real-time tracking and monitoring of drug shipments, providing more accurate and comprehensive data. This can further improve supply chain transparency and efficiency. Additionally, incorporating smart contracts into the system can automate contract execution and enforcement, streamlining processes and reducing administrative burdens.

13.4 Ethical Considerations In Drug Traceability

The use of blockchain technology in drug traceability raises important ethical considerations. One such consideration is the privacy and security of patients' personal information contained within the blockchain. Safeguards must be in place to ensure that sensitive data is handled appropriately, with access restricted to authorized parties and in compliance with data protection regulations. Additionally, the system must consider the ethical implications of data ownership and control, ensuring that patients have control over their own data and can provide informed consent for its use

CONCLUSION

In this system, we have investigated the challenge of drug traceability within pharmaceutical supply chains highlighting its significance especially to protect against counterfeit drugs. We have developed and evaluated a blockchain-based solution for the pharmaceutical supply chain to track and trace drugs in a decentralized manner. Specifically, our proposed solution leverages cryptographic fundamentals underlying blockchain technology to achieve tamper-proof logs of events within the supply chain and utilizes smart contracts within Ethereum blockchain to achieve automated recording of events that are accessible to all participating stakeholders.

References

1. F. Jamil, L. Hang, K. Kim, and D. Kim, “A novel medical blockchain model for drug supply chain integrity management in a smart hospital,” *Electronics*, vol. 8, p. 505, Apr. 2019, doi: 10.3390/electronics8050505.
2. Y. Huang, J.Wu, and C. Long, “Drugledger: A practical blockchain system for drug traceability and regulation,” in Proc. IEEE Conf. Internet Things, Jul./Aug. 2018, pp. 1137–1144.
3. S. Delgado-Segura, C. Pérez-Solà, G. Navarro-Arribas, and J. Herrera-Joancomartí, “Analysis of the bitcoin UTXO set,” in *Financial Cryptography and Data Security (Lecture Notes in Computer Science)*, vol. 10958, A. Zohar, Ed. Berlin, Germany: Springer, 2019, pp. 78–91.
4. K. M. Khan, J. Arshad, and M. M. Khan, “Investigating performance constraints for blockchain based secure e-voting system,” *Future Gener. Comput. Syst.*, vol. 105, pp. 13–26, Apr. 2020.
5. D. Vujicic, D. Jagodic, and S. Randic, “Blockchain technology, bitcoin, and Ethereum: A brief overview,” in Proc. 17th Int. Symp. Infoteh- Jahorina (INFOTEH), East Sarajevo, Srpska, Mar. 2018, pp. 1–6, doi: 10.1109/INFOTEH.2018.8345547.
6. . Jiang, J. Cao, H. Wu, Y. Yang, M. Ma, and J. He, “BlochIE: A blockchain- based platform for healthcare information exchange,” in Proc. IEEE Int. Conf. Smart Comput. (SMARTCOMP), Jun. 2018, pp. 49–56.
7. W. J. Gordon and C. Catalini, “Blockchain technology for healthcare: Facilitating the transition to patient-driven interoperability,” *Comput. Struct. Biotechnol J.*, vol. 16, pp. 224–230, 2018.
8. Anjia yang, Wei Lu, Yue Zhang, Lin Hou” CrowdBC: A Blockchain-based Decentralized a Framework for Crowdsourcing” *IEEE* , vol. 7, May.2018.
9. S. Wang, Y. Zhang, and Y. Zhang, “A blockchain-based framework for data sharing with fine-grained access control in decentralized storage systems,” *IEEE Access*, vol. 6, pp. 38437–38450, Jun.2018.

10. M. Steichen, R. Norvill, B. F. Pontiveros, and W. Shbair, “Blockchainbased, de-centralized access control for IPFS,” in Proc. IEEE Blockchain, Jul. 2018, pp. 1499–1506.