ASSIGNMENT 2

Name: Swapnonil Banerjee
Domain: AI/ML
Assignment

Aim of the Assignment

The aim of this assignment is to create two tables in MySQL and perform conditional operations using **WHERE** clause with **AND, OR, NOT**, along with **ORDER BY** and **LIKE** operators.

Database Creation

Command:

CREATE DATABASE college_db;

```
CREATE DATABASE college_db;
```

Output:

```
MySQL  localhost:33060+ ssl  SQL > CREATE DATABASE college_db;
Query OK, 1 row affected (0.0291 sec)
```

Use Database Command

Command:

USE college_db;

```
USE college_db;
```

Output:

```
Default schema set to `college_db`.
```

Table Creation

Table 1: Students

ASSIGNMENT 2

Command:

```
CREATE TABLE Students(
        student_id INT PRIMARY KEY,
        name VARCHAR(50),
        AGE INT,
        city VARCHAR(50)
    );
```



Output:

Table 2: Courses

Command:

```
CREATE TABLE Courses(
    course_id INT PRIMARY KEY,
```

ASSIGNMENT 2

course_name VARCHAR(50),

duration INT

);



```
MySQL  localhost:33060+ ssl  college_db  SQL > CREATE TABLE Courses (
                                            ->     course_id INT PRIMARY KEY,
                                            ->     course_name VARCHAR(50),
                                            ->     duration INT
                                            -> );
```

Output:

```
Query OK, 0 rows affected (0.0464 sec)
```

Inserting Data into Students Tables

Command:

INSERT INTO Students VALUES

(1, 'Amit', 21, 'Mumbai'),

(2, 'Neha', 22, 'Pune'),

ASSIGNMENT 2

(3, 'Rohit', 20, 'Delhi'),

(4, 'Nisha', 23, 'Mumbai');



Output:

Insert Data into Courses Table

Command:

INSERT INTO Courses VALUES

(101, 'Data Science', 6),

(102, 'Web Development', 4),

(103, 'AI and ML', 8);

ASSIGNMENT 2

```
MySQL  localhost:33060+ ssl  college_db  SQL > INSERT INTO Courses VALUES
                                            -> (101, 'Data Science', 6),
                                            -> (102, 'Web Development', 4),
                                            -> (103, 'AI and ML', 8);
```

Output:

```
Query OK, 3 rows affected (0.0084 sec)
```

Display Students Table

Command:

SELECT * FROM Students;

```
MySQL  localhost:33060+ ssl  college_db  SQL > SELECT * FROM Students;
```

ASSIGNMENT 2

Output:

```
+------------+--------+-----+--------+
| student_id | name   | AGE | city   |
+------------+--------+-----+--------+
|          1 | Amit   |  21 | Mumbai |
|          2 | Neha   |  22 | Pune   |
|          3 | Rohit  |  20 | Delhi  |
|          4 | Nisha  |  23 | Mumbai |
+------------+--------+-----+--------+
4 rows in set (0.0028 sec)
```

SQL Operations

WHERE Clause using AND

Command:

SELECT * FROM Students

WHERE AGE > 21 AND city = 'Mumbai';

```
MySQL  localhost:33060+ ssl  college_db  SQL > SELECT * FROM Students
                                             -> WHERE AGE > 21 AND city = 'Mumbai';
```

Output:

ASSIGNMENT 2

```
+------------+-------+-----+--------+
| student_id | name  | AGE | city   |
+------------+-------+-----+--------+
|          4 | Nisha |  23 | Mumbai |
+------------+-------+-----+--------+
1 row in set (0.0013 sec)
```

WHERE Clause using OR

Command:

SELECT * FROM Students

WHERE city = 'Mumbai' OR city = 'Pune';

```
MySQL  localhost:33060+ ssl  college_db  SQL > SELECT * FROM Students
                                          -> WHERE city = 'Mumbai' OR city = 'Pune';
```

Output:

ASSIGNMENT 2

```
+------------+-------+-----+--------+
| student_id | name  | AGE | city   |
+------------+-------+-----+--------+
|          1 | Amit  |  21 | Mumbai |
|          2 | Neha  |  22 | Pune   |
|          4 | Nisha |  23 | Mumbai |
+------------+-------+-----+--------+
3 rows in set (0.0012 sec)
```

WHERE Clause using NOT

Command:

SELECT * FROM Students

WHERE NOT city = 'Delhi';

```
MySQL  localhost:33060+ ssl  college_db  SQL > SELECT * FROM Students
                                          -> WHERE NOT city = 'Delhi';
```

Output:

ASSIGNMENT 2

```
+------------+-------+-----+--------+
| student_id | name  | AGE | city   |
+------------+-------+-----+--------+
|          1 | Amit  |  21 | Mumbai |
|          2 | Neha  |  22 | Pune   |
|          4 | Nisha |  23 | Mumbai |
+------------+-------+-----+--------+
3 rows in set (0.0014 sec)
```

ORDER BY Clause

Command:

SELECT * FROM Students

ORDER BY AGE ASC;

```
MySQL  localhost:33060+ ssl  college_db  SQL > SELECT * FROM Students
                                            -> ORDER BY AGE ASC;
```

Output:

ASSIGNMENT 2

```
+------------+--------+-----+--------+
| student_id | name   | AGE | city   |
+------------+--------+-----+--------+
|          3 | Rohit  |  20 | Delhi  |
|          1 | Amit   |  21 | Mumbai |
|          2 | Neha   |  22 | Pune   |
|          4 | Nisha  |  23 | Mumbai |
+------------+--------+-----+--------+
4 rows in set (0.0013 sec)
```

LIKE Operator

Command:

SELECT * FROM Students

WHERE name LIKE 'N%';

```
MySQL  localhost:33060+ ssl  college_db  SQL > SELECT * FROM Students
                                            -> WHERE name LIKE 'N%';
```

Output:

```
+------------+--------+-----+--------+
| student_id | name   | AGE | city   |
+------------+--------+-----+--------+
|          2 | Neha   |  22 | Pune   |
|          4 | Nisha  |  23 | Mumbai |
+------------+--------+-----+--------+
2 rows in set (0.0016 sec)
```

ASSIGNMENT 2

Conclusion

Thus, the MySQL database was successfully created and various conditional operations such as **WHERE, AND, OR, NOT, ORDER BY**, and **LIKE** were executed successfully using SQL queries.