### **Outline of the Talk**

1 Part 1: Preliminaries of Python

Part 2: Scientific Libraries

3 Part 3: Object Oriented Programming

# **Programming in Practice: Simulations**

- We typically use simulations to understand the performance/behavior of a system
- Examples:
  - 1. manufacturing process simulation
  - 2. stock market simulation
  - 3. statistical processes simulation

# **Programming in Practice: Simulations**

- We typically use simulations to understand the performance/behavior of a system
- Examples:
  - 1. manufacturing process simulation
  - 2. stock market simulation
  - 3. statistical processes simulation
- Typical steps of simulation:
  - Create a computational environment that mimics the real world
  - Generate (synthetic) or load data from sources
  - Test hypotheses

# **Programming in Practice: Simulations**

- We typically use simulations to understand the performance/behavior of a system
- Examples:
  - 1. manufacturing process simulation
  - 2. stock market simulation
  - 3. statistical processes simulation
- Typical steps of simulation:
  - Create a computational environment that mimics the real world
  - Generate (synthetic) or load data from sources
  - Test hypotheses
- Examples:
  - 1. simulating a 2D random walk
  - 2. simulation of a discrete random variable

Why do we need an object-oriented code?

• Purpose: reuse a code that we need quite often

Why do we need an object-oriented code?

- Purpose: reuse a code that we need quite often
- data and function/method bound together, e.g., a list
  - list instance 1, method 1.append() or 1.sort()
  - ▶ when the object is passed, the methods are passed too

Why do we need an object-oriented code?

- Purpose: reuse a code that we need quite often
- data and function/method bound together, e.g., a list
  - list instance 1, method 1.append() or 1.sort()
  - when the object is passed, the methods are passed too
  - object is an instance of a class

#### Why do we need an object-oriented code?

- Purpose: reuse a code that we need quite often
- data and function/method bound together, e.g., a list
  - list instance 1, method 1.append() or 1.sort()
  - when the object is passed, the methods are passed too
  - object is an instance of a class
  - example: class rectangle, create an object of class rectangle, has parameters/data length and height, function of that data is area, longer side, shorter side, length of diagonal, area of the largest ellipse inscribed inside it

#### Why do we need an object-oriented code?

- Purpose: reuse a code that we need quite often
- data and function/method bound together, e.g., a list
  - list instance 1, method 1.append() or 1.sort()
  - when the object is passed, the methods are passed too
  - object is an instance of a class
  - example: class rectangle, create an object of class rectangle, has parameters/data length and height, function of that data is area, longer side, shorter side, length of diagonal, area of the largest ellipse inscribed inside it

abstract data types – defined by a class

#### Why do we need an object-oriented code?

- Purpose: reuse a code that we need quite often
- data and function/method bound together, e.g., a list
  - list instance 1, method 1.append() or 1.sort()
  - when the object is passed, the methods are passed too
  - object is an instance of a class
  - example: class rectangle, create an object of class rectangle, has parameters/data length and height, function of that data is area, longer side, shorter side, length of diagonal, area of the largest ellipse inscribed inside it
- abstract data types defined by a class
- object: collection of data and function, as defined in the class

#### Why do we need an object-oriented code?

- Purpose: reuse a code that we need quite often
- data and function/method bound together, e.g., a list
  - list instance 1, method 1.append() or 1.sort()
  - when the object is passed, the methods are passed too
  - object is an instance of a class
  - example: class rectangle, create an object of class rectangle, has parameters/data length and height, function of that data is area, longer side, shorter side, length of diagonal, area of the largest ellipse inscribed inside it
- abstract data types defined by a class
- object: collection of data and function, as defined in the class
- Example: simulation of LUDO game

# Simulation using OOP

• discrete random variable with finite state space

# Simulation using OOP

- discrete random variable with finite state space
- define the class of discrete random variables
- an instance of the class is a random variable, which has a distribution probability masses

# Simulation using OOP

- discrete random variable with finite state space
- define the class of discrete random variables
- an instance of the class is a random variable, which has a distribution probability masses

### how to draw a random variable of a given distribution

• inverse CDF method – true for discrete random variable too

# **Summary**

#### This series of lectures discussed

- The basic syntaxes of python and its standard data types, loops and conditionals
- some implementations of numerical techniques

## **Summary**

#### This series of lectures discussed

- The basic syntaxes of python and its standard data types, loops and conditionals
- some implementations of numerical techniques
- Four important set of scientific libraries

### Summary

#### This series of lectures discussed

- The basic syntaxes of python and its standard data types, loops and conditionals
- some implementations of numerical techniques
- Four important set of scientific libraries
- Object-oriented programming in python

### References

• [online course materials] Python for scientific computing, by Swaprava Nath: http://scientificcomputing.is-great.net/

• **[book]** Introduction to Computation and Programming using Python, by John Guttag, Prentice Hall of India.

• [online course materials] Lectures in Quantitative Economics, Thomas J. Sargent and John Stachurski:

https://lectures.quantecon.org/py/index.html