

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (1.00)	SurroundingEnvironment	-1.39	[CLS] A passenger aircraft is nearby. [SEP]
				[CLS] Fly with caution[SEP]
				[CLS] Account not logged in.[SEP]
Normal	Normal (1.00)	Normal	1.61	[CLS] Flight altitude and distance restricted to nnn and nnn. [SEP]
				[CLS] Check and log in[SEP]
				[CLS] ActiveTrack Flight Paused[SEP]
ParamViolation	ParamViolation (0.91)	ParamViolation	2.07	[CLS] Aircraft ActiveTrack available at max speed.[SEP]
				[CLS] Obstacle Avoidance is not available[SEP]
				[CLS] Aircraft ActiveTrack available at max speed.[SEP]
Normal	Normal (1.00)	Normal	2.26	[CLS] When exceeding nnn, Obstacle Avoidance is not available[SEP]
				[CLS] Aircraft ActiveTrack max speed of nnn and Obstacle Avoidance functions normally[SEP]
				[CLS] Aircraft Core Board Overheated[SEP]
Normal	Normal (1.00)	Normal	1.91	[CLS] Aircraft entered Fixed-Wing Mode.[SEP]
				[CLS] Current
Normal	Normal (1.00)	Normal	2.25	
Normal	Normal (1.00)	Normal	1.82	
Normal	Normal (1.00)	Normal	2.25	
Normal	Normal (1.00)	Normal	2.16	
HardwareFault	HardwareFault (1.00)	HardwareFault	1.66	
Normal	Normal (1.00)	Normal	2.14	

Normal	Normal (1.00)	Normal	1.33	flight speed is nnn. [SEP]
Normal	Normal (1.00)	Normal	2.07	[CLS] Press C2 to exit[SEP]
Normal	Normal (1.00)	Normal	1.24	[CLS] Aircraft flight control unlocked[SEP]
RegulationViolation	RegulationViolation (0.64)	RegulationViolation	0.41	[CLS] Aircraft in Restricted Zones. [SEP]
Normal	Normal (1.00)	Normal	2.15	[CLS] Check map to find Recommended Zones[SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] Aircraft is in Attitude mode, so that it will not hover.[SEP]
Normal	Normal (1.00)	Normal	1.94	[CLS] Please fly with caution.[SEP]
Normal	Normal (1.00)	Normal	1.27	[CLS] Aircraft is in Tripod Mode.[SEP]
Normal	Normal (1.00)	Normal	2.10	[CLS] Exit this mode and try again[SEP]
Normal	Normal (1.00)	Normal	1.62	[CLS] Aircraft is returning to the starting point[SEP]
ParamViolation	ParamViolation (1.00)	ParamViolation	2.53	[CLS] Aircraft out of Range[SEP]
RegulationViolation	RegulationViolation (1.00)	RegulationViolation	1.91	[CLS] Approaching a No-Fly Zone. [SEP]
Normal	Normal (1.00)	Normal	1.79	[CLS] RTH may be affected.[SEP]
Normal	Normal (1.00)	Normal	1.61	[CLS] Fly with caution[SEP]
Normal	Normal (1.00)	Normal	1.94	[CLS] Arrived at Start Point.[SEP]
Normal	Normal (1.00)	Normal	2.23	[CLS] Starting Waypoint Mission[SEP]
Normal	Normal (1.00)	Normal	1.63	[CLS] Auto landing initiated[SEP]
Normal	Normal (1.00)	Normal	2.04	[CLS] Auxiliary Bottom Light turned off[SEP]
				[CLS] Backward

SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.54	Obstacle Sensing is not functioning.[SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.15	[CLS] Battery cell broken, please replace the battery[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	2.17	[CLS] Battery error.[SEP]
Normal	Normal (1.00)	Normal	1.69	[CLS] Aircraft returning to home automatically[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.97	[CLS] Battery power low.[SEP]
Normal	Normal (1.00)	Normal	2.32	[CLS] Check battery status and charge or warm up battery[SEP]
HardwareFault	HardwareFault (0.62)	HardwareFault	0.44	[CLS] Cache Space Full[SEP]
SurroundingEnvironment	SurroundingEnvironment (0.39)	SurroundingEnvironment	0.58	[CLS] Calibration subject is too close.[SEP]
Normal	Normal (1.00)	Normal	2.30	[CLS] Recalibrate using a subject that is farther away[SEP]
HardwareFault	HardwareFault (0.98)	HardwareFault	0.80	[CLS] Camera busy, cannot enter playback[SEP]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.73	[CLS] Cannot enable Intelligent Flight Mode[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	0.84	[CLS] Low Battery[SEP]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.61	[CLS] Cannot start Return to Home due to weak GPS signal[SEP]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.62	[CLS] Cannot start Self-Timer.[SEP]
SoftwareFault	HardwareFault (0.49)	SoftwareFault	-0.89	[CLS] Exposure time is too long[SEP]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.32	[CLS] Cannot switch flight mode.[SEP]
				[CLS] Turn on "Multiple Flight

Normal	Normal (1.00)	Normal	3.00	Modes" to enable Atti and Sport Modes.[SEP]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.52	[CLS] Cannot track subject[SEP]
SurroundingEnvironment	SoftwareFault (0.97)	SurroundingEnvironment	-1.13	[CLS] No image[SEP]
Normal	Normal (1.00)	Normal	1.79	[CLS] Please retry[SEP]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.52	[CLS] Cannot track subject[SEP]
SurroundingEnvironment	SoftwareFault (1.00)	SurroundingEnvironment	-1.11	[CLS] Subject too Large[SEP]
Normal	Normal (1.00)	Normal	2.04	[CLS] Move Away and retry[SEP]
Normal	Normal (1.00)	Normal	2.39	[CLS] Color display in the Liveview has been enhanced.[SEP]
Normal	Normal (1.00)	Normal	2.70	[CLS] Videos and photos will still be shot in D-Log mode[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.89	[CLS] Compass abnormal.[SEP]
Normal	Normal (1.00)	Normal	2.10	[CLS] Solution: 1. Ensure there are no magnets or metal objects near the aircraft.[SEP]
Normal	Normal (1.00)	Normal	1.52	[CLS] The ground or walls may contain metal.[SEP]
Normal	Normal (1.00)	Normal	2.16	[CLS] Move away from sources of interference before attempting flight.[SEP]
Normal	Normal (0.98)	Normal	0.64	[CLS] 2. Calibrate Compass Before Takeoff[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.94	[CLS] Compass Error[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.24	[CLS] Compass error, calibration required[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.54	[CLS] Compass Error.[SEP]

HardwareFault	HardwareFault (1.00)	HardwareFault	1.54	[CLS] Compass Error.[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.71	[CLS] Compass disconnected[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.54	[CLS] Compass Error.[SEP]
SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	0.89	[CLS] Magnetic Filed Interference.[SEP]
Normal	Normal (1.00)	Normal	2.19	[CLS] Exit P-GPS Mode[SEP]
SoftwareFault	HardwareFault (1.00)	SoftwareFault	-0.32	[CLS] Compass initialization failed.[SEP]
Normal	Normal (1.00)	Normal	1.62	[CLS] Restart aircraft[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.15	[CLS] Critical low battery.[SEP]
Normal	Normal (0.97)	Normal	1.58	[CLS] Aircraft in Auto Power Off Protection.[SEP]
Normal	Normal (1.00)	Normal	1.58	[CLS] Forced landing in progress[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.15	[CLS] Critical low battery.[SEP]
Normal	Normal (1.00)	Normal	1.20	[CLS] Aircraft landing automatically[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.15	[CLS] Critical low battery.[SEP]
Normal	Normal (1.00)	Normal	2.04	[CLS] Return to home or land promptly[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.43	[CLS] Critically low power.[SEP]
Normal	HardwareFault (0.82)	Normal	0.52	[CLS] Aircraft is landing[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	1.52	[CLS] Critically Low Power.[SEP]
Normal	Normal (1.00)	Normal	1.32	[CLS] Aircraft Landing.[SEP]
Normal	Normal (1.00)	Normal	1.32	[CLS] Aircraft Landing.[SEP]
Normal	Normal (1.00)	Normal	2.46	[CLS] Throttle up to reduce the speed of descent and use sticks to

				avoid
				obstacles[SEP]
				[CLS] Critically
HardwareFault	HardwareFault (1.00)	HardwareFault	2.12	Low Voltage
				Warning.[SEP]
				[CLS] Aircraft will
Normal	HardwareFault (0.53)	Normal	0.45	be forced to
				land[SEP]
				[CLS] Critically
HardwareFault	HardwareFault (1.00)	HardwareFault	2.04	Low Voltage.[SEP]
				[CLS] Aircraft will
Normal	Normal (1.00)	Normal	1.04	land[SEP]
				[CLS] Data
Normal	Normal (1.00)	Normal	1.92	Recorder File
				Index is 15.[SEP]
				[CLS] Data
Normal	Normal (1.00)	Normal	1.63	Recorder File
				Index is 17.[SEP]
				[CLS] Data
Normal	Normal (1.00)	Normal	2.17	Recorder File
				Index is 30.[SEP]
				[CLS] Data
Normal	Normal (1.00)	Normal	1.61	Recorder File
				Index is 45.[SEP]
				[CLS] Data
Normal	Normal (1.00)	Normal	1.69	Recorder File
				Index is 46.[SEP]
				[CLS] Data
Normal	Normal (1.00)	Normal	2.02	Recorder File
				Index is 65.[SEP]
				[CLS] Disable SD
Normal	Normal (1.00)	Normal	2.07	card read and
				write protection or
				change card[SEP]
CommunicationIssue	CommunicationIssue (1.00)	CommunicationIssue	1.85	[CLS] Downlink
				Lost.[SEP]
				[CLS] Downlink
Normal	Normal (1.00)	Normal	2.90	Restored (after 0m
				2.9s).[SEP]
				[CLS] Drone is
Normal	Normal (1.00)	Normal	1.99	Vibrating[SEP]
				[CLS] Entered
Normal	Normal (1.00)	Normal	2.16	Cruise Control
				mode.[SEP]
				[CLS] Press C1 or
Normal	Normal (1.00)	Normal	1.73	C2 to exit[SEP]
				[CLS] Excessive
ParamViolation	HardwareFault (0.69)	ParamViolation	1.62	attitude angle
				detected[SEP]

SoftwareFault	Normal (1.00)	SoftwareFault	-1.39	[CLS] forward obstacle avoidance has stopped working[SEP]
Normal	Normal (1.00)	Normal	2.32	[CLS] Exit Backward Sensing system[SEP]
SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	2.02	[CLS] Ambient Light is too weak[SEP]
Normal	Normal (1.00)	Normal	1.74	[CLS] Exited Visual Avoidance System.[SEP]
SoftwareFault	SoftwareFault (0.99)	SoftwareFault	0.52	[CLS] Exiting GPS mode: Unknown Error[SEP]
ParamViolation	ParamViolation (1.00)	ParamViolation	1.57	[CLS] Extra payload detected.[SEP]
Normal	Normal (1.00)	Normal	1.89	[CLS] Flight performance will be affected.[SEP]
Normal	Normal (1.00)	Normal	1.61	[CLS] Fly with caution[SEP]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	2.28	[CLS] Forward Obstacle Sensing is not functioning.[SEP]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	0.95	[CLS] Forward Obstacle Sensing not Responding[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	2.59	[CLS] Gimbal motor overloaded.[SEP]
Normal	Normal (1.00)	Normal	1.93	[CLS] Check whether gimbal can rotate freely[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	2.87	[CLS] Gimbal Pitch Limit Reached.[SEP]
Normal	Normal (1.00)	Normal	1.57	[CLS] Ground Plain.[SEP]
Normal	Normal (1.00)	Normal	1.48	[CLS] Safe to Land.[SEP]
ParamViolation	ParamViolation (0.99)	ParamViolation	1.72	[CLS] High altitude.[SEP]
				[CLS] Aircraft

Normal	Normal (0.99)	Normal	1.19	braking distance increased and flight time decreased.[SEP]
Normal	Normal (1.00)	Normal	1.61	[CLS] Fly with caution[SEP]
SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	1.10	[CLS] High wind velocity.[SEP]
Normal	Normal (1.00)	Normal	2.17	[CLS] Ensure the aircraft remains within your line of sight and fly with caution.[SEP]
SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	1.10	[CLS] High wind velocity.[SEP]
Normal	Normal (1.00)	Normal	2.17	[CLS] Ensure the aircraft remains within your line of sight and fly with caution.[SEP]
SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	1.10	[CLS] High wind velocity.[SEP]
Normal	Normal (1.00)	Normal	2.57	[CLS] Fly with caution and land in a safe place ASAP.[SEP]
Normal	Normal (0.54)	Normal	0.92	[CLS] High-altitude flight[SEP]
Normal	Normal (1.00)	Normal	1.61	[CLS] Fly with caution[SEP]
Normal	ParamViolation (0.99)	Normal	0.66	[CLS] aircraft braking distance is extended[SEP]
Normal	Normal (0.44)	Normal	0.31	[CLS] flight time is shortened.[SEP]
Normal	Normal (1.00)	Normal	1.70	[CLS] Home Point Updated.[SEP]
ParamViolation	SoftwareFault (0.77)	ParamViolation	0.88	[CLS] IMU attitude restricted.[SEP]
Normal	Normal (0.98)	Normal	1.07	[CLS] Ensure aircraft is level[SEP]
SoftwareFault	Normal (1.00)	SoftwareFault	-0.02	[CLS] IMU not calibrated.[SEP]
Normal	Normal (1.00)	Normal	1.98	[CLS] Calibrate IMU[SEP]
				[CLS] Landing

Normal	Normal (1.00)	Normal	1.63	Canceled.[SEP]
Normal	Normal (1.00)	Normal	1.90	[CLS] Landing gear function restored[SEP]
Normal	Normal (1.00)	Normal	1.97	[CLS] Landing Gear Paused.[SEP]
Normal	Normal (1.00)	Normal	2.14	[CLS] Landing Gear Raising.[SEP]
Normal	Normal (1.00)	Normal	2.04	[CLS] Home Point Recorded[SEP]
Normal	Normal (0.44)	Normal	0.80	[CLS] Live stream video frame rate less than 9Hz.[SEP]
Normal	Normal (1.00)	Normal	1.61	[CLS] Fly with caution[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	0.95	[CLS] Low Power.[SEP]
Normal	Normal (1.00)	Normal	2.05	[CLS] Aircraft is returning to the Home Point.[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	0.95	[CLS] Low Power.[SEP]
Normal	Normal (1.00)	Normal	1.85	[CLS] Returning home.[SEP]
SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	0.89	[CLS] Magnetic Filed Interference.[SEP]
Normal	Normal (1.00)	Normal	2.13	[CLS] Exit P-GPS Mode.[SEP]
HardwareFault	HardwareFault (1.00)	HardwareFault	0.77	[CLS] Yaw Error.[SEP]
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	0.57	[CLS] Manned aircraft detected nearby.[SEP]
Normal	Normal (1.00)	Normal	1.61	[CLS] Fly with caution[SEP]
ParamViolation	Normal (0.99)	ParamViolation	0.50	[CLS] Max Altitude Approached.[SEP]
Normal	Normal (1.00)	Normal	1.70	[CLS] Wait for the GPS satellite signal recovery before ascend[SEP]
ParamViolation	ParamViolation (1.00)	ParamViolation	2.19	[CLS] Max Flight Altitude Reached.

				[SEP]
Normal	Normal (1.00)	Normal	2.25	[CLS] Adjust in Main Controller Settings if necessary.[SEP]
ParamViolation	ParamViolation (1.00)	ParamViolation	1.79	[CLS] Max Flight Distance Reached.[SEP]
Normal	Normal (1.00)	Normal	2.32	[CLS] Adjust in Main Controller Settings if necessary.[SEP]
ParamViolation	ParamViolation (1.00)	ParamViolation	2.19	[CLS] Maximum flight distance reached.[SEP]
Normal	Normal (1.00)	Normal	2.12	[CLS] Adjust the distance in MC Settings if required.[SEP]
HardwareFault	HardwareFault (0.90)	HardwareFault	1.36	[CLS] Mobile device CPU fully loaded.[SEP]
Normal	Normal (1.00)	Normal	1.58	[CLS] Related performance will be affected.[SEP]
SoftwareFault	Normal (1.00)	SoftwareFault	-2.39	[CLS] Mobile device version too old to support HD image transmission and the image transmission mode has been switch to normal mode.[SEP]
Normal	Normal (1.00)	Normal	2.18	[CLS] Motor is Blocked.[SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.35	[CLS] Motor stuck.[SEP]
Normal	Normal (1.00)	Normal	2.90	[CLS] Check for objects blocking motor or contact DJI Support for assistance[SEP]
Normal	Normal (1.00)	Normal	1.83	[CLS] Motors Started.[SEP]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.48	[CLS] No GPS signal.[SEP]
Normal	HardwareFault (0.96)	Normal	0.79	[CLS] Aircraft unable to hover.

				[SEP]
Normal	Normal (1.00)	Normal	1.61	[CLS] Fly with caution[SEP]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.48	[CLS] No GPS signal.[SEP]
Normal	HardwareFault (0.99)	Normal	0.64	[CLS] Unable to hover.[SEP]
Normal	Normal (1.00)	Normal	1.61	[CLS] Fly with caution[SEP]
Normal	Normal (1.00)	Normal	2.19	[CLS] Obstacle Avoidance Disabled.[SEP]
Normal	Normal (1.00)	Normal	2.09	[CLS] Landing gear lowered.[SEP]
Normal	Normal (1.00)	Normal	2.19	[CLS] Obstacle Avoidance Disabled.[SEP]
Normal	Normal (1.00)	Normal	1.48	[CLS] Obstacle Avoidance disabled.[SEP]
Normal	Normal (1.00)	Normal	2.09	[CLS] Landing gear lowered.[SEP]
Normal	Normal (1.00)	Normal	1.58	[CLS] Obstacle Avoidance has been disabled.[SEP]
Normal	Normal (1.00)	Normal	1.99	[CLS] Precision Landing[SEP]
Normal	Normal (1.00)	Normal	2.38	[CLS] QuickShot has ended[SEP]
Normal	Normal (1.00)	Normal	1.66	[CLS] Recenter Gimbal Pan[SEP]
Normal	Normal (1.00)	Normal	1.63	[CLS] Rectifying aircraft position[SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	0.79	[CLS] Remote controller in high interference environment.[SEP]
Normal	Normal (1.00)	Normal	2.63	[CLS] Manually adjust flight route or return to home[SEP]
Normal	Normal (1.00)	Normal	2.41	[CLS] Return-to-Home Altitude : 65FT[SEP]

Normal	Normal (1.00)	Normal	2.57	[CLS] Return-to-Home Altitude : 98FT.[SEP]
Normal	Normal (1.00)	Normal	2.44	[CLS] RTH : Ascending to RTH altitude.[SEP]
Normal	Normal (1.00)	Normal	1.54	[CLS] RTH : Heading alignment.[SEP]
Normal	Normal (1.00)	Normal	2.26	[CLS] RTH Altitude : 65FT.[SEP]
Normal	Normal (1.00)	Normal	2.00	[CLS] RTH Altitude : 98FT.[SEP]
CommunicationIssue	CommunicationIssue (0.99)	CommunicationIssue	1.90	[CLS] Signal Lost.[SEP]
Normal	Normal (1.00)	Normal	2.04	[CLS] Aircraft returning to Home Point[SEP]
Normal	Normal (1.00)	Normal	1.93	[CLS] Sprayer turned ON[SEP]
SurroundingEnvironment	SurroundingEnvironment (1.00)	SurroundingEnvironment	1.32	[CLS] Strong wind warning.[SEP]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.46	[CLS] Aircraft unable to return to home automatically.[SEP]
Normal	Normal (1.00)	Normal	2.70	[CLS] Lower altitude immediately and return to home manually[SEP]
Normal	Normal (1.00)	Normal	2.51	[CLS] Switched to S (Sport)-mode.[SEP]
Normal	Normal (1.00)	Normal	2.11	[CLS] Switched to T (Tripod)-mode.[SEP]
Normal	Normal (1.00)	Normal	1.86	[CLS] Take off in P-Mode[SEP]
SoftwareFault	HardwareFault (0.94)	SoftwareFault	0.08	[CLS] Vision sensor error.[SEP]
Normal	Normal (1.00)	Normal	2.15	[CLS] Contact DJI Support for assistance[SEP]
Normal	Normal (1.00)	Normal	1.84	[CLS] Vision systems and

Normal	Normal (1.00)	Normal	1.75	obstacle avoidance disabled[SEP]
				[CLS] Waypoint
				Mission
				Paused[SEP]
SoftwareFault	SoftwareFault (1.00)	SoftwareFault	1.48	[CLS] Weak GPS signal.[SEP]
Normal	Normal (1.00)	Normal	1.36	[CLS] Aircraft is in
				Attitude mode and
				hovering may be
				unstable.[SEP]
Normal	Normal (1.00)	Normal	1.67	[CLS] Fly with caution.[SEP]
CommunicationIssue	CommunicationIssue (1.00)	CommunicationIssue	1.17	[CLS] Weak signal.[SEP]
Normal	Normal (1.00)	Normal	1.02	[CLS] Adjust antennas[SEP]
RegulationViolation	RegulationViolation (1.00)	RegulationViolation	1.49	[CLS] Your aircraft
				is flying in an
				Altitude Zone
				(nnn).[SEP]
Normal	Normal (1.00)	Normal	1.77	[CLS] Please fly with caution[SEP]