| True Label | Predicted Label | Attribution Label | Attribution Score | Word Importance |
|---|---|---|---|---|
| SurroundingEnvironment | Normal (1.00) | SurroundingEnvironment | -1.39 | [CLS] A passenger aircraft is nearby. [SEP] |
| Normal | Normal (1.00) | Normal | 1.61 | [CLS] Fly with caution [SEP] |
| Normal | SoftwareFault (0.91) | Normal | 0.61 | [CLS] Account not logged in. [SEP] |
| ParamViolation | ParamViolation (0.98) | ParamViolation | 2.07 | [CLS] Flight altitude and distance restricted to nnn and nnn. [SEP] |
| Normal | Normal (1.00) | Normal | 2.26 | [CLS] Check and log in [SEP] |
| Normal | Normal (1.00) | Normal | 1.91 | [CLS] ActiveTrack Flight Paused [SEP] |
| Normal | Normal (1.00) | Normal | 2.25 | [CLS] Aircraft ActiveTrack available at max speed. [SEP] |
| Normal | Normal (1.00) | Normal | 1.82 | [CLS] Obstacle Avoidance is not available [SEP] |
| Normal | Normal (1.00) | Normal | 2.25 | [CLS] Aircraft ActiveTrack available at max speed. [SEP] |
| Normal | Normal (1.00) | Normal | 1.03 | [CLS] When exceeding nnn, Obstacle Avoidance is not available [SEP] |
| | | | | [CLS] Aircraft ActiveTrack max speed of |

| | | | | |
|---|---|---|---|---|
| Normal | Normal (1.00) | Normal | 2.16 | nnn and Obstacle Avoidance functions normally [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 1.66 | [CLS] Aircraft Core Board Overheated [SEP] |
| Normal | Normal (1.00) | Normal | 2.14 | [CLS] Aircraft entered Fixed-Wing Mode. [SEP] |
| Normal | Normal (1.00) | Normal | 1.33 | [CLS] Current flight speed is nnn. [SEP] |
| Normal | Normal (1.00) | Normal | 2.07 | [CLS] Press C2 to exit [SEP] |
| Normal | Normal (1.00) | Normal | 1.24 | [CLS] Aircraft flight control unlocked [SEP] |
| RegulationViolation | RegulationViolation (0.64) | RegulationViolation | 0.41 | [CLS] Aircraft in Restricted Zones. [SEP] |
| Normal | Normal (1.00) | Normal | 2.15 | [CLS] Check map to find Recommended Zones [SEP] |
| Normal | Normal (1.00) | Normal | 1.41 | [CLS] Aircraft is in Attitude mode, so that it will not hover. [SEP] |
| Normal | Normal (1.00) | Normal | 1.94 | [CLS] Please fly with caution. [SEP] |
| Normal | Normal (1.00) | Normal | 1.27 | [CLS] Aircraft is in Tripod Mode. [SEP] |
| Normal | Normal (1.00) | Normal | 2.10 | [CLS] Exit this mode and try again [SEP] |
| Normal | Normal (1.00) | Normal | 1.62 | [CLS] Aircraft is returning to the starting |

| | | | | |
|---|---|---|---|---|
| | | | | point [SEP] |
| ParamViolation | ParamViolation (1.00) | ParamViolation | 2.53 | [CLS] Aircraft out of Range [SEP] |
| RegulationViolation | RegulationViolation (1.00) | RegulationViolation | 1.91 | [CLS] Approaching a No-Fly Zone. [SEP] |
| Normal | Normal (1.00) | Normal | 1.79 | [CLS] RTH may be affected. [SEP] |
| Normal | Normal (1.00) | Normal | 1.61 | [CLS] Fly with caution [SEP] |
| Normal | Normal (1.00) | Normal | 1.94 | [CLS] Arrived at Start Point. [SEP] |
| Normal | Normal (1.00) | Normal | 2.23 | [CLS] Starting Waypoint Mission [SEP] |
| Normal | Normal (1.00) | Normal | 1.63 | [CLS] Auto landing initiated [SEP] |
| Normal | Normal (1.00) | Normal | 2.04 | [CLS] Auxiliary Bottom Light turned off [SEP] |
| SoftwareFault | SoftwareFault (1.00) | SoftwareFault | 1.54 | [CLS] Backward Obstacle Sensing is not functioning. [SEP] |
| HardwareFault | HardwareFault (0.99) | HardwareFault | 1.15 | [CLS] Battery cell broken, please replace the battery [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 2.17 | [CLS] Battery error. [SEP] |
| Normal | Normal (1.00) | Normal | 1.69 | [CLS] Aircraft returning to home automatically [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 1.97 | [CLS] Battery power low. |

| | | | | |
|---|---|---|---|---|
| Normal | Normal (1.00) | Normal | 2.32 | [CLS] Check battery status and charge or warm up battery [SEP] |
| HardwareFault | HardwareFault (0.62) | HardwareFault | 0.44 | [CLS] Cache Space Full [SEP] |
| SurroundingEnvironment | SurroundingEnvironment (0.39) | SurroundingEnvironment | 0.58 | [CLS] Calibration subject is too close. [SEP] |
| Normal | Normal (1.00) | Normal | 2.30 | [CLS] Recalibrate using a subject that is farther away [SEP] |
| HardwareFault | HardwareFault (0.98) | HardwareFault | 0.80 | [CLS] Camera busy, cannot enter playback [SEP] |
| SoftwareFault | SoftwareFault (1.00) | SoftwareFault | 1.73 | [CLS] Cannot enable Intelligent Flight Mode [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 0.84 | [CLS] Low Battery [SEP] |
| SoftwareFault | SoftwareFault (1.00) | SoftwareFault | 1.61 | [CLS] Cannot start Return to Home due to weak GPS signal [SEP] |
| SoftwareFault | SoftwareFault (1.00) | SoftwareFault | 1.62 | [CLS] Cannot start Self-Timer. [SEP] |
| SoftwareFault | HardwareFault (0.49) | SoftwareFault | -0.89 | [CLS] Exposure time is too long [SEP] |
| SoftwareFault | SoftwareFault (1.00) | SoftwareFault | 1.32 | [CLS] Cannot switch flight mode. [SEP] |
| | | | | [CLS] Turn on "Multiple |

| | | | | |
|---|---|---|---|---|
| Normal | Normal (1.00) | Normal | 3.00 | Flight Modes" to enable Atti and Sport Modes. [SEP] |
| SoftwareFault | SoftwareFault (1.00) | SoftwareFault | 1.52 | [CLS] Cannot track subject [SEP] |
| SurroundingEnvironment | SoftwareFault (0.97) | SurroundingEnvironment | -1.13 | [CLS] No image [SEP] |
| Normal | Normal (1.00) | Normal | 1.79 | [CLS] Please retry [SEP] |
| SoftwareFault | SoftwareFault (1.00) | SoftwareFault | 1.52 | [CLS] Cannot track subject [SEP] |
| SurroundingEnvironment | SoftwareFault (1.00) | SurroundingEnvironment | -1.11 | [CLS] Subject too Large [SEP] |
| Normal | Normal (1.00) | Normal | 2.04 | [CLS] Move Away and retry [SEP] |
| Normal | Normal (1.00) | Normal | 2.39 | [CLS] Color display in the Liveview has been enhanced. [SEP] |
| Normal | Normal (1.00) | Normal | 2.70 | [CLS] Videos and photos will still be shot in D-Log mode [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 1.89 | [CLS] Compass abnormal. [SEP] |
| Normal | Normal (1.00) | Normal | 2.10 | [CLS] Solution: 1. Ensure there are no magnets or metal objects near the aircraft. [SEP] |
| Normal | Normal (1.00) | Normal | 1.52 | [CLS] The ground or walls may contain metal. [SEP] |

| | | | | |
|---|---|---|---|---|
| Normal | Normal (1.00) | Normal | 2.16 | [CLS] Move away from sources of interference before attempting flight. [SEP] |
| Normal | Normal (0.98) | Normal | 0.64 | [CLS] 2. Calibrate Compass Before Takeoff [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 1.94 | [CLS] Compass Error [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 1.24 | [CLS] Compass error, calibration required [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 1.54 | [CLS] Compass Error. [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 1.54 | [CLS] Compass Error. [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 1.71 | [CLS] Compass disconnected [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 1.54 | [CLS] Compass Error. [SEP] |
| SurroundingEnvironment | SurroundingEnvironment (1.00) | SurroundingEnvironment | 0.89 | [CLS] Magnetic Filed Interference. [SEP] |
| Normal | Normal (1.00) | Normal | 2.19 | [CLS] Exit P-GPS Mode [SEP] |
| SoftwareFault | HardwareFault (1.00) | SoftwareFault | -0.32 | [CLS] Compass initialization failed. [SEP] |
| Normal | Normal (1.00) | Normal | 1.62 | [CLS] Restart aircraft [SEP] |

| | | | | |
|---|---|---|---|---|
| HardwareFault | HardwareFault (1.00) | HardwareFault | 1.15 | [CLS] Critical low battery. [SEP] |
| Normal | Normal (0.97) | Normal | 1.58 | [CLS] Aircraft in Auto Power Off Protection. [SEP] |
| Normal | Normal (1.00) | Normal | 1.58 | [CLS] Forced landing in progress [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 1.15 | [CLS] Critical low battery. [SEP] |
| Normal | Normal (1.00) | Normal | 1.20 | [CLS] Aircraft landing automatically [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 1.15 | [CLS] Critical low battery. [SEP] |
| Normal | Normal (1.00) | Normal | 2.04 | [CLS] Return to home or land promptly [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 1.43 | [CLS] Critically low power. [SEP] |
| Normal | HardwareFault (0.82) | Normal | 0.52 | [CLS] Aircraft is landing [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 1.52 | [CLS] Critically Low Power. [SEP] |
| Normal | Normal (1.00) | Normal | 1.32 | [CLS] Aircraft Landing. [SEP] |
| Normal | Normal (1.00) | Normal | 1.32 | [CLS] Aircraft Landing. [SEP] |
| Normal | Normal (1.00) | Normal | 2.46 | [CLS] Throttle up to reduce the speed of descent and use sticks to avoid obstacles [SEP] |

| | | | | |
|---|---|---|---|---|
| **HardwareFault** | **HardwareFault (1.00)** | **HardwareFault** | **2.12** | [CLS] Critically Low Voltage Warning. [SEP] |
| **Normal** | **HardwareFault (0.53)** | **Normal** | **0.45** | [CLS] Aircraft will be forced to land [SEP] |
| **HardwareFault** | **HardwareFault (1.00)** | **HardwareFault** | **2.04** | [CLS] Critically Low Voltage. [SEP] |
| **Normal** | **Normal (1.00)** | **Normal** | **1.04** | [CLS] Aircraft will land [SEP] |
| **Normal** | **Normal (1.00)** | **Normal** | **1.92** | [CLS] Data Recorder File Index is 15. [SEP] |
| **Normal** | **Normal (1.00)** | **Normal** | **1.63** | [CLS] Data Recorder File Index is 17. [SEP] |
| **Normal** | **Normal (1.00)** | **Normal** | **2.17** | [CLS] Data Recorder File Index is 30. [SEP] |
| **Normal** | **Normal (1.00)** | **Normal** | **1.61** | [CLS] Data Recorder File Index is 45. [SEP] |
| **Normal** | **Normal (1.00)** | **Normal** | **1.69** | [CLS] Data Recorder File Index is 46. [SEP] |
| **Normal** | **Normal (1.00)** | **Normal** | **2.02** | [CLS] Data Recorder File Index is 65. [SEP] |
| **Normal** | **Normal (1.00)** | **Normal** | **2.07** | [CLS] Disable SD card read and write protection or change card [SEP] |
| **CommunicationIssue** | **CommunicationIssue (1.00)** | **CommunicationIssue** | **1.85** | [CLS] Downlink Lost. [SEP] |
| | | | | [CLS] |

| | | | | |
|---|---|---|---|---|
| Normal | Normal (1.00) | Normal | 2.90 | Downlink Restored (after 0m 2.9s). [SEP] |
| Normal | Normal (1.00) | Normal | 1.99 | [CLS] Drone is Vibrating [SEP] |
| Normal | Normal (1.00) | Normal | 2.16 | [CLS] Entered Cruise Control mode. [SEP] |
| Normal | Normal (1.00) | Normal | 1.73 | [CLS] Press C1 or C2 to exit [SEP] |
| ParamViolation | HardwareFault (0.69) | ParamViolation | 1.62 | [CLS] Excessive attitude angle detected [SEP] |
| SoftwareFault | Normal (1.00) | SoftwareFault | -1.39 | [CLS] forward obstacle avoidance has stopped working [SEP] |
| Normal | Normal (1.00) | Normal | 2.32 | [CLS] Exit Backward Sensing system [SEP] |
| SurroundingEnvironment | SurroundingEnvironment (1.00) | SurroundingEnvironment | 2.02 | [CLS] Ambient Light is too weak [SEP] |
| Normal | Normal (1.00) | Normal | 1.74 | [CLS] Exited Visual Avoidance System. [SEP] |
| SoftwareFault | SoftwareFault (0.99) | SoftwareFault | 0.52 | [CLS] Exiting GPS mode: Unknown Error [SEP] |
| ParamViolation | ParamViolation (1.00) | ParamViolation | 1.57 | [CLS] Extra payload detected. [SEP] |
| Normal | Normal (1.00) | Normal | 1.89 | [CLS] Flight performance will be affected. [SEP] |
| Normal | Normal (1.00) | Normal | 1.61 | [CLS] Fly with |

| | | | | |
|---|---|---|---|---|
| | | | | caution [SEP] |
| SoftwareFault | SoftwareFault (1.00) | SoftwareFault | 2.28 | [CLS] Forward Obstacle Sensing is not functioning. [SEP] |
| SoftwareFault | SoftwareFault (1.00) | SoftwareFault | 0.95 | [CLS] Forward Obstacle Sensing not Responding [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 2.59 | [CLS] Gimbal motor overloaded. [SEP] |
| Normal | Normal (1.00) | Normal | 1.93 | [CLS] Check whether gimbal can rotate freely [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 2.87 | [CLS] Gimbal Pitch Limit Reached. [SEP] |
| Normal | Normal (1.00) | Normal | 1.57 | [CLS] Ground Plain. [SEP] |
| Normal | Normal (1.00) | Normal | 1.48 | [CLS] Safe to Land. [SEP] |
| ParamViolation | ParamViolation (0.99) | ParamViolation | 1.72 | [CLS] High altitude. [SEP] |
| Normal | Normal (0.99) | Normal | 1.19 | [CLS] Aircraft braking distance increased and flight time decreased. [SEP] |
| Normal | Normal (1.00) | Normal | 1.61 | [CLS] Fly with caution [SEP] |
| SurroundingEnvironment | SurroundingEnvironment (1.00) | SurroundingEnvironment | 1.10 | [CLS] High wind velocity. [SEP] |
| Normal | Normal (1.00) | Normal | 2.17 | [CLS] Ensure the aircraft remains within your |

| | | | | |
|---|---|---|---|---|
| | | | | line of sight and fly with caution. [SEP] |
| SurroundingEnvironment | SurroundingEnvironment (1.00) | SurroundingEnvironment | 1.10 | [CLS] High wind velocity. [SEP] |
| Normal | Normal (1.00) | Normal | 2.17 | [CLS] Ensure the aircraft remains within your line of sight and fly with caution. [SEP] |
| SurroundingEnvironment | SurroundingEnvironment (1.00) | SurroundingEnvironment | 1.10 | [CLS] High wind velocity. [SEP] |
| Normal | Normal (1.00) | Normal | 2.57 | [CLS] Fly with caution and land in a safe place ASAP. [SEP] |
| Normal | Normal (0.54) | Normal | 0.92 | [CLS] High-altitude flight [SEP] |
| Normal | Normal (1.00) | Normal | 1.61 | [CLS] Fly with caution [SEP] |
| Normal | ParamViolation (0.99) | Normal | 0.66 | [CLS] aircraft braking distance is extended [SEP] |
| Normal | Normal (0.44) | Normal | 0.31 | [CLS] flight time is shortened. [SEP] |
| Normal | Normal (1.00) | Normal | 1.70 | [CLS] Home Point Updated. [SEP] |
| ParamViolation | SoftwareFault (0.77) | ParamViolation | 0.88 | [CLS] IMU attitude restricted. [SEP] |
| Normal | Normal (0.98) | Normal | 1.07 | [CLS] Ensure aircraft is level [SEP] |
| SoftwareFault | Normal (1.00) | SoftwareFault | -0.02 | [CLS] IMU not calibrated. |

| | | | | |
|---|---|---|---|---|
| | | | | |
| Normal | Normal (1.00) | Normal | 1.98 | [CLS] Calibrate IMU [SEP] |
| Normal | Normal (1.00) | Normal | 1.63 | [CLS] Landing Canceled. [SEP] |
| Normal | Normal (1.00) | Normal | 1.90 | [CLS] Landing gear function restored [SEP] |
| Normal | Normal (1.00) | Normal | 1.97 | [CLS] Landing Gear Paused. [SEP] |
| Normal | Normal (1.00) | Normal | 2.14 | [CLS] Landing Gear Raising. [SEP] |
| Normal | Normal (1.00) | Normal | 2.04 | [CLS] Home Point Recorded [SEP] |
| Normal | Normal (0.44) | Normal | 0.80 | [CLS] Live stream video frame rate less than 9Hz. [SEP] |
| Normal | Normal (1.00) | Normal | 1.61 | [CLS] Fly with caution [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 0.95 | [CLS] Low Power. [SEP] |
| Normal | Normal (1.00) | Normal | 2.05 | [CLS] Aircraft is returning to the Home Point. [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 0.95 | [CLS] Low Power. [SEP] |
| Normal | Normal (1.00) | Normal | 1.85 | [CLS] Returning home. [SEP] |
| SurroundingEnvironment | SurroundingEnvironment (1.00) | SurroundingEnvironment | 0.89 | [CLS] Magnetic Filed Interference. [SEP] |
| Normal | Normal (1.00) | Normal | 2.13 | [CLS] Exit P-GPS Mode. [SEP] |
| HardwareFault | HardwareFault (1.00) | HardwareFault | 0.77 | [CLS] Yaw |

| | | | | |
|---|---|---|---|---|
| | | | | Error. [SEP] |
| SurroundingEnvironment | SurroundingEnvironment (0.93) | SurroundingEnvironment | 0.57 | [CLS] Manned aircraft detected nearby. [SEP] |
| Normal | Normal (1.00) | Normal | 1.61 | [CLS] Fly with caution [SEP] |
| ParamViolation | Normal (0.99) | ParamViolation | 0.50 | [CLS] Max Altitude Approached. [SEP] |
| Normal | Normal (1.00) | Normal | 1.70 | [CLS] Wait for the GPS satellite signal recovery before ascend [SEP] |
| ParamViolation | ParamViolation (1.00) | ParamViolation | 2.19 | [CLS] Max Flight Altitude Reached. [SEP] |
| Normal | Normal (1.00) | Normal | 2.25 | [CLS] Adjust in Main Controller Settings if necessary [SEP] |
| ParamViolation | ParamViolation (1.00) | ParamViolation | 1.79 | [CLS] Max Flight Distance Reached. [SEP] |
| Normal | Normal (1.00) | Normal | 2.32 | [CLS] Adjust in Main Controller Settings if necessary. [SEP] |
| ParamViolation | ParamViolation (1.00) | ParamViolation | 2.19 | [CLS] Maximum flight distance reached. [SEP] |
| Normal | Normal (1.00) | Normal | 2.12 | [CLS] Adjust the distance in MC Settings if required. [SEP] |

| | | | | |
|---|---|---|---|---|
| HardwareFault | HardwareFault (0.90) | HardwareFault | 1.36 | [CLS] Mobile device CPU fully loaded. [SEP] |
| Normal | Normal (1.00) | Normal | 1.58 | [CLS] Related performance will be affected. [SEP] |
| SoftwareFault | Normal (1.00) | SoftwareFault | -2.39 | [CLS] Mobile device version too old to support HD image transmission and the image transmission mode has been switch to normal mode. [SEP] |
| Normal | Normal (1.00) | Normal | 2.18 | [CLS] Motor is Blocked. [SEP] |
| HardwareFault | HardwareFault (0.99) | HardwareFault | 1.35 | [CLS] Motor stuck. [SEP] |
| Normal | Normal (1.00) | Normal | 2.90 | [CLS] Check for objects blocking motor or contact DJI Support for assistance [SEP] |
| Normal | Normal (1.00) | Normal | 1.83 | [CLS] Motors Started. [SEP] |
| SoftwareFault | SoftwareFault (1.00) | SoftwareFault | 1.48 | [CLS] No GPS signal. [SEP] |
| Normal | HardwareFault (0.96) | Normal | 0.79 | [CLS] Aircraft unable to hover. [SEP] |
| Normal | Normal (1.00) | Normal | 1.61 | [CLS] Fly with caution [SEP] |
| SoftwareFault | SoftwareFault (1.00) | SoftwareFault | 1.48 | [CLS] No GPS signal. [SEP] |
| Normal | HardwareFault (0.99) | Normal | 0.64 | [CLS] Unable to hover. [SEP] |

| | | | | |
|---|---|---|---|---|
| Normal | Normal (1.00) | Normal | 1.61 | [CLS] Fly with caution [SEP] |
| Normal | Normal (1.00) | Normal | 2.19 | [CLS] Obstacle Avoidance Disabled. [SEP] |
| Normal | Normal (1.00) | Normal | 2.09 | [CLS] Landing gear lowered. [SEP] |
| Normal | Normal (1.00) | Normal | 2.19 | [CLS] Obstacle Avoidance Disabled. [SEP] |
| Normal | Normal (1.00) | Normal | 1.48 | [CLS] Obstacle Avoidance disabled. [SEP] |
| Normal | Normal (1.00) | Normal | 2.09 | [CLS] Landing gear lowered. [SEP] |
| Normal | Normal (1.00) | Normal | 1.58 | [CLS] Obstacle Avoidance has been disabled. [SEP] |
| Normal | Normal (1.00) | Normal | 1.99 | [CLS] Precision Landing [SEP] |
| Normal | Normal (1.00) | Normal | 2.38 | [CLS] QuickShot has ended [SEP] |
| Normal | Normal (1.00) | Normal | 1.66 | [CLS] Recenter Gimbal Pan [SEP] |
| Normal | Normal (1.00) | Normal | 1.63 | [CLS] Rectifying aircraft position [SEP] |
| SurroundingEnvironment | SurroundingEnvironment (0.99) | SurroundingEnvironment | 0.79 | [CLS] Remote controller in high interference environment. [SEP] |

| | | | | |
|---|---|---|---|---|
| Normal | Normal (1.00) | Normal | 2.63 | [CLS] Manually adjust flight route or return to home [SEP] |
| Normal | Normal (1.00) | Normal | 2.41 | [CLS] Return-to-Home Altitude : 65FT [SEP] |
| Normal | Normal (1.00) | Normal | 2.57 | [CLS] Return-to-Home Altitude : 98FT. [SEP] |
| Normal | Normal (1.00) | Normal | 2.44 | [CLS] RTH : Ascending to RTH altitude. [SEP] |
| Normal | Normal (1.00) | Normal | 1.54 | [CLS] RTH : Heading alignment. [SEP] |
| Normal | Normal (1.00) | Normal | 2.26 | [CLS] RTH Altitude : 65FT. [SEP] |
| Normal | Normal (1.00) | Normal | 2.00 | [CLS] RTH Altitude : 98FT. [SEP] |
| CommunicationIssue | CommunicationIssue (0.99) | CommunicationIssue | 1.90 | [CLS] Signal Lost. [SEP] |
| Normal | Normal (1.00) | Normal | 2.04 | [CLS] Aircraft returning to Home Point [SEP] |
| Normal | Normal (1.00) | Normal | 1.93 | [CLS] Sprayer turned ON [SEP] |
| SurroundingEnvironment | SurroundingEnvironment (1.00) | SurroundingEnvironment | 1.32 | [CLS] Strong wind warning. [SEP] |
| SoftwareFault | SoftwareFault (1.00) | SoftwareFault | 1.46 | [CLS] Aircraft unable to return to home automatically. [SEP] |
| | | | | [CLS] Lower altitude |

| | | | | |
|---|---|---|---|---|
| Normal | Normal (1.00) | Normal | 2.70 | immediately and return to home manually [SEP] |
| Normal | Normal (1.00) | Normal | 2.51 | [CLS] Switched to S (Sport)-mode. [SEP] |
| Normal | Normal (1.00) | Normal | 2.11 | [CLS] Switched to T (Tripod)-mode. [SEP] |
| Normal | Normal (1.00) | Normal | 1.86 | [CLS] Take off in P-Mode [SEP] |
| SoftwareFault | HardwareFault (0.94) | SoftwareFault | 0.08 | [CLS] Vision sensor error. [SEP] |
| Normal | Normal (1.00) | Normal | 2.15 | [CLS] Contact DJI Support for assistance [SEP] |
| Normal | Normal (1.00) | Normal | 1.84 | [CLS] Vision systems and obstacle avoidance disabled [SEP] |
| Normal | Normal (1.00) | Normal | 1.75 | [CLS] Waypoint Mission Paused [SEP] |
| SoftwareFault | SoftwareFault (1.00) | SoftwareFault | 1.48 | [CLS] Weak GPS signal. [SEP] |
| Normal | Normal (1.00) | Normal | 1.36 | [CLS] Aircraft is in Attitude mode and hovering may be unstable. [SEP] |
| Normal | Normal (1.00) | Normal | 1.67 | [CLS] Fly with caution. [SEP] |
| CommunicationIssue | CommunicationIssue (1.00) | CommunicationIssue | 1.17 | [CLS] Weak signal. [SEP] |
| Normal | Normal (1.00) | Normal | 1.02 | [CLS] Adjust antennas [SEP] |

| | | | | |
|---|---|---|---|---|
| RegulationViolation | RegulationViolation (1.00) | RegulationViolation | 1.49 | [CLS] Your aircraft is flying in an Altitude Zone (nnn). [SEP] |
| Normal | Normal (1.00) | Normal | 1.77 | [CLS] Please fly with caution [SEP] |