

Legend: ■ Negative □ Neutral ■ Positive

| True Label | Predicted Label | Attribution Label | Attribution Score | Word Importance |
|------------------------|-----------------------|-------------------|-------------------|-----------------|
| SurroundingEnvironment | Normal (0.19) | Normal | -1.21 | #s a |
| | | | | passenger |
| | | | | aircraft is |
| | | | | nearby . #/s |
| Normal | Normal (0.19) | Normal | 1.74 | #s fly with |
| | | | | caution #/s |
| Normal | Normal (0.19) | Normal | 0.60 | #s account |
| | | | | not logged in |
| | | | | . #/s |
| | | | | |
| ParamViolation | ParamViolation (0.26) | ParamViolation | 1.64 | #s flight |
| | | | | altitude and |
| | | | | distance |
| | | | | restricted to |
| Normal | Normal (0.19) | Normal | 1.18 | nnn and nnn . |
| | | | | #/s |
| | | | | |
| | | | | |
| Normal | Normal (0.19) | Normal | 1.20 | #s |
| | | | | activetrack |
| | | | | flight paused |
| | | | | #/s |
| Normal | Normal (0.19) | Normal | -0.28 | #s aircraft |
| | | | | activetrack |
| | | | | available at |
| | | | | max speed . |
| Normal | Normal (0.19) | Normal | 1.60 | #/s |
| | | | | |
| | | | | #s obstacle |
| | | | | avoidance is |
| Normal | Normal (0.19) | Normal | -0.28 | not available |
| | | | | #/s |
| | | | | |
| | | | | |
| Normal | ParamViolation (0.26) | ParamViolation | 1.00 | #s |
| | | | | aircraft |
| | | | | activetrack |
| | | | | available at |
| Normal | Normal (0.19) | Normal | 2.11 | max speed . |
| | | | | #/s |
| | | | | |
| | | | | |
| Normal | ParamViolation (0.26) | ParamViolation | 1.00 | #s when |
| | | | | exceeding |
| | | | | nnn , obstacle |
| | | | | avoidance is |
| Normal | Normal (0.19) | Normal | 2.11 | not available |
| | | | | #/s |
| | | | | |
| | | | | |
| Normal | Normal (0.19) | Normal | 2.11 | #s aircraft |
| | | | | activetrack |
| | | | | max speed of |
| | | | | nnn and |

| | | | | |
|---------------------|----------------------------|---------------------|------|---|
| HardwareFault | HardwareFault (0.22) | HardwareFault | 2.01 | obstacle avoidance functions normally #/s |
| | | | | #s aircraft core board overheated #/s |
| | | | | #s aircraft entered fixed wing mode . #/s |
| | | | | #s current flight speed is nnn . #/s |
| | | | | #s press c2 to exit #/s |
| Normal | Normal (0.19) | Normal | 1.89 | #s aircraft flight control unlocked #/s |
| Normal | Normal (0.19) | Normal | 1.95 | #s aircraft in restricted zones . #/s |
| Normal | Normal (0.19) | Normal | 1.86 | #s check map to find recommended zones #/s |
| Normal | Normal (0.19) | Normal | 1.93 | #s aircraft is in attitude mode , so that it will not hover . #/s |
| RegulationViolation | RegulationViolation (0.23) | RegulationViolation | 0.99 | #s please fly with caution . #/s |
| Normal | Normal (0.19) | Normal | 2.05 | #s aircraft is in tripod mode . #/s |
| Normal | Normal (0.19) | Normal | 1.47 | #s exit this mode and try again #/s |
| Normal | Normal (0.19) | Normal | 1.58 | #s aircraft is returning to the starting point #/s |
| Normal | Normal (0.19) | Normal | 1.71 | #s aircraft out of range #/s |
| Normal | Normal (0.19) | Normal | 2.09 | |
| ParamViolation | ParamViolation (0.26) | ParamViolation | 1.62 | |

| | | | | |
|---------------------|----------------------------|---------------------|------|---|
| RegulationViolation | RegulationViolation (0.23) | RegulationViolation | 2.19 | #s approaching a no - fly zone . #/s |
| Normal | Normal (0.19) | Normal | 1.41 | #s rth may be affected . #/s |
| Normal | Normal (0.19) | Normal | 1.74 | #s fly with caution #/s |
| Normal | Normal (0.19) | Normal | 2.03 | #s arrived at start point . #/s |
| Normal | Normal (0.19) | Normal | 1.80 | #s starting waypoint mission #/s |
| Normal | Normal (0.19) | Normal | 1.52 | #s auto landing initiated #/s |
| Normal | Normal (0.19) | Normal | 1.90 | #s auxiliary bottom light turned off #/s |
| SoftwareFault | SoftwareFault (0.23) | SoftwareFault | 1.36 | #s backward obstacle sensing is not functioning . #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.90 | #s battery cell broken , please replace the battery #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.54 | #s battery error . #/s |
| Normal | Normal (0.19) | Normal | 1.97 | #s aircraft returning to home automatically #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.46 | #s battery power low . #/s |
| Normal | Normal (0.19) | Normal | 2.78 | #s check battery status and charge or warm up battery #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 0.65 | #s cache space full #/s |

| | | | | |
|------------------------|-----------------------|----------------|-------|---|
| SurroundingEnvironment | SoftwareFault (0.22) | SoftwareFault | -0.00 | #s calibration subject is too close . #/s |
| Normal | Normal (0.19) | Normal | 0.83 | #s recalibrate using a subject that is farther away #/s |
| HardwareFault | HardwareFault (0.21) | HardwareFault | 0.99 | #s camera busy , cannot enter playback #/s |
| SoftwareFault | SoftwareFault (0.23) | SoftwareFault | 1.57 | #s cannot enable intelligent flight mode #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.46 | #s low battery #/s |
| SoftwareFault | SoftwareFault (0.23) | SoftwareFault | 1.24 | #s cannot start return to home due to weak gps signal #/s |
| SoftwareFault | SoftwareFault (0.23) | SoftwareFault | 0.68 | #s cannot start self - timer . #/s |
| SoftwareFault | ParamViolation (0.26) | ParamViolation | 0.42 | #s exposure time is too long #/s |
| SoftwareFault | SoftwareFault (0.23) | SoftwareFault | 1.80 | #s cannot switch flight mode . #/s |
| Normal | Normal (0.19) | Normal | 0.63 | #s turn on " multiple flight modes " to enable atti and sport modes . #/s |
| SoftwareFault | SoftwareFault (0.23) | SoftwareFault | 1.33 | #s cannot track subject #/s |
| SurroundingEnvironment | SoftwareFault (0.22) | SoftwareFault | -1.13 | #s no image #/s |
| Normal | Normal (0.19) | Normal | 1.08 | #s please retry #/s |
| | | | | #s cannot |

| | | | | |
|------------------------|----------------------|---------------|-------|--|
| SoftwareFault | SoftwareFault (0.23) | SoftwareFault | 1.33 | track subject #/s |
| SurroundingEnvironment | SoftwareFault (0.23) | SoftwareFault | -1.55 | #s subject too large #/s |
| Normal | Normal (0.19) | Normal | 1.71 | #s move away and retry #/s |
| Normal | Normal (0.19) | Normal | 1.70 | #s color display in the liveview has been enhanced . #/s |
| Normal | Normal (0.19) | Normal | 1.90 | #s videos and photos will still be shot in d - log mode #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.54 | #s compass abnormal . #/s |
| Normal | Normal (0.19) | Normal | 1.95 | #s solution : 1 . ensure there are no magnets or metal objects near the aircraft . #/s |
| Normal | Normal (0.19) | Normal | 2.27 | #s the ground or walls may contain metal . #/s |
| Normal | Normal (0.19) | Normal | 2.01 | #s move away from sources of interference before attempting flight . #/s |
| Normal | Normal (0.19) | Normal | 1.78 | #s 2 calibrate compass before takeoff #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.60 | #s compass error #/s #s compass |

| | | | | |
|------------------------|-------------------------------|------------------------|-------|--|
| HardwareFault | HardwareFault (0.20) | HardwareFault | 0.60 | error , calibration required #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.29 | #s compass error . #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.29 | #s compass error . #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.43 | #s compass disconnected #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.29 | #s compass error . #/s |
| SurroundingEnvironment | SurroundingEnvironment (0.24) | SurroundingEnvironment | 0.91 | #s magnetic filed interference . #/s |
| Normal | Normal (0.19) | Normal | 2.09 | #s exit p - gps mode #/s |
| SoftwareFault | HardwareFault (0.22) | HardwareFault | -0.75 | #s compass initialization failed . #/s |
| Normal | Normal (0.18) | Normal | 1.29 | #s restart aircraft #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.79 | #s critical low battery . #/s |
| Normal | Normal (0.19) | Normal | 1.14 | #s aircraft in auto power off protection . #/s |
| Normal | Normal (0.19) | Normal | 1.82 | #s forced landing in progress #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.79 | #s critical low battery . #/s |
| Normal | Normal (0.19) | Normal | 1.38 | #s aircraft landing automatically #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.79 | #s critical low battery . #/s |
| Normal | Normal (0.19) | Normal | 2.20 | #s return to home or land promptly #/s |
| | | | | #s critically |

| | | | | |
|---------------|----------------------|---------------|------|---|
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.76 | low power . #/s |
| Normal | Normal (0.19) | Normal | 1.26 | #s aircraft is landing #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.76 | #s critically low power . #/s |
| Normal | Normal (0.18) | Normal | 1.35 | #s aircraft landing . #/s |
| Normal | Normal (0.18) | Normal | 1.35 | #s aircraft landing . #/s |
| Normal | Normal (0.19) | Normal | 1.89 | #s throttle up to reduce the speed of descent and use sticks to avoid obstacles #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.44 | #s critically low voltage warning . #/s |
| Normal | Normal (0.19) | Normal | 1.13 | #s aircraft will be forced to land #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.74 | #s critically low voltage . #/s |
| Normal | Normal (0.19) | Normal | 0.83 | #s aircraft will land #/s |
| Normal | Normal (0.19) | Normal | 1.43 | #s data recorder file index is 15 . #/s |
| Normal | Normal (0.19) | Normal | 1.35 | #s data recorder file index is 17 . #/s |
| Normal | Normal (0.19) | Normal | 1.39 | #s data recorder file index is 30 . #/s |
| Normal | Normal (0.19) | Normal | 1.12 | #s data recorder file index is 45 . #/s |
| Normal | Normal (0.19) | Normal | 1.42 | #s data recorder file index is 46 . |

| | | | | |
|------------------------|-------------------------------|------------------------|-------|--|
| | | | | #/s |
| | | | | #s data recorder file index is 65. |
| Normal | Normal (0.19) | Normal | 1.30 | #/s |
| | | | | #s disable sd card read and write |
| Normal | Normal (0.19) | Normal | 2.67 | protection or change card |
| | | | | #/s |
| CommunicationIssue | CommunicationIssue (0.20) | CommunicationIssue | 1.34 | #s downlink lost . #/s |
| | | | | #s downlink restored (after 0m 2 . 9s) . #/s |
| Normal | Normal (0.19) | Normal | 2.62 | |
| Normal | Normal (0.19) | Normal | 1.52 | #s drone is vibrating #/s |
| | | | | #s entered cruise control mode . #/s |
| Normal | Normal (0.19) | Normal | 1.88 | |
| | | | | #s press c1 or c2 to exit #/s |
| | | | | #s excessive attitude angle detected #/s |
| ParamViolation | ParamViolation (0.26) | ParamViolation | 1.97 | #s forward obstacle |
| | | | | avoidance has stopped working #/s |
| SoftwareFault | Normal (0.18) | Normal | 0.11 | |
| | | | | #s exit backward sensing system #/s |
| Normal | Normal (0.19) | Normal | 1.82 | |
| | | | | #s ambient light is too weak #/s |
| SurroundingEnvironment | SurroundingEnvironment (0.24) | SurroundingEnvironment | 0.67 | #s exited visual avoidance system . #/s |
| Normal | Normal (0.19) | Normal | 1.79 | |
| | | | | #s exiting gps mode : unknown |
| SoftwareFault | SoftwareFault (0.23) | SoftwareFault | -0.13 | |

| | | | | |
|----------------|-------------------------------|------------------------|-------|--|
| | | | | error #/s |
| ParamViolation | ParamViolation (0.26) | ParamViolation | 1.74 | #s extra payload detected . #/s |
| Normal | Normal (0.19) | Normal | 1.94 | #s flight performance will be affected . #/s |
| Normal | Normal (0.19) | Normal | 1.74 | #s fly with caution #/s |
| SoftwareFault | SoftwareFault (0.23) | SoftwareFault | 2.02 | #s forward obstacle sensing is not functioning . #/s |
| SoftwareFault | SoftwareFault (0.23) | SoftwareFault | 1.04 | #s forward obstacle sensing not responding #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 0.87 | #s gimbal motor overloaded . #/s |
| Normal | Normal (0.19) | Normal | 1.61 | #s check whether gimbal can rotate freely #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.30 | #s gimbal pitch limit reached . #/s |
| Normal | Normal (0.18) | Normal | 1.57 | #s ground plain . #/s |
| Normal | Normal (0.18) | Normal | 1.60 | #s safe to land . #/s |
| ParamViolation | SurroundingEnvironment (0.23) | SurroundingEnvironment | -0.32 | #s high altitude . #/s |
| Normal | Normal (0.19) | Normal | 1.08 | #s aircraft braking distance increased and flight time decreased . #/s |
| Normal | Normal (0.19) | Normal | 1.74 | #s fly with caution #/s |
| | SurroundingEnvironment | | | #s high wind |

| | | | | |
|------------------------|-------------------------------|------------------------|-------|---|
| SurroundingEnvironment | (0.24) | SurroundingEnvironment | 1.55 | velocity . #/s |
| Normal | Normal (0.19) | Normal | 1.50 | #s ensure the aircraft remains within your line of sight and fly with caution . #/s |
| SurroundingEnvironment | SurroundingEnvironment (0.24) | SurroundingEnvironment | 1.55 | #s high wind velocity . #/s |
| Normal | Normal (0.19) | Normal | 1.50 | #s ensure the aircraft remains within your line of sight and fly with caution . #/s |
| SurroundingEnvironment | SurroundingEnvironment (0.24) | SurroundingEnvironment | 1.55 | #s high wind velocity . #/s |
| Normal | Normal (0.19) | Normal | 1.87 | #s fly with caution and land in a safe place asap . #/s |
| Normal | Normal (0.18) | Normal | -0.76 | #s high - altitude flight #/s |
| Normal | Normal (0.19) | Normal | 1.74 | #s fly with caution #/s |
| Normal | Normal (0.19) | Normal | 1.93 | #s aircraft braking distance is extended #/s |
| Normal | Normal (0.19) | Normal | 1.98 | #s flight time is shortened . #/s |
| Normal | Normal (0.18) | Normal | 1.41 | #s home point updated . #/s |
| ParamViolation | SoftwareFault (0.20) | SoftwareFault | -0.08 | #s imu attitude restricted . #/s |
| Normal | Normal (0.19) | Normal | 1.34 | #s ensure aircraft is level #/s |
| SoftwareFault | Normal (0.19) | Normal | -1.46 | #s imu not |

| | | | | |
|------------------------|----------------------------------|------------------------|-------|---|
| | | | | calibrated . #/s |
| Normal | Normal (0.19) | Normal | 1.35 | #s calibrate imu #/s |
| Normal | Normal (0.18) | Normal | 1.58 | #s landing canceled . #/s |
| Normal | Normal (0.19) | Normal | 1.51 | #s landing gear function restored #/s |
| Normal | Normal (0.18) | Normal | 1.80 | #s landing gear paused . #/s |
| Normal | Normal (0.18) | Normal | 1.58 | #s landing gear raising . #/s |
| Normal | Normal (0.19) | Normal | 1.80 | #s home point recorded #/s |
| Normal | ParamViolation (0.18) | ParamViolation | -0.36 | #s live stream video frame rate less than 9hz . #/s |
| Normal | Normal (0.19) | Normal | 1.74 | #s fly with caution #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.50 | #s low power . #/s |
| Normal | Normal (0.19) | Normal | 1.83 | #s aircraft is returning to the home point . #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.50 | #s low power . #/s |
| Normal | Normal (0.18) | Normal | 1.43 | #s returning home . #/s |
| SurroundingEnvironment | SurroundingEnvironment (0.24) | SurroundingEnvironment | 0.91 | #s magnetic field interference . #/s |
| Normal | Normal (0.19) | Normal | 1.87 | #s exit p - gps mode . #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.61 | #s yaw error . #/s |
| SurroundingEnvironment | SurroundingEnvironment (0.24) | SurroundingEnvironment | 1.54 | #s manned aircraft detected |

| | | | | |
|----------------|-----------------------|----------------|------|---|
| Normal | Normal (0.19) | Normal | 1.74 | nearby . #/s |
| | | | | #s fly with caution #/s |
| ParamViolation | ParamViolation (0.26) | ParamViolation | 0.03 | #s max altitude approached . #/s |
| | | | | #s wait for the gps satellite signal recovery before ascend #/s |
| ParamViolation | ParamViolation (0.26) | ParamViolation | 1.18 | #s max flight altitude reached . #/s |
| | | | | #s adjust in main controller settings if necessary #/s |
| ParamViolation | ParamViolation (0.26) | ParamViolation | 1.24 | #s max flight distance reached . #/s |
| | | | | #s adjust in main controller settings if necessary . #/s |
| ParamViolation | ParamViolation (0.26) | ParamViolation | 1.40 | #s maximum flight distance reached . #/s |
| | | | | #s adjust the distance in mc settings if required . #/s |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.85 | #s mobile device cpu fully loaded . #/s |
| | | | | #s related performance will be affected . #/s |
| Normal | Normal (0.19) | Normal | 1.81 | #s mobile |

| | | | | |
|---------------|----------------------|---------------|-------|----------------|
| SoftwareFault | Normal (0.18) | Normal | -3.50 | device |
| | | | | version too |
| | | | | old to support |
| | | | | hd image |
| | | | | transmission |
| Normal | Normal (0.18) | Normal | 1.39 | and the |
| | | | | image |
| | | | | transmission |
| | | | | mode has |
| | | | | been switch |
| HardwareFault | HardwareFault (0.22) | HardwareFault | 1.36 | to normal |
| | | | | mode . #/s |
| | | | | #s motor is |
| | | | | blocked . #/s |
| | | | | #s motor |
| Normal | Normal (0.19) | Normal | 1.00 | stuck . #/s |
| | | | | #s check for |
| | | | | objects |
| | | | | blocking |
| | | | | motor or |
| Normal | Normal (0.18) | Normal | 1.50 | contact dji |
| | | | | support for |
| | | | | assistance |
| | | | | #/s |
| | | | | #s motors |
| SoftwareFault | SoftwareFault (0.22) | SoftwareFault | 1.47 | started . #/s |
| | | | | #s no gps |
| | | | | signal . #/s |
| | | | | #s aircraft |
| | | | | unable to |
| Normal | HardwareFault (0.22) | HardwareFault | 0.41 | hover . #/s |
| | | | | #s fly with |
| | | | | caution #/s |
| | | | | #s no gps |
| | | | | signal . #/s |
| SoftwareFault | SoftwareFault (0.22) | SoftwareFault | 1.47 | #s unable to |
| | | | | hover . #/s |
| | | | | #s fly with |
| | | | | caution #/s |
| | | | | #s obstacle |
| Normal | Normal (0.18) | Normal | 1.75 | avoidance |
| | | | | disabled . #/s |
| | | | | #s landing |
| | | | | gear lowered |
| | | | | . #/s |
| Normal | Normal (0.18) | Normal | 1.78 | #s obstacle |
| | | | | avoidance |
| | | | | disabled . #/s |
| | | | | #s obstacle |
| | | | | avoidance |
| Normal | Normal (0.18) | Normal | 1.75 | disabled . #/s |
| | | | | #s obstacle |
| | | | | avoidance |
| | | | | disabled . #/s |
| | | | | #s obstacle |

| | | | | |
|------------------------|-------------------------------|------------------------|-------|---|
| Normal | Normal (0.18) | Normal | 1.75 | #s obstacle avoidance disabled . #/s |
| Normal | Normal (0.18) | Normal | 1.78 | #s landing gear lowered . #/s |
| Normal | Normal (0.19) | Normal | -0.80 | #s obstacle avoidance has been disabled . #/s |
| Normal | Normal (0.18) | Normal | 1.41 | #s precision landing #/s |
| Normal | Normal (0.19) | Normal | 1.60 | #s quickshot has ended #/s |
| Normal | Normal (0.19) | Normal | 1.60 | #s recenter gimbal pan #/s |
| Normal | Normal (0.19) | Normal | 1.46 | #s rectifying aircraft position #/s |
| SurroundingEnvironment | SurroundingEnvironment (0.24) | SurroundingEnvironment | 0.77 | #s remote controller in high interference environment . #/s |
| Normal | Normal (0.19) | Normal | 1.67 | #s manually adjust flight route or return to home #/s |
| Normal | Normal (0.19) | Normal | 1.67 | #s return - to - home altitude : 65ft #/s |
| Normal | Normal (0.19) | Normal | 1.95 | #s return - to - home altitude : 98ft . #/s |
| Normal | Normal (0.19) | Normal | 2.13 | #s rth : ascending to rth altitude . #/s |
| Normal | Normal (0.19) | Normal | 1.64 | #s rth : heading alignment . #/s |

| | | | | |
|------------------------|-------------------------------|------------------------|-------|---|
| Normal | Normal (0.19) | Normal | 1.71 | #s rth altitude : 65ft . #/s |
| Normal | Normal (0.19) | Normal | 1.43 | #s rth altitude : 98ft . #/s |
| CommunicationIssue | CommunicationIssue (0.20) | CommunicationIssue | 1.34 | #s signal lost . #/s |
| Normal | Normal (0.19) | Normal | 1.95 | #s aircraft returning to home point #/s |
| Normal | Normal (0.19) | Normal | 1.50 | #s sprayer turned on #/s |
| SurroundingEnvironment | SurroundingEnvironment (0.24) | SurroundingEnvironment | 1.41 | #s strong wind warning . #/s |
| SoftwareFault | SoftwareFault (0.23) | SoftwareFault | -0.13 | #s aircraft unable to return to home automatically . #/s |
| Normal | Normal (0.19) | Normal | 1.71 | #s lower altitude immediately and return to home manually #/s |
| Normal | Normal (0.19) | Normal | 2.58 | #s switched to s (sport) - mode . #/s |
| Normal | Normal (0.19) | Normal | 0.34 | #s switched to t (tripod) - mode . #/s |
| Normal | Normal (0.19) | Normal | 1.45 | #s take off in p - mode #/s |
| SoftwareFault | HardwareFault (0.22) | HardwareFault | -1.48 | #s vision sensor error . #/s |
| Normal | Normal (0.19) | Normal | 1.15 | #s contact dji support for assistance #/s |
| Normal | Normal (0.19) | Normal | -0.99 | #s vision systems and obstacle avoidance |

| | | | | |
|---------------------|----------------------------|---------------------|------|----------------|
| Normal | Normal (0.19) | Normal | 0.18 | disabled #/s |
| | | | | #s waypoint |
| | | | | mission |
| SoftwareFault | SoftwareFault (0.22) | SoftwareFault | 1.15 | paused #/s |
| | | | | #s weak gps |
| | | | | signal . #/s |
| Normal | Normal (0.19) | Normal | 2.54 | #s aircraft is |
| | | | | in attitude |
| | | | | mode and |
| Normal | Normal (0.18) | Normal | 1.71 | hovering may |
| | | | | be unstable . |
| | | | | #/s |
| CommunicationIssue | CommunicationIssue (0.20) | CommunicationIssue | 1.51 | #s fly with |
| | | | | caution . #/s |
| | | | | #s weak |
| Normal | Normal (0.18) | Normal | 1.47 | signal . #/s |
| | | | | #s adjust |
| | | | | antennas #/s |
| RegulationViolation | RegulationViolation (0.23) | RegulationViolation | 1.03 | #s your |
| | | | | aircraft is |
| | | | | flying in an |
| Normal | Normal (0.19) | Normal | 1.52 | altitude zone |
| | | | | (nnn) . #/s |
| | | | | #s please fly |
| Normal | Normal (0.19) | Normal | 1.52 | with caution |
| | | | | #/s |
| | | | | |