

**Legend:** ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	SurroundingEnvironment (0.15)	SurroundingEnvironment	0.53	#s a passenger aircraft is nearby . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.55	#s fly with caution #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.43	#s account not logged in . #/s
ParamViolation	ParamViolation (0.19)	ParamViolation	0.17	#s flight altitude and distance restricted to nnn and nnn . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.96	#s check and log in #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-2.24	#s activetrack flight paused #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.67	#s aircraft activetrack available at max speed . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-0.66	#s obstacle avoidance is not available #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.67	#s aircraft activetrack available at max speed . #/s
Normal	ParamViolation (0.18)	ParamViolation	-1.69	#s when exceeding nnn , obstacle avoidance is not available #/s
Normal	SurroundingEnvironment (0.16)	SurroundingEnvironment	-1.54	#s aircraft activetrack max speed of nnn and

				obstacle avoidance functions normally #/s
HardwareFault	HardwareFault (0.16)	HardwareFault	1.34	#s aircraft core board overheated #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-2.39	#s aircraft entered fixed - wing mode . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-2.18	#s current flight speed is nnn . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.65	#s press c2 to exit #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.92	#s aircraft flight control unlocked #/s
RegulationViolation	RegulationViolation (0.17)	RegulationViolation	1.17	#s aircraft in restricted zones . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-0.87	#s check map to find recommended zones #/s
Normal	SurroundingEnvironment (0.16)	SurroundingEnvironment	-2.43	#s aircraft is in attitude mode , so that it will not hover . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.57	#s please fly with caution . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.13	#s aircraft is in tripod mode . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-2.26	#s exit this mode and try again #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.11	#s aircraft is returning to the starting point #/s
ParamViolation	ParamViolation (0.19)	ParamViolation	1.38	#s aircraft out of range #/s

<b>RegulationViolation</b>	<b>RegulationViolation (0.17)</b>	<b>RegulationViolation</b>	<b>1.82</b>	#s approaching a no-fly zone . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-2.23</b>	#s rth may be affected. #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.55</b>	#s fly with caution #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.58</b>	#s arrived at start point. #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-0.45</b>	#s starting waypoint mission #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.33</b>	#s auto landing initiated #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-2.13</b>	#s auxiliary bottom light turned off #/s
<b>SoftwareFault</b>	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	<b>1.80</b>	#s backward obstacle sensing is not functioning. #/s
<b>HardwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>0.17</b>	#s battery cell broken, please replace the battery #/s
<b>HardwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>1.45</b>	#s battery error. #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.62</b>	#s aircraft returning to home automatically #/s
<b>HardwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>1.30</b>	#s battery power low. #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-2.32</b>	#s check battery status and charge or warm up battery #/s
<b>HardwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>1.43</b>	#s cache space full #/s

SurroundingEnvironment	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	<b>-0.82</b>	#s calibration subject is too close . #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-0.83</b>	#s recalibrate using a subject that is farther away #/s
HardwareFault	<b>HardwareFault (0.15)</b>	<b>HardwareFault</b>	<b>1.34</b>	#s camera busy , cannot enter playback #/s
SoftwareFault	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	<b>1.52</b>	#s cannot enable intelligent flight mode #/s
HardwareFault	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>1.40</b>	#s low battery #/s
SoftwareFault	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	<b>0.68</b>	#s cannot start return to home due to weak gps signal #/s
SoftwareFault	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	<b>1.15</b>	#s cannot start self - timer . #/s
SoftwareFault	<b>ParamViolation (0.19)</b>	<b>ParamViolation</b>	<b>-0.60</b>	#s exposure time is too long #/s
SoftwareFault	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	<b>-0.87</b>	#s cannot switch flight mode . #/s
Normal	<b>SurroundingEnvironment (0.16)</b>	<b>SurroundingEnvironment</b>	<b>0.62</b>	#s turn on " multiple flight modes " to enable atti and sport modes . #/s
SoftwareFault	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	<b>1.18</b>	#s cannot track subject #/s
SurroundingEnvironment	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	<b>0.55</b>	#s no image #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.66</b>	#s please retry #/s

<b>SoftwareFault</b>	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	<b>1.18</b>	#s cannot track subject #/s
<b>SurroundingEnvironment</b>	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	<b>1.54</b>	#s subject too large #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.38</b>	#s move away and retry #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.67</b>	#s color display in the liveview has been enhanced . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.16)</b>	<b>SurroundingEnvironment</b>	<b>-1.70</b>	#s videos and photos will still be shot in d - log mode #/s
<b>HardwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>1.47</b>	#s compass abnormal . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.16)</b>	<b>SurroundingEnvironment</b>	<b>-2.27</b>	#s solution : 1 . ensure there are no magnets or metal objects near the aircraft . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.77</b>	#s the ground or walls may contain metal . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-2.08</b>	#s move away from sources of interference before attempting flight . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.79</b>	#s 2 . calibrate compass before takeoff #/s
<b>HardwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>0.99</b>	#s compass error #/s

				#s compass
HardwareFault	SoftwareFault (0.16)	SoftwareFault	1.74	error , calibration required #/s
HardwareFault	HardwareFault (0.16)	HardwareFault	1.44	#s compass error . #/s
HardwareFault	HardwareFault (0.16)	HardwareFault	1.44	#s compass error . #/s
HardwareFault	HardwareFault (0.16)	HardwareFault	1.28	#s compass disconnected #/s
HardwareFault	HardwareFault (0.16)	HardwareFault	1.44	#s compass error . #/s
SurroundingEnvironment	SurroundingEnvironment (0.17)	SurroundingEnvironment	0.93	#s magnetic filed interference . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-2.15	#s exit p - gps mode #/s
SoftwareFault	HardwareFault (0.16)	HardwareFault	0.56	#s compass initialization failed . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.46	#s restart aircraft #/s
HardwareFault	HardwareFault (0.16)	HardwareFault	1.40	#s critical low battery . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.93	#s aircraft in auto power off protection . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.63	#s forced landing in progress #/s
HardwareFault	HardwareFault (0.16)	HardwareFault	1.40	#s critical low battery . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.62	#s aircraft landing automatically #/s
HardwareFault	HardwareFault (0.16)	HardwareFault	1.40	#s critical low battery . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.82	#s return to home or land promptly #/s

<b>HardwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>1.71</b>	#s critically low power . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.46</b>	#s aircraft is landing #/s
<b>HardwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>1.71</b>	#s critically low power . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.14</b>	#s aircraft landing . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.14</b>	#s aircraft landing . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.16)</b>	<b>SurroundingEnvironment</b>	<b>-1.87</b>	#s throttle up to reduce the speed of descent and use sticks to avoid obstacles #/s
<b>HardwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>1.69</b>	#s critically low voltage warning . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-2.04</b>	#s aircraft will be forced to land #/s
<b>HardwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>1.76</b>	#s critically low voltage . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.52</b>	#s aircraft will land #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.80</b>	#s data recorder file index is 15 . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-2.06</b>	#s data recorder file index is 17 . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-0.57</b>	#s data recorder file index is 30 . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.59</b>	#s data recorder file index is 45 . #/s
		<b>SurroundingEnvironment</b>		#s data recorder file

Normal	(0.15)	SurroundingEnvironment	-1.43	index is 46 . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.84	#s data recorder file index is 65 . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.32	#s disable sd card read and write protection or change card #/s
CommunicationIssue	CommunicationIssue (0.16)	CommunicationIssue	1.69	#s downlink lost . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-0.90	#s downlink restored ( after 0m 2 , 9s ) . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.43	#s drone is vibrating #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.65	#s entered cruise control mode . #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.46	#s press c1 or c2 to exit #/s
ParamViolation	ParamViolation (0.19)	ParamViolation	1.75	#s excessive attitude angle detected #/s
SoftwareFault	SoftwareFault (0.18)	SoftwareFault	1.94	#s forward obstacle avoidance has stopped working #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.81	#s exit backward sensing system #/s
SurroundingEnvironment	SurroundingEnvironment (0.17)	SurroundingEnvironment	0.86	#s ambient light is too weak #/s
Normal	SurroundingEnvironment (0.15)	SurroundingEnvironment	-1.59	#s exited visual avoidance system . #/s
SoftwareFault	SoftwareFault (0.18)	SoftwareFault	1.13	#s exiting gps mode :

<b>ParamViolation</b>	<b>ParamViolation (0.18)</b>	<b>ParamViolation</b>	<b>1.77</b>	unknown error #/s #s extra payload detected . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.25</b>	#s flight performance will be affected . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.55</b>	#s fly with caution #/s #s forward obstacle
<b>SoftwareFault</b>	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	<b>-0.70</b>	sensing is not functioning . #/s #s forward obstacle
<b>SoftwareFault</b>	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	<b>1.30</b>	sensing not responding #/s #s gimbal motor overloaded . #/s
<b>HardwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>2.15</b>	#s check whether gimbal can rotate freely #/s #s gimbal pitch limit reached . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.94</b>	#s gimbal plain . #/s
<b>HardwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>0.05</b>	#s ground plain . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.32</b>	#s safe to land . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.42</b>	#s high altitude . #/s #s aircraft braking distance increased and flight time decreased . #/s
<b>ParamViolation</b>	<b>SurroundingEnvironment (0.17)</b>	<b>SurroundingEnvironment</b>	<b>-1.41</b>	#s fly with caution #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.10</b>	
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.55</b>	

SurroundingEnvironment	<b>SurroundingEnvironment (0.17)</b>	<b>SurroundingEnvironment</b>	<b>1.32</b>	#s high wind velocity . #/s
Normal	<b>SurroundingEnvironment (0.16)</b>	<b>SurroundingEnvironment</b>	<b>-1.05</b>	#s ensure the aircraft remains within your line of sight and fly with caution . #/s
SurroundingEnvironment	<b>SurroundingEnvironment (0.17)</b>	<b>SurroundingEnvironment</b>	<b>1.32</b>	#s high wind velocity . #/s
Normal	<b>SurroundingEnvironment (0.16)</b>	<b>SurroundingEnvironment</b>	<b>-1.05</b>	#s ensure the aircraft remains within your line of sight and fly with caution . #/s
SurroundingEnvironment	<b>SurroundingEnvironment (0.17)</b>	<b>SurroundingEnvironment</b>	<b>1.32</b>	#s high wind velocity . #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-2.04</b>	#s fly with caution and land in a safe place asap . #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.71</b>	#s high - altitude flight #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.55</b>	#s fly with caution #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.77</b>	#s aircraft braking distance is extended #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.78</b>	#s flight time is shortened . #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.28</b>	#s home point updated . #/s
ParamViolation	<b>SoftwareFault (0.17)</b>	<b>SoftwareFault</b>	<b>-0.57</b>	#s imu attitude restricted . #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.07</b>	#s ensure aircraft is level #/s

<b>SoftwareFault</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>1.11</b>	#s imu not calibrated . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.33</b>	#s calibrate imu #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.35</b>	#s landing canceled . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.32</b>	#s landing gear function restored #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.78</b>	#s landing gear paused . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.68</b>	#s landing gear raising . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.08</b>	#s home point recorded #/s
<b>Normal</b>	<b>ParamViolation (0.18)</b>	<b>ParamViolation</b>	<b>-1.50</b>	#s live stream video frame rate less than 9hz . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.55</b>	#s fly with caution #/s
<b>HardwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>1.52</b>	#s low power . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-0.39</b>	#s aircraft is returning to the home point . #/s
<b>HardwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>1.52</b>	#s low power . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.46</b>	#s returning home . #/s
<b>SurroundingEnvironment</b>	<b>SurroundingEnvironment (0.17)</b>	<b>SurroundingEnvironment</b>	<b>0.93</b>	#s magnetic filed interference . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.53</b>	#s exit p - gps mode . #/s
<b>HardwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>-0.21</b>	#s yaw error . #/s
				#s manned

<b>SurroundingEnvironment</b>	<b>SurroundingEnvironment</b> <b>(0.17)</b>	<b>SurroundingEnvironment</b> <b>(0.17)</b>	<b>1.13</b>	aircraft detected nearby. #/s
<b>Normal</b>	<b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.55</b>	#s fly with caution #/s
<b>ParamViolation</b>	<b>ParamViolation</b> <b>(0.18)</b>	<b>ParamViolation</b>	<b>1.10</b>	#s max altitude approached. #/s
<b>Normal</b>	<b>SurroundingEnvironment</b> <b>(0.16)</b>	<b>SurroundingEnvironment</b>	<b>-2.71</b>	#s wait for the gps satellite signal recovery before ascend #/s
<b>ParamViolation</b>	<b>ParamViolation</b> <b>(0.19)</b>	<b>ParamViolation</b>	<b>1.36</b>	#s max flight altitude reached. #/s
<b>Normal</b>	<b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.93</b>	#s adjust in main controller settings if necessary #/s
<b>ParamViolation</b>	<b>ParamViolation</b> <b>(0.19)</b>	<b>ParamViolation</b>	<b>0.35</b>	#s max flight distance reached. #/s
<b>Normal</b>	<b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>SurroundingEnvironment</b>	<b>-2.08</b>	#s adjust in main controller settings if necessary. #/s
<b>ParamViolation</b>	<b>ParamViolation</b> <b>(0.19)</b>	<b>ParamViolation</b>	<b>0.22</b>	#s maximum flight distance reached. #/s
<b>Normal</b>	<b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>SurroundingEnvironment</b>	<b>-2.45</b>	#s adjust the distance in mc settings if required. #/s
<b>HardwareFault</b>	<b>HardwareFault</b> <b>(0.16)</b>	<b>HardwareFault</b>	<b>2.05</b>	#s mobile device cpu fully loaded. #/s
<b>Normal</b>	<b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.56</b>	#s related performance will be

				affected . #/s
				#s mobile device
				version too old to support
				hd image transmission
SoftwareFault	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.72</b>	and the image transmission mode has been switch to normal mode . #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.50</b>	#s motor is blocked . #/s
HardwareFault	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>1.56</b>	#s motor stuck . #/s
Normal	<b>SurroundingEnvironment (0.16)</b>	<b>SurroundingEnvironment</b>	<b>-1.00</b>	#s check for objects blocking motor or contact dji support for assistance #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-0.84</b>	#s motors started . #/s
SoftwareFault	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	<b>1.80</b>	#s no gps signal . #/s
Normal	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>1.49</b>	#s aircraft unable to hover . #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.55</b>	#s fly with caution #/s
SoftwareFault	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	<b>1.80</b>	#s no gps signal . #/s
Normal	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>-0.09</b>	#s unable to hover . #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.55</b>	#s fly with caution #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.41</b>	#s obstacle avoidance disabled . #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.21</b>	#s landing gear lowered . #/s

Normal	<b>SurroundingEnvironment</b> <b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>-1.41</b>	#s obstacle avoidance disabled . #/s
Normal	<b>SurroundingEnvironment</b> <b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>-1.41</b>	#s obstacle avoidance disabled . #/s
Normal	<b>SurroundingEnvironment</b> <b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>-1.21</b>	#s landing gear lowered . #/s
Normal	<b>SurroundingEnvironment</b> <b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>-1.78</b>	#s obstacle avoidance has been disabled . #/s
Normal	<b>SurroundingEnvironment</b> <b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>-1.43</b>	#s precision landing #/s
Normal	<b>SurroundingEnvironment</b> <b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>-1.94</b>	#s quickshot has ended #/s
Normal	<b>SurroundingEnvironment</b> <b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>-1.21</b>	#s recenter gimbal pan #/s
Normal	<b>SurroundingEnvironment</b> <b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>-1.44</b>	#s rectifying aircraft position #/s
SurroundingEnvironment	<b>SurroundingEnvironment</b> <b>SurroundingEnvironment</b> <b>(0.17)</b>	<b>1.46</b>	#s remote controller in high interference environment . #/s
Normal	<b>SurroundingEnvironment</b> <b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>-1.76</b>	#s manually adjust flight route or return to home #/s
Normal	<b>SurroundingEnvironment</b> <b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>-1.92</b>	#s return - to - home altitude : 65ft #/s
Normal	<b>SurroundingEnvironment</b> <b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>-1.89</b>	#s return - to - home altitude : 98ft . #/s
Normal	<b>SurroundingEnvironment</b> <b>SurroundingEnvironment</b> <b>(0.15)</b>	<b>-2.18</b>	#s rth : ascending to rth altitude . #/s
	<b>SurroundingEnvironment</b>		#s rth : heading

<b>Normal</b>	<b>(0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.94</b>	alignment . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-2.06</b>	#s rth altitude : 65ft . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.19</b>	#s rth altitude : 98ft . #/s
<b>CommunicationIssue</b>	<b>CommunicationIssue (0.16)</b>	<b>CommunicationIssue</b>	<b>0.82</b>	#s signal lost . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.83</b>	#s aircraft returning to home point #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.38</b>	#s sprayer turned on #/s
<b>SurroundingEnvironment</b>	<b>SurroundingEnvironment (0.17)</b>	<b>SurroundingEnvironment</b>	<b>1.69</b>	#s strong wind warning . #/s
<b>SoftwareFault</b>	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	<b>2.12</b>	#s aircraft unable to return to home automatically . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-2.23</b>	#s lower altitude immediately and return to home manually #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.54</b>	#s switched to s ( sport ) - mode . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-2.44</b>	#s switched to t ( tripod ) - mode . #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.08</b>	#s take off in p - mode #/s
<b>SoftwareFault</b>	<b>HardwareFault (0.16)</b>	<b>HardwareFault</b>	<b>0.23</b>	#s vision sensor error. #/s
<b>Normal</b>	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	<b>-1.67</b>	#s contact dji support for assistance #/s
				#s vision

Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	-2.11	systems and obstacle avoidance disabled #/s #s waypoint mission paused #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	-1.08	#s weak gps signal . #/s
SoftwareFault	<b>SoftwareFault (0.18)</b>	<b>SoftwareFault</b>	1.46	#s aircraft is in attitude mode and hovering may be unstable . #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	-1.88	#s fly with caution . #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	-1.39	#s weak signal . #/s
CommunicationIssue	<b>CommunicationIssue (0.16)</b>	<b>CommunicationIssue</b>	1.34	#s adjust antennas #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	-1.19	#s your aircraft is flying in an altitude zone ( nnn ) . #/s
RegulationViolation	<b>RegulationViolation (0.17)</b>	<b>RegulationViolation</b>	2.67	#s please fly with caution #/s
Normal	<b>SurroundingEnvironment (0.15)</b>	<b>SurroundingEnvironment</b>	-1.70	