

**Legend:**
■ Negative
 □ Neutral
 ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.83)	SurroundingEnvironment	-0.65	[CLS] a passenger aircraft is nearby .
				[SEP]
				[CLS] fly with caution [SEP]
				[CLS] account not logged in . [SEP]
Normal	Normal (0.95)	Normal	0.23	[CLS] flight altitude and distance restricted to nnn and nnn .
				[SEP]
				[CLS] check and log in [SEP]
				[CLS] activetrack flight paused [SEP]
Normal	Normal (0.68)	Normal	-0.48	[CLS] aircraft activetrack available at max speed .
				[SEP]
				[CLS] obstacle avoidance is not available [SEP]
				[CLS] aircraft activetrack available at max speed .
ParamViolation	Normal (0.64)	ParamViolation	2.53	[SEP]
				[CLS] aircraft activetrack available at max speed .
				[SEP]
				[CLS] aircraft activetrack available at max speed .
Normal	Normal (0.92)	Normal	1.98	[SEP]
				[CLS] aircraft activetrack available at max speed .
				[SEP]
				[CLS] aircraft activetrack available at max speed .
Normal	Normal (0.79)	Normal	1.48	[SEP]
				[CLS] aircraft activetrack available at max speed .
				[SEP]
				[CLS] aircraft activetrack available at max speed .
Normal	Normal (0.93)	Normal	0.74	[SEP]
				[CLS] aircraft activetrack available at max speed .
				[SEP]
				[CLS] aircraft activetrack available at max speed .
Normal	Normal (0.91)	Normal	0.84	[SEP]
				[CLS] aircraft activetrack available at max speed .
				[SEP]
				[CLS] aircraft activetrack available at max speed .
Normal	Normal (0.93)	Normal	0.74	[SEP]
				[CLS] aircraft activetrack available at max speed .
				[SEP]
				[CLS] aircraft activetrack available at max speed .
Normal	Normal (0.84)	Normal	0.65	[SEP]
				[CLS] aircraft activetrack available at max speed .
				[SEP]
				[CLS] aircraft activetrack available at max speed .

Normal	Normal (0.79)	Normal	2.77	activetrack
				max speed of
				nnn and
				obstacle
HardwareFault	HardwareFault (0.41)	HardwareFault	1.15	avoidance
				functions
				normally
				[SEP]
Normal	Normal (0.83)	Normal	2.51	[CLS] aircraft
				core board
				overheated
				[SEP]
Normal	Normal (0.68)	Normal	1.52	[CLS] aircraft
				entered fixed
				- wing mode .
				[SEP]
Normal	Normal (0.83)	Normal	-0.29	[CLS] current
				flight speed is
				nnn . [SEP]
				[CLS] press
Normal	Normal (0.68)	Normal	1.10	c2 to exit
				[SEP]
				[CLS] aircraft
				flight control
RegulationViolation	Normal (0.68)	RegulationViolation	-1.23	unlocked
				[SEP]
				[CLS] aircraft
				in restricted
Normal	Normal (0.87)	Normal	1.17	zones . [SEP]
				[CLS] check
				map to find
				recommended
Normal	Normal (0.84)	Normal	1.51	zones [SEP]
				[CLS] aircraft
				is in attitude
				mode , so that
Normal	Normal (0.95)	Normal	0.01	it will not
				hover . [SEP]
				[CLS] please
				fly with
Normal	Normal (0.86)	Normal	2.19	caution .
				[SEP]
				[CLS] aircraft
				is in tripod
Normal	Normal (0.93)	Normal	1.92	mode . [SEP]
				[CLS] exit
				this mode and
				try again

				[SEP]
Normal	Normal (0.84)	Normal	1.63	[CLS] aircraft is returning to the starting point [SEP]
ParamViolation	Normal (0.44)	ParamViolation	0.88	[CLS] aircraft out of range [SEP]
RegulationViolation	Normal (0.61)	RegulationViolation	-1.74	[CLS] approaching a no - fly zone . [SEP]
Normal	Normal (0.55)	Normal	-0.20	[CLS] rth may be affected . [SEP]
Normal	Normal (0.95)	Normal	0.23	[CLS] fly with caution [SEP]
Normal	Normal (0.69)	Normal	-0.37	[CLS] arrived at start point . [SEP]
Normal	Normal (0.77)	Normal	-0.47	[CLS] starting waypoint mission [SEP]
Normal	Normal (0.73)	Normal	0.53	[CLS] auto landing initiated [SEP]
Normal	Normal (0.52)	Normal	-0.90	[CLS] auxiliary bottom light turned off [SEP]
SoftwareFault	Normal (0.42)	SoftwareFault	0.49	[CLS] backward obstacle sensing is not functioning . [SEP]
HardwareFault	Normal (0.82)	HardwareFault	2.40	[CLS] battery cell broken , please replace the battery [SEP]
HardwareFault	HardwareFault (0.58)	HardwareFault	1.75	[CLS] battery error . [SEP]
				[CLS] aircraft returning to

Normal	Normal (0.82)	Normal	1.69	home automatically [SEP]
HardwareFault	HardwareFault (0.44)	HardwareFault	1.88	[CLS] battery power low . [SEP]
Normal	Normal (0.85)	Normal	2.02	[CLS] check battery status and charge or warm up battery [SEP]
HardwareFault	Normal (0.64)	HardwareFault	1.80	[CLS] cache space full [SEP]
SurroundingEnvironment	Normal (0.35)	SurroundingEnvironment	1.44	[CLS] calibration subject is too close . [SEP]
Normal	Normal (0.85)	Normal	-0.28	[CLS] recalibrate using a subject that is farther away [SEP]
HardwareFault	Normal (0.51)	HardwareFault	1.48	[CLS] camera busy , cannot enter playback [SEP]
SoftwareFault	Normal (0.62)	SoftwareFault	0.84	[CLS] cannot enable intelligent flight mode [SEP]
HardwareFault	HardwareFault (0.48)	HardwareFault	1.70	[CLS] low battery [SEP]
SoftwareFault	Normal (0.59)	SoftwareFault	1.51	[CLS] cannot start return to home due to weak gps signal [SEP]
SoftwareFault	Normal (0.66)	SoftwareFault	1.90	[CLS] cannot start self - timer . [SEP]
SoftwareFault	Normal (0.37)	SoftwareFault	-0.73	[CLS] exposure time is too long [SEP]

SoftwareFault	Normal (0.52)	SoftwareFault	2.11	[CLS] cannot switch flight mode . [SEP]
Normal	Normal (0.89)	Normal	2.40	[CLS] turn on " multiple flight modes " to enable atti and sport modes . [SEP]
SoftwareFault	Normal (0.34)	SoftwareFault	1.42	[CLS] cannot track subject [SEP]
SurroundingEnvironment	Normal (0.27)	SurroundingEnvironment	1.77	[CLS] no image [SEP]
Normal	Normal (0.76)	Normal	-0.38	[CLS] please retry [SEP]
SoftwareFault	Normal (0.34)	SoftwareFault	1.42	[CLS] cannot track subject [SEP]
SurroundingEnvironment	HardwareFault (0.27)	SurroundingEnvironment	1.52	[CLS] subject too large [SEP]
Normal	Normal (0.88)	Normal	1.41	[CLS] move away and retry [SEP]
Normal	Normal (0.89)	Normal	1.10	[CLS] color display in the liveview has been enhanced . [SEP]
Normal	Normal (0.94)	Normal	1.73	[CLS] videos and photos will still be shot in d - log mode [SEP]
HardwareFault	HardwareFault (0.45)	HardwareFault	1.87	[CLS] compass abnormal . [SEP]
Normal	Normal (0.72)	Normal	0.04	[CLS] solution : 1 . ensure there are no magnets or metal objects near the aircraft .

				[SEP]
Normal	Normal (0.66)	Normal	-0.46	[CLS] the ground or walls may contain metal . [SEP]
Normal	Normal (0.70)	Normal	1.48	[CLS] move away from sources of interference before attempting flight . [SEP]
Normal	Normal (0.90)	Normal	1.36	[CLS] 2 . calibrate compass before takeoff [SEP]
HardwareFault	HardwareFault (0.34)	HardwareFault	1.25	[CLS] compass error [SEP]
HardwareFault	Normal (0.53)	HardwareFault	1.57	[CLS] compass error , calibration required [SEP]
HardwareFault	HardwareFault (0.49)	HardwareFault	1.84	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.49)	HardwareFault	1.84	[CLS] compass error . [SEP]
HardwareFault	Normal (0.44)	HardwareFault	1.75	[CLS] compass disconnected [SEP]
HardwareFault	HardwareFault (0.49)	HardwareFault	1.84	[CLS] compass error . [SEP]
SurroundingEnvironment	HardwareFault (0.38)	SurroundingEnvironment	0.66	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.89)	Normal	0.19	[CLS] exit p - gps mode [SEP]

				[CLS]
SoftwareFault	Normal (0.32)	SoftwareFault	1.52	compass initialization failed . [SEP]
Normal	Normal (0.76)	Normal	1.19	[CLS] restart aircraft [SEP]
HardwareFault	HardwareFault (0.53)	HardwareFault	1.92	[CLS] critical low battery . [SEP]
Normal	Normal (0.64)	Normal	-0.16	[CLS] aircraft in auto power off protection . [SEP]
Normal	Normal (0.60)	Normal	0.46	[CLS] forced landing in progress [SEP]
HardwareFault	HardwareFault (0.53)	HardwareFault	1.92	[CLS] critical low battery . [SEP]
Normal	Normal (0.68)	Normal	0.80	[CLS] aircraft landing automatically [SEP]
HardwareFault	HardwareFault (0.53)	HardwareFault	1.92	[CLS] critical low battery . [SEP]
Normal	Normal (0.88)	Normal	0.43	[CLS] return to home or land promptly [SEP]
HardwareFault	HardwareFault (0.44)	HardwareFault	1.99	[CLS] critically low power . [SEP]
Normal	Normal (0.59)	Normal	-0.74	[CLS] aircraft is landing [SEP]
HardwareFault	HardwareFault (0.44)	HardwareFault	1.99	[CLS] critically low power . [SEP]
Normal	Normal (0.60)	Normal	-0.01	[CLS] aircraft landing . [SEP]
Normal	Normal (0.60)	Normal	-0.01	[CLS] aircraft landing . [SEP]
				[CLS] throttle up to reduce

Normal	Normal (0.91)	Normal	0.06	the speed of descent and use sticks to avoid obstacles [SEP]
HardwareFault	Normal (0.41)	HardwareFault	1.58	[CLS] critically low voltage warning . [SEP]
Normal	Normal (0.63)	Normal	1.58	[CLS] aircraft will be forced to land [SEP]
HardwareFault	HardwareFault (0.45)	HardwareFault	1.91	[CLS] critically low voltage . [SEP]
Normal	Normal (0.73)	Normal	0.23	[CLS] aircraft will land [SEP]
Normal	Normal (0.76)	Normal	1.42	[CLS] data recorder file index is 15 . [SEP]
Normal	Normal (0.76)	Normal	1.26	[CLS] data recorder file index is 17 . [SEP]
Normal	Normal (0.77)	Normal	1.42	[CLS] data recorder file index is 30 . [SEP]
Normal	Normal (0.78)	Normal	1.58	[CLS] data recorder file index is 45 . [SEP]
Normal	Normal (0.79)	Normal	1.46	[CLS] data recorder file index is 46 . [SEP]
Normal	Normal (0.77)	Normal	1.52	[CLS] data recorder file index is 65 . [SEP]
Normal	Normal (0.79)	Normal	0.41	[CLS] disable sd card read and write



				protection or change card [SEP]
				[CLS]
CommunicationIssue	Normal (0.68)	CommunicationIssue	0.45	downlink lost . [SEP]
				[CLS]
Normal	Normal (0.77)	Normal	0.00	downlink restored ( after 0m 2 . 9s ) . [SEP]
				[CLS]
Normal	Normal (0.40)	Normal	-1.13	drone is vibrating [SEP]
				[CLS]
Normal	Normal (0.77)	Normal	-0.44	entered cruise control mode . [SEP]
				[CLS]
Normal	Normal (0.90)	Normal	0.81	press c1 or c2 to exit [SEP]
				[CLS]
ParamViolation	HardwareFault (0.33)	ParamViolation	0.59	excessive attitude angle detected [SEP]
				[CLS]
SoftwareFault	Normal (0.79)	SoftwareFault	-0.54	forward obstacle avoidance has stopped working [SEP]
				[CLS]
Normal	Normal (0.63)	Normal	-0.47	exit backward sensing system [SEP]
				[CLS]
SurroundingEnvironment	SurroundingEnvironment (0.30)	SurroundingEnvironment	2.28	ambient light is too weak [SEP]
				[CLS]
Normal	Normal (0.37)	Normal	-0.94	exited visual avoidance system . [SEP]
				[CLS]
SoftwareFault	Normal (0.63)	SoftwareFault	2.40	exiting gps mode : unknown error [SEP]

ParamViolation	Normal (0.38)	ParamViolation	1.61	[CLS] extra payload detected . [SEP]
Normal	Normal (0.53)	Normal	1.30	[CLS] flight performance will be affected . [SEP]
Normal	Normal (0.95)	Normal	0.23	[CLS] fly with caution [SEP]
SoftwareFault	Normal (0.55)	SoftwareFault	2.16	[CLS] forward obstacle sensing is not functioning . [SEP]
SoftwareFault	Normal (0.57)	SoftwareFault	1.40	[CLS] forward obstacle sensing not responding [SEP]
HardwareFault	HardwareFault (0.49)	HardwareFault	2.36	[CLS] gimbal motor overloaded . [SEP]
Normal	Normal (0.71)	Normal	-0.20	[CLS] check whether gimbal can rotate freely [SEP]
HardwareFault	Normal (0.51)	HardwareFault	1.47	[CLS] gimbal pitch limit reached . [SEP]
Normal	Normal (0.43)	Normal	-0.83	[CLS] ground plain . [SEP]
Normal	Normal (0.75)	Normal	-0.28	[CLS] safe to land . [SEP]
ParamViolation	Normal (0.36)	ParamViolation	1.86	[CLS] high altitude . [SEP]
Normal	Normal (0.73)	Normal	2.10	[CLS] aircraft braking distance increased and flight time decreased . [SEP]

Normal	Normal (0.95)	Normal	0.23	[CLS] fly with caution [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.30)	SurroundingEnvironment	2.05	[CLS] high wind velocity . [SEP]
Normal	Normal (0.96)	Normal	1.31	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.30)	SurroundingEnvironment	2.05	[CLS] high wind velocity . [SEP]
Normal	Normal (0.96)	Normal	1.31	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.30)	SurroundingEnvironment	2.05	[CLS] high wind velocity . [SEP]
Normal	Normal (0.98)	Normal	0.98	[CLS] fly with caution and land in a safe place asap . [SEP]
Normal	Normal (0.59)	Normal	-0.70	[CLS] high - altitude flight [SEP]
Normal	Normal (0.95)	Normal	0.23	[CLS] fly with caution [SEP]
Normal	Normal (0.76)	Normal	0.18	[CLS] aircraft braking distance is extended [SEP]
Normal	Normal (0.70)	Normal	1.55	[CLS] flight time is shortened . [SEP]
Normal	Normal (0.85)	Normal	-0.31	[CLS] home

ParamViolation	Normal (0.45)	ParamViolation	0.90	point updated . [SEP]
				[CLS] imu attitude restricted . [SEP]
				[CLS] ensure
Normal	Normal (0.85)	Normal	1.14	aircraft is level [SEP]
SoftwareFault	Normal (0.60)	SoftwareFault	1.45	[CLS] imu not calibrated . [SEP]
				[CLS]
Normal	Normal (0.64)	Normal	-0.51	calibrate imu [SEP]
Normal	Normal (0.50)	Normal	0.02	[CLS] landing canceled . [SEP]
				[CLS] landing gear function restored [SEP]
Normal	Normal (0.80)	Normal	0.19	[CLS] landing gear paused . [SEP]
Normal	Normal (0.70)	Normal	-0.18	[CLS] landing gear raising . [SEP]
				[CLS] home
Normal	Normal (0.68)	Normal	-0.80	point recorded [SEP]
Normal	Normal (0.77)	Normal	0.07	[CLS] live stream video frame rate less than 9hz . [SEP]
				[CLS] fly with caution [SEP]
HardwareFault	HardwareFault (0.35)	HardwareFault	1.69	[CLS] low power . [SEP]
Normal	Normal (0.87)	Normal	-0.09	[CLS] aircraft is returning to the home point . [SEP]
				[CLS] low power . [SEP]
HardwareFault	HardwareFault (0.35)	HardwareFault	1.69	

Normal	Normal (0.65)	Normal	-0.20	[CLS] returning home . [SEP]
SurroundingEnvironment	HardwareFault (0.38)	SurroundingEnvironment	0.66	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.88)	Normal	0.88	[CLS] exit p - gps mode . [SEP]
HardwareFault	HardwareFault (0.33)	HardwareFault	1.85	[CLS] yaw error . [SEP]
SurroundingEnvironment	Normal (0.47)	SurroundingEnvironment	1.88	[CLS] manned aircraft detected nearby . [SEP]
Normal	Normal (0.95)	Normal	0.23	[CLS] fly with caution [SEP]
ParamViolation	Normal (0.59)	ParamViolation	1.99	[CLS] max altitude approached . [SEP]
Normal	Normal (0.92)	Normal	0.40	[CLS] wait for the gps satellite signal recovery before ascend [SEP]
ParamViolation	Normal (0.61)	ParamViolation	2.05	[CLS] max flight altitude reached . [SEP]
Normal	Normal (0.88)	Normal	2.02	[CLS] adjust in main controller settings if necessary [SEP]
ParamViolation	Normal (0.55)	ParamViolation	1.93	[CLS] max flight distance reached . [SEP]
				[CLS] adjust

Normal	Normal (0.91)	Normal	0.76	in main controller settings if necessary . [SEP] [CLS] maximum
ParamViolation	Normal (0.48)	ParamViolation	2.05	flight distance reached . [SEP] [CLS] adjust the distance
Normal	Normal (0.94)	Normal	1.50	in mc settings if required . [SEP] [CLS] mobile device cpu
HardwareFault	Normal (0.70)	HardwareFault	2.36	fully loaded . [SEP] [CLS] related performance
Normal	Normal (0.54)	Normal	-0.09	will be affected . [SEP] [CLS] mobile device version too old to support hd image transmission
SoftwareFault	Normal (0.75)	SoftwareFault	1.51	and the image transmission mode has been switch to normal mode . [SEP] [CLS] motor
Normal	HardwareFault (0.36)	Normal	-1.06	is blocked . [SEP] [CLS] motor stuck . [SEP] [CLS] check for objects blocking motor or
HardwareFault	HardwareFault (0.45)	HardwareFault	1.96	contact dji support for
Normal	Normal (0.81)	Normal	-0.45	

				assistance
				[SEP]
Normal	Normal (0.60)	Normal	0.68	[CLS] motors
				started . [SEP]
SoftwareFault	Normal (0.39)	SoftwareFault	-0.81	[CLS] no gps signal . [SEP]
Normal	Normal (0.36)	Normal	0.90	[CLS] aircraft
				unable to hover . [SEP]
Normal	Normal (0.95)	Normal	0.23	[CLS] fly with
				caution [SEP]
SoftwareFault	Normal (0.39)	SoftwareFault	-0.81	[CLS] no gps signal . [SEP]
Normal	Normal (0.36)	Normal	0.77	[CLS] unable
				to hover . [SEP]
Normal	Normal (0.95)	Normal	0.23	[CLS] fly with
				caution [SEP]
Normal	Normal (0.65)	Normal	-0.43	[CLS]
				obstacle
Normal	Normal (0.75)	Normal	1.43	avoidance
				disabled . [SEP]
Normal	Normal (0.65)	Normal	-0.43	[CLS] landing
				gear lowered
Normal	Normal (0.65)	Normal	-0.43	. [SEP]
				[CLS]
Normal	Normal (0.65)	Normal	-0.43	obstacle
				avoidance
Normal	Normal (0.65)	Normal	-0.43	disabled . [SEP]
				[CLS]
Normal	Normal (0.65)	Normal	-0.43	obstacle
				avoidance
Normal	Normal (0.75)	Normal	1.43	disabled . [SEP]
				[CLS] landing
Normal	Normal (0.87)	Normal	1.87	gear lowered
				. [SEP]
Normal	Normal (0.81)	Normal	1.28	[CLS]
				obstacle
Normal	Normal (0.87)	Normal	1.87	avoidance has
				been disabled
Normal	Normal (0.81)	Normal	1.28	. [SEP]
				[CLS] precision

				landing [SEP]
Normal	Normal (0.76)	Normal	-0.49	[CLS] quickshot has ended [SEP]
Normal	Normal (0.47)	Normal	1.13	[CLS] recenter gimbal pan [SEP]
Normal	Normal (0.70)	Normal	0.21	[CLS] rectifying aircraft position [SEP]
SurroundingEnvironment	Normal (0.35)	SurroundingEnvironment	1.38	[CLS] remote controller in high interference environment . [SEP]
Normal	Normal (0.94)	Normal	0.74	[CLS] manually adjust flight route or return to home [SEP]
Normal	Normal (0.77)	Normal	1.66	[CLS] return - to - home altitude : 65ft [SEP]
Normal	Normal (0.77)	Normal	1.58	[CLS] return - to - home altitude : 98ft . [SEP]
Normal	Normal (0.81)	Normal	-0.38	[CLS] rth : ascending to rth altitude . [SEP]
Normal	Normal (0.72)	Normal	0.26	[CLS] rth : heading alignment . [SEP]
Normal	Normal (0.63)	Normal	0.45	[CLS] rth altitude : 65ft . [SEP]
Normal	Normal (0.70)	Normal	0.61	[CLS] rth altitude : 98ft . [SEP]
CommunicationIssue	Normal (0.33)	CommunicationIssue	-0.08	[CLS] signal



Normal	Normal (0.78)	Normal	0.83	lost . [SEP]
				[CLS] aircraft
				returning to home point [SEP]
Normal	Normal (0.70)	Normal	-0.59	[CLS] sprayer turned on [SEP]
SurroundingEnvironment	Normal (0.47)	SurroundingEnvironment	0.44	[CLS] strong wind warning . [SEP]
SoftwareFault	Normal (0.78)	SoftwareFault	0.13	[CLS] aircraft unable to return to home automatically . [SEP]
				[CLS] lower altitude immediately and return to home manually [SEP]
				[CLS] switched to s ( sport ) - mode . [SEP]
Normal	Normal (0.93)	Normal	1.14	[CLS] switched to t ( tripod ) - mode . [SEP]
Normal	Normal (0.83)	Normal	-0.20	[CLS] take off in p - mode [SEP]
Normal	Normal (0.71)	Normal	1.52	[CLS] vision sensor error . [SEP]
Normal	Normal (0.93)	Normal	-0.06	[CLS] contact dji support for assistance [SEP]
SoftwareFault	HardwareFault (0.50)	SoftwareFault	1.52	[CLS] vision systems and obstacle avoidance disabled [SEP]
Normal	Normal (0.87)	Normal	0.68	
Normal	Normal (0.68)	Normal	-0.03	

Normal	Normal (0.75)	Normal	0.82	[CLS] waypoint mission paused [SEP]
SoftwareFault	HardwareFault (0.39)	SoftwareFault	1.79	[CLS] weak gps signal . [SEP]
Normal	Normal (0.62)	Normal	1.46	[CLS] aircraft is in attitude mode and hovering may be unstable . [SEP]
Normal	Normal (0.96)	Normal	-0.04	[CLS] fly with caution . [SEP]
CommunicationIssue	HardwareFault (0.34)	CommunicationIssue	0.40	[CLS] weak signal . [SEP]
Normal	Normal (0.71)	Normal	0.04	[CLS] adjust antennas [SEP]
RegulationViolation	Normal (0.81)	RegulationViolation	-0.33	[CLS] your aircraft is flying in an altitude zone ( nnn ) . [SEP]
Normal	Normal (0.96)	Normal	0.17	[CLS] please fly with caution [SEP]