

Legend: ■ Negative □ Neutral ■ Positive

Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
None	Normal (1.00)	Normal	0.08	[CLS] data recorder file index is 84 . [SEP]
None	Normal (1.00)	Normal	0.69	[CLS] set return to home ( rth ) altitude to 100 m ( 328 ft ) . [SEP]
None	Normal (1.00)	Normal	-0.98	[CLS] set maximum flight altitude to 30 m ( 98 ft ) . [SEP]
None	Normal (1.00)	Normal	1.18	[CLS] flight mode changed to p - gps ( brake ) . [SEP]
None	Normal (1.00)	Normal	-1.69	[CLS] set maximum flight altitude to 500 m ( 1640 ft ) . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	-0.04	[CLS] aircraft returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	Normal (1.00)	Normal	1.21	[CLS] flight mode changed to go home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	-0.04	[CLS] aircraft returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]

None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	-0.04	[CLS] aircraft returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	-0.04	[CLS] aircraft returning to home . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	-0.04	[CLS] aircraft returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]

None	Normal (1.00)	Normal	-0.04	[CLS] aircraft returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	1.18	[CLS] flight mode changed to p - gps ( brake ) . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	-0.04	[CLS] aircraft returning to home . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (0.99)	Normal	-0.61	[CLS] aircraft will follow preset action for lost signal . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]

None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (0.99)	Normal	-0.61	[CLS] aircraft will follow preset action for lost signal . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	1.21	[CLS] flight mode changed to go home . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	Normal (0.99)	Normal	-1.75	[CLS] original route rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	Normal (1.00)	Normal	1.18	[CLS] flight mode changed to p - gps ( brake ) . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]

None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (0.99)	Normal	-0.61	[CLS] aircraft will follow preset action for lost signal . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (0.99)	Normal	-0.61	[CLS] aircraft will follow preset action for lost signal . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	1.21	[CLS] flight mode changed to go home . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]

None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	Normal (0.99)	Normal	-1.75	[CLS] original route rth . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	Normal (0.99)	Normal	-1.75	[CLS] original route rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (0.99)	Normal	-1.75	[CLS] original route rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]



None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	1.18	[CLS] flight mode changed to p - gps ( brake ) . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]

None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	1.21	[CLS] flight mode changed to go home . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	Normal (0.99)	Normal	-1.75	[CLS] original route rth . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	Normal (0.99)	Normal	-1.75	[CLS] original route rth . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]



None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	1.18	[CLS] flight mode changed to p - gps ( brake ) . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]

None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (0.99)	Normal	-0.61	[CLS] aircraft will follow preset action for lost signal . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	1.21	[CLS] flight mode changed to go home . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	Normal (0.99)	Normal	-1.75	[CLS] original route rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	Normal (1.00)	Normal	1.18	[CLS] flight mode changed to p - gps ( brake ) . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (0.99)	Normal	-0.61	[CLS] aircraft will follow preset action for lost signal . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]

None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (0.99)	Normal	-0.61	[CLS] aircraft will follow preset action for lost signal . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (0.99)	Normal	-0.61	[CLS] aircraft will follow preset action for lost signal . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]

None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (0.99)	Normal	-0.61	[CLS] aircraft will follow preset action for lost signal . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]

None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] downlink restored ( after 0m 5 . 8s ) . [SEP]
None	Normal (1.00)	Normal	1.21	[CLS] flight mode changed to go home . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	1.18	[CLS] flight mode changed to p - gps ( brake ) . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]

None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (0.99)	Normal	-0.61	[CLS] aircraft will follow preset action for lost signal . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	-0.04	[CLS] aircraft returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	1.21	[CLS] flight mode changed to go home . [SEP]
None	Normal (0.99)	Normal	-1.75	[CLS] original route rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]



None	Normal (1.00)	Normal	1.18	[CLS] flight mode changed to p - gps ( brake ) . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] controller triggered aircraft to descend . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.71	[CLS] image transmission signal weak . [SEP]
None	Normal (1.00)	Normal	0.03	[CLS] adjust antennas and make sure they are perpendicular to flight direction of aircraft . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] downlink restored ( after 0m 7 . 4s ) . [SEP]
None	Normal (1.00)	Normal	1.21	[CLS] flight mode changed to go home . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal weak . [SEP]
None	Normal (1.00)	Normal	1.06	[CLS] avoid blocking antennas and adjust antenna orientation . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]

None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	Normal (1.00)	Normal	0.20	[CLS] rth ascending . [SEP]
None	Normal (1.00)	Normal	0.21	[CLS] downlink restored ( after 0m 5 . 4s ) . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	-0.01	[CLS] controller triggered aircraft to fly backward . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	Normal (1.00)	Normal	1.18	[CLS] flight mode changed to p - gps ( brake ) . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]
None	Normal (1.00)	Normal	-0.01	[CLS] controller triggered aircraft to fly backward . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	-1.26	[CLS] failsafe rth . [SEP]

None	Normal (1.00)	Normal	-0.01	[CLS] controller triggered aircraft to fly backward . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.08	[CLS] returning to home . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	-0.04	[CLS] aircraft returning to home . [SEP]
None	Normal (1.00)	Normal	1.21	[CLS] flight mode changed to go home . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	-0.04	[CLS] aircraft returning to home . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	-0.04	[CLS] aircraft returning to home . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]
None	Normal (1.00)	Normal	-0.01	[CLS] controller triggered aircraft to fly backward . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	-0.04	[CLS] aircraft returning to home . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	1.18	[CLS] flight mode changed to p - gps ( brake ) . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]

None	Normal (1.00)	Normal	-0.01	[CLS] controller triggered aircraft to fly backward . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	-0.04	[CLS] aircraft returning to home . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	0.30	[CLS] rth . [SEP]
None	Normal (1.00)	Normal	-0.01	[CLS] controller triggered aircraft to fly backward . [SEP]
None	Normal (1.00)	Normal	0.19	[CLS] auto rth canceled . [SEP]
None	CommunicationIssue (0.72)	CommunicationIssue	1.22	[CLS] no image transmission . [SEP]
None	Normal (1.00)	Normal	-0.04	[CLS] aircraft returning to home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.15	[CLS] aircraft braking . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	1.21	[CLS] flight mode changed to go home . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	CommunicationIssue (0.97)	CommunicationIssue	1.59	[CLS] rc signal lost . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]

None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	0.22	[CLS] press brake button to cancel rth . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] auto landing in progress . [SEP]
None	Normal (1.00)	Normal	0.31	[CLS] press brake button to cancel landing . [SEP]
None	Normal (1.00)	Normal	0.98	[CLS] flight mode changed to auto landing . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] auto landing in progress . [SEP]
None	Normal (1.00)	Normal	0.31	[CLS] press brake button to cancel landing . [SEP]
None	Normal (1.00)	Normal	-0.08	[CLS] rth in progress . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] auto landing in progress . [SEP]
None	Normal (1.00)	Normal	-1.92	[CLS] area under aircraft unsuitable for landing . [SEP]
None	Normal (1.00)	Normal	0.32	[CLS] move to safe environment and try again . [SEP]
None	Normal (1.00)	Normal	1.18	[CLS] flight mode changed to p - gps ( brake ) . [SEP]

None	Normal (1.00)	Normal	-0.05	[CLS] auto landing in progress . [SEP]
None	Normal (1.00)	Normal	-1.92	[CLS] area under aircraft unsuitable for landing . [SEP]
None	Normal (1.00)	Normal	0.32	[CLS] move to safe environment and try again . [SEP]
None	Normal (1.00)	Normal	-1.92	[CLS] area under aircraft unsuitable for landing . [SEP]
None	Normal (1.00)	Normal	0.32	[CLS] move to safe environment and try again . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] auto landing in progress . [SEP]
None	Normal (1.00)	Normal	0.31	[CLS] press brake button to cancel landing . [SEP]
None	Normal (1.00)	Normal	0.98	[CLS] flight mode changed to auto landing . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] auto landing in progress . [SEP]
None	Normal (1.00)	Normal	0.86	[CLS] make sure the area under the aircraft is safe for landing . [SEP]
None	Normal (1.00)	Normal	-1.16	[CLS] push throttle down to use force landing . [SEP]
None	Normal (1.00)	Normal	0.50	[CLS] flight mode changed to confirm landing . [SEP]
None	Normal (1.00)	Normal	-0.05	[CLS] auto landing in progress . [SEP]
None	Normal (1.00)	Normal	0.86	[CLS] make sure the area under the aircraft is safe for landing . [SEP]
None	Normal (1.00)	Normal	-1.16	[CLS] push throttle down to use force landing . [SEP]
None	Normal (1.00)	Normal	1.18	[CLS] flight mode changed to p - gps ( brake ) . [SEP]